

Genetec Occupancy Management Package

All-in-one occupancy package to enable public-facing businesses to adhere to occupancy regulations

As you prepare to reopen your business, you'll need to keep your customers and employees safe by adjusting your security measures to adhere to physical distancing regulations. A top priority will be to define occupancy guidelines and mobilize your operations to limit the risk of COVID-19 transmission.

These guidelines can vary from a maximum threshold to the number of people per square foot. To enforce this, you'll need to know how many people are on your premises at any given moment—then continuously monitor the data and take action when thresholds are met.



Our new Occupancy Management Package will enable you to operate within the guidelines for occupancy density. This solution can count the number of people in your store or similar public-facing business, visualize the data and send alerts to employees when occupancy limits are being reached. Reports can also be produced to demonstrate your compliance with local measures.

We can help you tap into your security system to:



Count people: Utilize cameras to count people or install Quanergy LiDAR People Counting sensor to keep track of occupancy.



Visualize data: View occupancy data through your Security Desk dashboard. Analyze occupancy reports and create people counting audit reports to document compliance.



Manage occupancy policies: Better manage occupancy by reacting to threshold alerts. Alerts can be delivered by mobile tablets, email alerts, or generated as an event to action within Security Desk.



Build your customized occupancy package through the Genetec Channel Sales Team

Work with the Channel Sales Team to determine which options work best for you.

*Note if you are not a current Security Center customer, please contact Channel Sales for more information

| Choose your analytic and sensor | KiwiVision People Counter video analytics applied to a security camera GSC-OM-1PC-OccupancyMgmt GSC-RSS-BASE GSC-RSS-Kiwi-1D Customize cameras and connections with Channel Sales* | LiDAR, Axis Occupancy Estimator, or Bosch IVA with corresponding sensor GSC-RSS-BASE GSC-RSS-1D Sensor connection included |
|---------------------------------|--|---|
| 2 Chose additional add-ons | Consult with Channel Sales to customize the options below† Do you need an appliance to run the camera analytic? SVA-OCC-BUNDLE-3C Do you need camera connections? Do you need Genetec Advantage? | Consult with Channel Sales to customize the options below† Do you need camera connections? Do you need Genetec Advantage? |

^{*} Refer to KiwiVision guide

Contact the Genetec Channel Sales Team to help customize your solution: channelsales@genetec.com | +1.855.245.0326

[†] Refer to the <u>hardware calculator</u> to determine appliance requirements