**Web-Lists Testing Instructions**

All lists of current web site will be presented in this web part with their properties. Also hidden lists.

1. **Insert Web Part to Page**



2. **Edit Web Part Properties**



**Items Per Page**

**Pagination Buttons Count**




3. **Republish**

## 4. Sort List

Through clicking on a header, you can sort the list according this field. Through a second click on the same header the list will be sorted according this field descending.




Sorting is case sensitive.



## 5. Filter List

Filter according values in all fields or in a specific field.




## 6. Pagination

It is possible to select, first, next, any, previous or last page.



## 7. Selected Items

Selected items will be displayed under the list.




|< < 1 2 3 4 > >|
Title
Adaptive Card Images
Get Value
Id
Get Value
BaseTemplate
100
BaseType
0
AllowContentTypes
ContentTypesEnabled
Created
2/21/2020 5:32:31 PM
EnableAttachments
EnableFolderCreation
EnableMinorVersions
EnableModeration
EnableRequestSignOff
EnableVersioning
FileSavePostProcessingEnabled
ForceCheckout
HasExternalDataSource
Hidden
ItemCount
0
MajorVersionLimit
0
MajorWithMinorVersionsLimit
0
MultipleDataList
NoCrawl
Title
appdata
Get Value
Id
Get Value

## 8. Double Click on an Item

After double click on an item a scrolling down effect will occur in case there is not enough free space in the browser below the list, so that at least the Title value will be visible below the list.

In case there is enough space in the browser below the list, after double click only the selected item will be presented below the list, without any other effect.






## 9. Get Value

The properties “Title” and “Id” have values of type string and therefore there will be a button “Get Value” below their values. After clicking of these buttons an input element will be presented below theses buttons with the corresponding value. This value can be copied from these input elements and used elsewhere. For example, in the property “List ID” of the “Generic-List” app.