

Solution	Entity	Plural Display Name	Description	Schema Name	Logical Name	Object Type Code	Is Custom Entity	Ownership Type
CDS Standard	Account	Accounts	Business that represents a customer or potential customer. The company that is billed in business transa	Account	account	1	FALSE	UserOwned
CDS Standard	Contact	Contacts	Person with whom a business unit has a relationship, such as customer, supplier, and colleague.	Contact	contact	2	FALSE	UserOwned
Media Common	Business Role	Business Roles		msmedia_BusinessRole	msmedia_businessrole	10083	TRUE	UserOwned
Media Common	External Guest ID	External Guest IDs	The identification number assigned by an external guest management system	msmedia_ExternalGuestID	msmedia_externalguestid	10085	TRUE	UserOwned
Media Common	Guest	Guests	A person with whom a provider has limited information about but has previously purchased a product or	msmedia_Guest	msmedia_guest	10086	TRUE	UserOwned
Media Common	Guest Category	Guest Categories	A collection of guests	msmedia_GuestCategory	msmedia_guestcategory	10087	TRUE	UserOwned
Media Common	Interest	Interests	Represents the likes, topics, products, subjects, or trends that can be associated with guests or customer	msmedia_interest	msmedia_interest	10088	TRUE	UserOwned
Media Common	Loyalty Level	Loyalty Levels	The status tier within a Loyalty Program	msmedia_LoyaltyLevel	msmedia_loyaltylevel	10089	TRUE	UserOwned
Media Common	Loyalty Program	Loyalty Programs	A program that tracks the activities or engagements of customers with rewards, status or other benefits	msmedia_LoyaltyProgram	msmedia_loyaltyprogram	10090	TRUE	UserOwned
Media Common	Loyalty Program Account	Loyalty Program Accounts	The specific Loyalty Program accounts assigned to individual customers including any balances	msmedia_LoyaltyProgramAccount	msmedia_loyaltyprogramaccount	10091	TRUE	UserOwned
Media Common	Media Asset	Media Assets		msmedia_MediaAsset	msmedia_mediaasset	10092	TRUE	UserOwned
Media Common	Media Asset Category	Media Asset Categories	A collection of similar Media Assets	msmedia_MediaAssetCategory	msmedia_mediaassetcategory	10093	TRUE	UserOwned
Media Common	Region	Regions	A grouping of geographic areas, combining TMAs, zip codes, or other regions	msmedia_Region	msmedia_region	10094	TRUE	OrganizationOwned
Media Common	Season	Seasons	A customizable tagging mechanism such as a specific period of time used to relate media objects, such as	msmedia_Season	msmedia_season	10095	TRUE	UserOwned
Media Common	Talent	Talent	Any performer or associated member of a performance group	msmedia_Talent	msmedia_talent	10096	TRUE	UserOwned
Media Common	Three Digit Zip Code	Three Digit Zip Codes	The first 3 digits of a zip code or postal code that are part of a TMA	msmedia_ThreeDigitZipCode	msmedia_threedigitzipcode	10097	TRUE	UserOwned
Media Common	TMA	TMAs	A Television Market Area - as in those in the USA defined by the FCC and advertising agencies	msmedia_DMA	msmedia_dma	10084	TRUE	UserOwned
Media Events & Venues	Attraction	Attractions		msmedia_Attraction	msmedia_attraction	10099	TRUE	UserOwned
Media Events & Venues	Attraction Schedule	Attraction Schedules	The timing of the occurrences, appearances, or slots by attractions within a day	msmedia_AttractionSchedule	msmedia_attractionschedule	10100	TRUE	UserOwned
Media Events & Venues	Attraction Track	Attraction Tracks	A customized collection of attractions with similar themes or target audiences	msmedia_AttractionTrack	msmedia_attractiontrack	10101	TRUE	UserOwned
Media Events & Venues	Concession Partner	Concession Partners	A business account that is operating one or more concession stands	msmedia_ConcessionPartner	msmedia_concessionpartner	10102	TRUE	UserOwned
Media Events & Venues	Concession Stand	Concession Stands	Represents the locations within an event that sell products	msmedia_concessionstand	msmedia_concessionstand	10103	TRUE	UserOwned
Media Events & Venues	Dispenser	Dispensers		msmedia_Dispenser	msmedia_dispenser	10191	TRUE	UserOwned
Media Events & Venues	Event Attraction	Event Attractions		msmedia_EventAttraction	msmedia_eventattraction	10151	TRUE	UserOwned
Media Events & Venues	Event Schedule	Event Schedules		msmedia_EventSchedule	msmedia_eventschedule	10152	TRUE	UserOwned
Media Events & Venues	Facility	Facilities		msmedia_Facility	msmedia_facility	10104	TRUE	UserOwned
Media Events & Venues	Gate	Gates	An entrance or exit within a venue and/or facility	msmedia_gate	msmedia_gate	10105	TRUE	UserOwned
Media Events & Venues	Hours of Operation	Hours of Operation	Represents the operational hours of an event, venue, concession stand, etc.	msmedia_hoursofoperation	msmedia_hoursofoperation	10106	TRUE	UserOwned
Media Events & Venues	Media Event	Media Events	A scheduled occurrence that a Provider or Operator can publish and sell or offer limited access to by Gues	msmedia_MediaEvent	msmedia_mediaevent	10107	TRUE	UserOwned
Media Events & Venues	Media Registration	Media Registrations	Represents the tracking of invited attendees for a particular event or attraction	msmedia_MediaRegistration	msmedia_mediaregistration	10108	TRUE	UserOwned
Media Events & Venues	Media Registration Status Log	Media Registration Status Log		msmedia_MediaRegistrationStatusLog	msmedia_mediaregistrationstatuslog	10109	TRUE	UserOwned
Media Events & Venues	Media Venue	Media Venues	The physical location where a event takes place, or the location where attractions are hosted	msmedia_MediaVenue	msmedia_mediavenue	10110	TRUE	UserOwned
Media Events & Venues	Media Venue Image	Media Venue Images	A picture of outside or inside of a venue	msmedia_MediaVenueImage	msmedia_mediavenueimage	10111	TRUE	UserOwned
Media Events & Venues	Weather Condition	Weather Conditions	Captures the temperature or other weather conditions that occurs during a event or at a venue or attracti	msmedia_WeatherCondition	msmedia_weathercondition	10112	TRUE	UserOwned
Media Sports	League	Leagues	The collection of sports teams across a similar sport or activity	msmedia_League	msmedia_league	10115	TRUE	UserOwned
Media Sports	Playing Field	Playing Fields	A location within a venue where a sporting event or game can occur	msmedia_PlayingField	msmedia_playingfield	10116	TRUE	UserOwned
Media Sports	Playing Field Image	Playing Field Images	A picture of a playing field	msmedia_PlayingFieldImage	msmedia_playingfieldimage	10117	TRUE	UserOwned
Media Sports	Playing Field Point	Playing Field Points	A particular spot within a playing field that can be labeled by its GPS coordinates	msmedia_PlayingFieldPoint	msmedia_playingfieldpoint	10118	TRUE	UserOwned
Media Sports	Round	Rounds	A means to identify the timing of a specific sporting event, or its relationship to other games across a par	msmedia_Round	msmedia_round	10119	TRUE	UserOwned
Media Sports	Sporting Conference	Sporting Conferences	A named collection of sports teams that are grouped together, perhaps for scheduling or officiating purp	msmedia_SportingConference	msmedia_sportingconference	10120	TRUE	OrganizationOwned
Media Sports	Sporting Division	Sporting Divisions	A named collection of sports teams that are grouped together, perhaps for scheduling or officiating purp	msmedia_SportingDivision	msmedia_sportingdivision	10121	TRUE	OrganizationOwned
Media Sports	Sports Player	Sports Players	A participant, referee, coach, and other officiant within a sports organization	msmedia_SportsPlayer	msmedia_sportsplayer	10122	TRUE	UserOwned
Media Sports	Sports Player Image	Sports Player Images	A picture of a Sports Player	msmedia_SportsPlayerImage	msmedia_sportsplayerimage	10123	TRUE	UserOwned
Media Sports	Sports Player Team History	Sports Player Team Histories	Tracks the past teams that a sports player has been associated with	msmedia_SportsPlayerTeamHistory	msmedia_sportsplayerteamhistory	10124	TRUE	UserOwned
Media Sports	Sports Team	Sports Teams	A single instance of a group within a Sports League that can host or participate in sports events	msmedia_SportsTeam	msmedia_sportsteam	10125	TRUE	UserOwned
Media Event Product Sales	Admission	Admissions	Captures all of the data necessary to track the current status of all of the reserved ticketing or advertising	msmedia_Admission	msmedia_admission	10128	TRUE	UserOwned
Media Event Product Sales	Advertising Segment	Advertising Segments	A specific period of time - usually during an event or sports match/game - in which an advertising spot w	msmedia_AdvertisingSegment	msmedia_advertisingsegment	10129	TRUE	UserOwned
Media Event Product Sales	Advertising Segment Group	Advertising Segment Groups	The grouping of advertising segments into a collection that can be used to manage and sell advertising d	msmedia_AdvertisingSegmentGroup	msmedia_advertisingsegmentgroup	10130	TRUE	UserOwned
Media Event Product Sales	Advertising Spot Fulfillment	Advertising Spot Fulfillments		msmedia_AdvertisingSpotFulfillment	msmedia_advertisingspotfulfillment	10131	TRUE	UserOwned
Media Event Product Sales	Media Event Sponsorship	Media Event Sponsorships	A product which enables a company to purchase the naming or other marketing and promotion rights wi	msmedia_MediaEventSponsorship	msmedia_mediaeventsponsorship	10133	TRUE	UserOwned
Media Event Product Sales	Media Venue Advertising Zone	Media Venue Advertising Zones	A specific collection of physical or digital displays or screens that is assigned within a venue and used for	msmedia_MediaVenueAdvertisingZone	msmedia_mediavenueadvertisingzon	10134	TRUE	UserOwned
Media Event Product Sales	Media Venue Seat Map	Media Venue Seat Maps	A seat map that has been assigned to a specific venue	msmedia_MediaVenueSeatMap	msmedia_mediavenueseatmap	10135	TRUE	UserOwned
Media Event Product Sales	Product Image	Product Images	A picture file that represents a media product	msmedia_ProductImage	msmedia_productimage	10136	TRUE	UserOwned
Media Event Product Sales	Promo Code	Promo Codes	Represents the alphanumeric for a discount or campaign for a particular media product	msmedia_PromoCode	msmedia_promocode	10137	TRUE	UserOwned
Media Event Product Sales	Seat	Seats	A designated space within a row	msmedia_Seat	msmedia_seat	10138	TRUE	UserOwned
Media Event Product Sales	Seat Map	Seat Maps	Details the specific arrangement and relationship of seats, seating rows, and sections with a picture	msmedia_SeatMap	msmedia_seatmap	10139	TRUE	UserOwned
Media Event Product Sales	Seat Row	Seat Rows	A grouping of seats that is part of section	msmedia_SeatRow	msmedia_seatrow	10140	TRUE	UserOwned
Media Event Product Sales	Seat Section	Seat Sections	A grouping of seating rows	msmedia_SeatSection	msmedia_seatsection	10141	TRUE	UserOwned
Media Event Product Sales	Seat Tier	Seat Tiers	A means to identify and price specific seats	msmedia_SeatTier	msmedia_seattier	10142	TRUE	UserOwned
Media Event Product Sales	Ticket	Tickets	A product used to gain access to a particular event, attraction, or venue	msmedia_Ticket	msmedia_ticket	10154	TRUE	UserOwned
Dynamics 365 Sales	Opportunity Product	Opportunity Products	Association between an opportunity and a product.	OpportunityProduct	opportunityproduct	1083	FALSE	UserOwned
Dynamics 365 Sales	Order	Orders	Quote that has been accepted.	SalesOrder	salesorder	1088	FALSE	UserOwned
Dynamics 365 Sales	Order Product	Order Products	Line item in a sales order.	SalesOrderDetail	salesorderdetail	1089	FALSE	UserOwned
Dynamics 365 Sales	Price List	Price Lists	Entity that defines pricing levels.	PriceLevel	pricelevel	1022	FALSE	OrganizationOwned
Dynamics 365 Sales	Product	Products	Information about products and their pricing information.	Product	product	1024	FALSE	OrganizationOwned
Dynamics 365 Sales	Quote Product	Quote Products	Product line item in a quote. The details include such information as product ID, description, quantity, an	QuoteDetail	quotedetail	1085	FALSE	UserOwned
CDS Standard	User	Users	Person with access to the Microsoft CRM system and who owns objects in the Microsoft CRM database.	SystemUser	systemuser	8	FALSE	BusinessOwned

[illegible]

[illegible]

[illegible]

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	String	Nullable system user
createdbyname	CreatedByName	N/A	String	N/A	False	String	Format: Textbox length: 100
createdbyusername	CreatedByUsername	N/A	String	N/A	False	String	Format: Textbox length: 100
creationdate	CreatedOn	Created On	Date/Time	Date and time when the record was created.	False	String	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	String	Nullable system user
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	String	Format: Textbox length: 100
createdonbehalfbyusername	CreatedOnBehalfByUsername	N/A	String	N/A	False	String	Format: Textbox length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	String	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	String	Nullable system user
modifiedbyname	ModifiedByName	N/A	String	N/A	False	String	Format: Textbox length: 100
modifiedbyusername	ModifiedByUsername	N/A	String	N/A	False	String	Format: Textbox length: 100
modifieddate	ModifiedOn	Modified On	Date/Time	Date and time when the record was modified.	False	String	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	String	Nullable system user
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	String	Format: Textbox length: 100
modifiedonbehalfbyusername	ModifiedOnBehalfByUsername	N/A	String	N/A	False	String	Format: Textbox length: 100
media_account	media_Account	Account	Lookup	N/A	True	String	Nullable account
media_accountname	media_AccountName	N/A	String	N/A	True	String	Format: Textbox length: 100
media_accountusername	media_AccountUsername	N/A	String	N/A	True	String	Format: Textbox length: 100
media_businessunit	media_BusinessUnit	Business Unit	Lookup	Unique identifier for entity instances.	False	String	Format: Textbox length: 100
media_name	media_Name	Name	String	Required name field.	True	String	Options: 76880000: Media Provider76880001: Radio Network76880002: Cable Tv Operator76880003: Satellite Tv Operator76880004: Motion Picture Studio76880005: Production Company76880006: Advertising Agency76880007: Theme Park Operator76880008: Ticketing Agency76880009: Broker76880010: Conference Producer76880011: Sports Team76880012: Food & Beverage Operator76880013: Hotel / Conference Center76880014: Streaming Service Operator76880015: Website Operator76880016: Brand / Merchandiser76880017: Other
media_provider	media_Provider	Provider Role	Virtual	MultiSelect Option	True	String	Options: 76880000: Media Provider76880001: Radio Network76880002: Cable Tv Operator76880003: Satellite Tv Operator76880004: Motion Picture Studio76880005: Production Company76880006: Advertising Agency76880007: Theme Park Operator76880008: Ticketing Agency76880009: Broker76880010: Conference Producer76880011: Sports Team76880012: Food & Beverage Operator76880013: Hotel / Conference Center76880014: Streaming Service Operator76880015: Website Operator76880016: Brand / Merchandiser76880017: Other
media_providername	media_ProviderName	N/A	Virtual	N/A	True	String	Options: 76880000: Media Provider76880001: Radio Network76880002: Cable Tv Operator76880003: Satellite Tv Operator76880004: Motion Picture Studio76880005: Production Company76880006: Advertising Agency76880007: Theme Park Operator76880008: Ticketing Agency76880009: Broker76880010: Conference Producer76880011: Sports Team76880012: Food & Beverage Operator76880013: Hotel / Conference Center76880014: Streaming Service Operator76880015: Website Operator76880016: Brand / Merchandiser76880017: Other
media_role	media_Role	Role	FieldSet	N/A	True	String	Options: 76880000: Media Provider76880001: Radio Network76880002: Cable Tv Operator76880003: Satellite Tv Operator76880004: Motion Picture Studio76880005: Production Company76880006: Advertising Agency76880007: Theme Park Operator76880008: Ticketing Agency76880009: Broker76880010: Conference Producer76880011: Sports Team76880012: Food & Beverage Operator76880013: Hotel / Conference Center76880014: Streaming Service Operator76880015: Website Operator76880016: Brand / Merchandiser76880017: Other
media_username	media_Username	N/A	Virtual	N/A	True	String	Options: 76880000: Media Provider76880001: Radio Network76880002: Cable Tv Operator76880003: Satellite Tv Operator76880004: Motion Picture Studio76880005: Production Company76880006: Advertising Agency76880007: Theme Park Operator76880008: Ticketing Agency76880009: Broker76880010: Conference Producer76880011: Sports Team76880012: Food & Beverage Operator76880013: Hotel / Conference Center76880014: Streaming Service Operator76880015: Website Operator76880016: Brand / Merchandiser76880017: Other
ownerinformation	OwnerInfo	Record Created On	Date/Time	Date and time that the record was migrated.	False	String	Format: DateOnly
ownerid	OwnerId	Owner	Lookup	Owner id	False	String	Nullable system user name
ownername	OwnerName	N/A	String	Name of the owner	False	String	Format: Textbox length: 100
ownertype	OwnerType	N/A	EntityName	Owner id Type	False	String	Format: Textbox length: 100
owningbusiness	OwningBusiness	N/A	String	Name of the owner	False	String	Format: Textbox length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record.	False	String	Nullable business unit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	String	Nullable team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	String	Nullable system user
statuscode	Status	Status	String	Status of the Business Rule.	False	String	Status C: Active2: Inactive
statuscodeName	StatusCodeName	N/A	Virtual	N/A	False	String	Status: 1: Active2: Inactive
statuscodeReason	StatusReason	Status Reason	String	Reason for the status of the Business Rule.	False	String	Status: 1: Active2: Inactive
timezonename	N/A	N/A	Virtual	N/A	False	String	Minimum value: -10Maximum value: 2147483647
timezonenamecode	TimeZoneNameCode	Time Zone Rule Version Number	Integer	For internal use only.	False	String	Minimum value: -10Maximum value: 2147483647
utcconversiontimezonename	UTCConversionTimeZoneName	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	String	Minimum value: -10Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	String	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_externalguestid	msmedia_ExternalGuestID	External Guest ID	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_guest	msmedia_Guest	Guest	Lookup		True	Simple	Targets:msmedia_guest
msmedia_guestname	msmedia_GuestName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_id	msmedia_ID	ID	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_source	msmedia_Source	Source	Picklist		True	Simple	Options:766860000: OtherDefault: N/A
msmedia_sourcename	msmedia_sourceName	N/A	Virtual	N/A	True	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the External Guest ID	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the External Guest ID	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_category	msmedia_Category	Category	Lookup		True	Simple	Targets:msmedia_guestcategory
msmedia_categoryname	msmedia_CategoryName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_company	msmedia_Company	Company	Lookup		True	Simple	Targets:account
msmedia_companyname	msmedia_CompanyName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_companyyominame	msmedia_CompanyYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_contact	msmedia_Contact	Contact	Lookup		True	Simple	Targets:contact
msmedia_contactname	msmedia_ContactName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_contactyominame	msmedia_ContactYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 450
msmedia_displayname	msmedia_DisplayName	Display Name	String		True	Simple	Format: TextMax length: 100
msmedia_emailaddress	msmedia_EmailAddress	Email Address	String		True	Simple	Format: EmailMax length: 100
msmedia_externalcreateddate	msmedia_ExternalCreatedDate	External Created Date	DateTime		True	Simple	Format: DateAndTime
msmedia_favoriteteam1	msmedia_FavoriteTeam1	Favorite Team1	Lookup		True	Simple	Targets:msmedia_sportsteam
msmedia_favoriteteam1name	msmedia_FavoriteTeam1Name	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_favoriteteam2	msmedia_FavoriteTeam2	Favorite Team 2	Lookup		True	Simple	Targets:msmedia_sportsteam
msmedia_favoriteteam2name	msmedia_FavoriteTeam2Name	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_guardian	msmedia_Guardian	Guardian	Lookup		True	Simple	Targets:contact
msmedia_guardianname	msmedia_GuardianName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_guardianyominame	msmedia_GuardianYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 450
msmedia_guestid	msmedia_GuestId	Guest	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_isaseasonticketholder	msmedia_IsaSeasonTicketHolder	Is a Season Ticket Holder	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_isaseasonticketholdername	msmedia_IsaseasonticketholderName	N/A	Virtual	N/A	True	Simple	
msmedia_marketingoptin	msmedia_MarketingOptIn	Marketing Opt In	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_marketingoptinname	msmedia_MarketingoptinName	N/A	Virtual	N/A	True	Simple	
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_oktosendemail	msmedia_OktosendEmail	OK to send Email	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_oktosendemailname	msmedia_oktosendemailName	N/A	Virtual	N/A	True	Simple	
msmedia_specialrequirements	msmedia_SpecialRequirements	Special Requirements	Memo		True	Simple	Format: TextMax length: 2000
msmedia_telephone	msmedia_Telephone	Telephone	String		True	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Guest	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Guest	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utccconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_guestcategoryid	msmedia_GuestCategoryId	Guest Category	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Guest Category	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Guest Category	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_action	msmedia_Action	Action	String	Represents the action that triggered the creation of the interest (eg. Visited Booth)	True	Simple	Format: TextMax length: 100
msmedia_contact	msmedia_Contact	Contact	Lookup		True	Simple	Targets:contact
msmedia_contactname	msmedia_ContactName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_contactyominame	msmedia_ContactYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 450
msmedia_date	msmedia_Date	Date	DateTime	Date and Time that the interest was captured	True	Simple	Format: DateOnly
msmedia_interestid	msmedia_interestId	Interest	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_name	msmedia_name	Name	String	N/A	True	Simple	Format: TextMax length: 500
msmedia_source	msmedia_Source	Source	String	Represents the source of the interest (eg. Website)	True	Simple	Format: TextMax length: 100
msmedia_type	msmedia_Type	Type	Picklist	Defines whether the interest was explicitly captured from the customer or if it was implicitly identified by other actions of that customer	True	Simple	Options:100000000: Explicit100000001: ImplicitDefault: N/A
msmedia_typename	msmedia_typeName	N/A	Virtual	N/A	True	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Interest	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Interest	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
uttcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_balanceminimumrequirement	msmedia_BalanceMinimumRequirement	Balance Minimum Requirement	Decimal		True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_fixedguestlevel	msmedia_FixedGuestLevel	Fixed Guest Level	Picklist		True	Simple	Options:766860000: Anonymous Guest766860001: Known Guest766860002: Annual Guest766860003: Season766860004: Student766860005: Corporate766860006: Subscriber766860007: Loyalty Program766860008: Churned766860009: OtherDefault: N/A
msmedia_fixedquestlevelname	msmedia_FixedQuestLevelName	N/A	Virtual	N/A	True	Simple	
msmedia_loyaltylevelid	msmedia_LoyaltyLevelId	Loyalty Level	UniqueIdentifier	Unique identifier for entity instances	False	Simple	
msmedia_loyaltyprogram	msmedia_LoyaltyProgram	Loyalty Program	Lookup		True	Simple	Targets:msmedia_loyaltyprogram
msmedia_loyaltyprogramname	msmedia_LoyaltyProgramName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_number	msmedia_Number	Number	String		True	Simple	Format: TextMax length: 100
msmedia_vipflag	msmedia_VIPFlag	VIP Flag	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_vipflagname	msmedia_VipFlagName	N/A	Virtual	N/A	True	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuser:team
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	Status	Status	State	Status of the Loyalty Level	False	Simple	States-0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	StatusReason	Status Reason	Status	Reason for the status of the Loyalty Level	False	Simple	States-1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezonelversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_loyaltyprogramid	msmedia_LoyaltyProgramId	Loyalty Program	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_loyaltyunittype	msmedia_LoyaltyUnitType	Loyalty Unit Type	Picklist		True	Simple	Options:766860000: Points766860001: Miles766860002: Currency766860003: OtherDefault: N/A
msmedia_loyaltyunittypename	msmedia_LoyaltyUnitTypeName	N/A	Virtual	N/A	True	Simple	
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_totalofaccounts	msmedia_TotalofAccounts	Total # of Accounts	Integer		True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
msmedia_totalofaccounts_date	msmedia_TotalofAccounts_Date	Total # of Accounts (Last Updated On)	DateTime	Last Updated time of rollup field Total # of Accounts .	True	Simple	Format: DateAndTime
msmedia_totalofaccounts_state	msmedia_TotalofAccounts_State	Total # of Accounts (State)	Integer	State of rollup field Total # of Accounts .	True	Simple	Minimum value: -2147483648Maximum value: 2147483647
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityType	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Loyalty Program	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Loyalty Program	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utccconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_accountendedon	msmedia_AccountEndedOn	Account Ended On	DateTime		True	Simple	Format: DateAndTime
msmedia_accountnumber	msmedia_AccountNumber	Account Number	String		True	Simple	Format: TextMax length: 100
msmedia_accountstartedon	msmedia_AccountStartedOn	Account Started On	DateTime		True	Simple	Format: DateAndTime
msmedia_balanceexpirationdate	msmedia_BalanceExpirationDate	Balance Expiration Date	DateTime		True	Simple	Format: DateAndTime
msmedia_contact	msmedia_Contact	Contact	Lookup		True	Simple	Targets:contact
msmedia_contactname	msmedia_ContactName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_contactyominame	msmedia_ContactYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 450
msmedia_currentbalance	msmedia_CurrentBalance	Current Balance	Decimal		True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_currentloyaltylevel	msmedia_CurrentLoyaltyLevel	Current Loyalty Level	Lookup		True	Simple	Targets:msmedia_loyaltylevel
msmedia_currentloyaltylevelname	msmedia_CurrentLoyaltyLevelName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_lasttransactiondate	msmedia_LastTransactionDate	Last Transaction Date	DateTime		True	Simple	Format: DateAndTime
msmedia_levelexpireson	msmedia_LevelExpiresOn	Level Expires On	DateTime		True	Simple	Format: DateAndTime
msmedia_levelstartedon	msmedia_LevelStartedOn	Level Started On	DateTime		True	Simple	Format: DateAndTime
msmedia_loyaltyprogram	msmedia_LoyaltyProgram	Loyalty Program	Lookup		True	Simple	Targets:msmedia_loyaltyprogram
msmedia_loyaltyprogramaccountid	msmedia_LoyaltyProgramAccountId	Loyalty Program Account	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_loyaltyprogramname	msmedia_LoyaltyProgramName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name on Account	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_renewaldate	msmedia_RenewalDate	Renewal Date	DateTime		True	Simple	Format: DateAndTime
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Loyalty Program Account	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Loyalty Program Account	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utccconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
creation	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
exchangerate	ExchangeRate	Exchange Rate	Decimal	Exchange rate for the currency associated with the entity with respect to the base currency.	False	Simple	Minimum value: 0.0000000001Maximum value: 100000000000Precision: 10
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_actual	msmedia_Actual	Actual	Money	Value of the Actual in base currency.	True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_actual_base	msmedia_Actual_Base	Actual (Base)	Money		True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_advertisingzone	msmedia_AdvertisingZone	Advertising Zone	Lookup		True	Simple	Targets:msmedia_mediavenueadvertisingzone
msmedia_advertisingzonename	msmedia_AdvertisingZoneName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_assettype	msmedia_AssetType	Asset Type	Picklist		True	Simple	Options:766860000: Video766860001: Audio766860002: Web Site766860003: Billboard766860004: Signage766860005: Display766860006: Scoreboard766860007: Kiosk766860008: OtherDefault: N/A
msmedia_assettypename	msmedia_assettypeName	N/A	Virtual	N/A	True	Simple	
msmedia_budget	msmedia_Budget	Budget	Money		True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_budget_base	msmedia_Budget_Base	Budget (Base)	Money	Value of the Budget in base currency.	True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_category	msmedia_Category	Category	Lookup		True	Simple	Targets:msmedia_mediaassetcategory
msmedia_categoryname	msmedia_CategoryName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_forecast	msmedia_Forecast	Forecast	Money		True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_forecast_base	msmedia_forecast_Base	Forecast (Base)	Money	Value of the Forecast in base currency.	True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_isorale	msmedia_IsforSale	Is for Sale	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_isoralename	msmedia_IsforSaleName	N/A	Virtual	N/A	True	Simple	
msmedia_ispublishedtoweb	msmedia_IsPublishedtoWeb	Is Published to Web	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_ispublishedtowebname	msmedia_IsPublishedtoWebName	N/A	Virtual	N/A	True	Simple	
msmedia_mediaassetid	msmedia_MediaAssetId	Media Asset	UniqueIdentifier	Unique identifier for entity instances	False	Simple	
msmedia_mediavenue	msmedia_MediaVenue	Media Venue	Lookup		True	Simple	Targets:msmedia_mediavenue
msmedia_mediavenueid	msmedia_MediaVenueName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_price	msmedia_Price	Price	Money		True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_price_base	msmedia_price_Base	Price (Base)	Money	Value of the Price in base currency.	True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 0
msmedia_purchasemaximum	msmedia_PurchaseMaximum	Purchase Maximum	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_purchaseminimum	msmedia_PurchaseMinimum	Purchase Minimum	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner		False	Simple	Targets:systemstream
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwninBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Media Asset	False	Simple	States:0: Active1: Inactive
statecodename	statecodename	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Media Asset	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodename	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
transactioncurrencyid	TransactionCurrencyId	Currency	Lookup	Unique identifier of the currency associated with the entity.	False	Simple	Targets:transactioncurrency
transactioncurrencyidname	TransactionCurrencyIdName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_code	msmedia_Code	Code	String		True	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_mediaassetcategoryid	msmedia_MediaAssetCategoryId	Media Asset Category	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Media Asset Category	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Media Asset Category	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 5000
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_parentregion	msmedia_ParentRegion	Parent Region	Lookup		True	Simple	Targets:msmedia_region
msmedia_parentregionname	msmedia_ParentRegionName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_regionid	msmedia_RegionId	Region	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
organizationid	OrganizationId	Organization Id	Lookup	Unique identifier for the organization	False	Simple	Targets:organization
organizationidname	OrganizationIdName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
statecode	statecode	Status	State	Status of the Region	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Region	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_seasonid	msmedia_SeasonId	Season	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Season	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Season	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_coordinator	msmedia_Coordinator	Coordinator	Lookup	Required name field	True	Simple	Targets:msmedia_talent
msmedia_coordinatorname	msmedia_CoordinatorName	N/A	String		True	Simple	Format: TextMax length: 100
msmedia_email	msmedia_Email	Email	String		True	Simple	Format: EmailMax length: 100
msmedia_groupname	msmedia_GroupName	Group Name	String		True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_number	msmedia_Number	Number	String		True	Simple	Format: TextMax length: 100
msmedia_phone	msmedia_Phone	Phone	String		True	Simple	Format: TextMax length: 100
msmedia_primaryimage	msmedia_PrimaryImage	Image	Virtual		True	Simple	
msmedia_primaryimage_timestamp	msmedia_PrimaryImage_Timestamp	N/A	BigInt	N/A	True	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807
msmedia_primaryimage_url	msmedia_PrimaryImage_URL	N/A	String	N/A	True	Simple	Format: UrlMax length: 200
msmedia_primaryimageid	msmedia_PrimaryImageId	N/A	Uniqueidentifier	N/A	True	Simple	
msmedia_stagename	msmedia_StageName	Stage Name	String	Unique identifier for entity instances	True	Simple	Format: TextMax length: 100
msmedia_talentid	msmedia_TalentId	Talent	Uniqueidentifier		False	Simple	
msmedia_title	msmedia_Title	Title	String		True	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime		False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Talent	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Talent	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utccconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_threedigits	msmedia_ThreeDigits	3 Digits	Integer		True	Simple	Minimum value: 0Maximum value: 999
msmedia_threedigitzipcodeid	msmedia_ThreeDigitZipCodeId	Three Digit Zip Code	UniqueIdentifier	Unique identifier for entity instances	False	Simple	
msmedia_tma	msmedia_TMA	TMA	Lookup		True	Simple	Targets:msmedia_tma
msmedia_tmaname	msmedia_TMAName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Three Digit Zip Code	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Three Digit Zip Code	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_number	msmedia_Number	Number	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_numberofthreedigitzipcodes	msmedia_NumberofThreeDigitZipCodes	# of Three Digit Zip Codes	Integer		True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
msmedia_numberofthreedigitzipcodes_date	msmedia_NumberofThreeDigitZipCodes_Date	# of Three Digit Zip Codes (Last Updated On)	DateTime	Last Updated time of rollout field # of Three Digit Zip Codes.	True	Simple	Format: DateAndTime
msmedia_numberofthreedigitzipcodes_state	msmedia_NumberofThreeDigitZipCodes_State	# of Three Digit Zip Codes (State)	Integer	State of rollout field # of Three Digit Zip Codes.	True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_tmaid	msmedia_TMAId	TMA	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_tvhouseholdcount	msmedia_TVHouseholdCount	TV Household Count	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the TMA	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the TMA	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_attractionid	msmedia_AttractionId	Attraction	UniqueIdentifier	Unique identifier for entity instances	False	Simple	
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_mediavenue	msmedia_MediaVenue	Media Venue	Lookup		True	Simple	Targets:msmedia_mediavenue
msmedia_mediavenueuser	msmedia_MediaVenueName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_type	msmedia_Type	Type	Picklist		True	Simple	Options:766860000: Booth766860001: Session766860002: Demo766860003: Speaker766860004: Pavilion766860005: Ride766860006: Training766860007: Awards766860008: Networking766860009: Function766860010: Other766860011: Main EventDefault: 766860011
msmedia_typeuser	msmedia_TypeName	N/A	Virtual	N/A	True	Simple	
msmedia_url	msmedia_URL	URL	String		True	Simple	Format: URLMax length: 200
overridecreatedon	OverrideCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Attraction	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Attraction	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_attractionscheduleid	msmedia_AttractionScheduleId	Attraction Schedule	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_capacity	msmedia_Capacity	Capacity	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_enddatetime	msmedia_EndDateTime	End Date / Time	DateTime		True	Simple	Format: DateAndTime
msmedia_eventattraction	msmedia_EventAttraction	Event Attraction	Lookup		True	Simple	Targets:msmedia_eventattraction
msmedia_eventattractionname	msmedia_EventAttractionName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_eventschedule	msmedia_EventSchedule	Event Schedule	Lookup		True	Simple	Targets:msmedia_eventschedule
msmedia_eventschedulename	msmedia_EventScheduleName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_registrationcount	msmedia_RegistrationCount	Registration Count	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_scheduledulenum	msmedia_ScheduleNumber	Schedule Number	String		True	Simple	Format: TextMax length: 100
msmedia_startdatetime	msmedia_StartDateTime	Start Date / Time	DateTime		True	Simple	Format: DateAndTime
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Attraction Schedule	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Attraction Schedule	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneonruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_attractiontrackid	msmedia_AttractionTrackId	Attraction Track	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_description	msmedia_Description	Description	Memo		True	Simple	Format: TextMax length: 2000
msmedia_mediaevent	msmedia_MediaEvent	Media Event	Lookup		True	Simple	Targets:msmedia_mediaevent
msmedia_mediaeventname	msmedia_MediaEventName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_ticketingrequired	msmedia_TicketingRequired	Ticketing Required	Boolean		True	Simple	True: YesFalse: NoDefault Value: False
msmedia_ticketingrequiredname	msmedia_TicketingRequiredName	N/A	Virtual	N/A	True	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Attraction Track	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Attraction Track	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_concessionpartnerid	msmedia_ConcessionPartnerId	Concession Partner	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_concessionstand	msmedia_ConcessionStand	Concession Stand	Lookup		True	Simple	Targets:msmedia_concessionstand
msmedia_concessionstandname	msmedia_ConcessionStandName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_mediaevent	msmedia_MediaEvent	Media Event	Lookup		True	Simple	Targets:msmedia_mediaevent
msmedia_mediaeventname	msmedia_MediaEventName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_partner	msmedia_Partner	Partner	Lookup		True	Simple	Targets:account
msmedia_partnername	msmedia_PartnerName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_partnerneryominame	msmedia_PartnerYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Concession Partner	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Concession Partner	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_catalog	msmedia_Catalog	Catalog	Lookup		True	Simple	Targets:pricelevel
msmedia_catalogname	msmedia_CatalogName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_concessionstandid	msmedia_concessionstandid	Concession Stand	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_foodbeverage	msmedia_FoodBeverage	Food & Beverage	Boolean	Indicates whether the concession stand sells food & beverages	True	Simple	True: YesFalse: NoDefault Value: False
msmedia_foodbeveragename	msmedia_foodBeverageName	N/A	Virtual	N/A	True	Simple	
msmedia_mediavenue	msmedia_MediaVenue	Media Venue	Lookup		True	Simple	Targets:msmedia_mediavenue
msmedia_mediavenuename	msmedia_MediaVenueName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_name	Name	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_standlocation	msmedia_StandLocation	Stand Location	String		True	Simple	Format: TextAreaMax length: 200
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityType	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Concession Stand	False	Simple	States:0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	
statuscode	statuscode	Status Reason	Status	Reason for the status of the Concession Stand	False	Simple	States:1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreatedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreatedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_batterylevel	msmedia_BatteryLevel	Battery Level	Decimal		True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 2
msmedia_color	msmedia_Color	Color	String		True	Simple	Format: TextMax length: 100
msmedia_deviceid	msmedia_DeviceID	Device ID	String		True	Simple	Format: TextMax length: 100
msmedia_dispenserid	msmedia_DispenserId	Dispenser	Uniqueidentifier	Unique identifier for entity instances	False	Simple	
msmedia_dispenserstatus	msmedia_DispenserStatus	Dispenser Status	Picklist		True	Simple	Options:766860000: Online766860001: Offline766860002: Needs Service766860003: Battery Low766860004: OtherDefault: N/A
msmedia_dispenserstatusname	msmedia_dispenserstatusName	N/A	Virtual	N/A	True	Simple	
msmedia_facility	msmedia_Facility	Facility	Lookup		True	Simple	Targets:msmedia_facility
msmedia_facilityname	msmedia_FacilityName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_form	msmedia_Form	Form	Picklist		True	Simple	Options:766860000: Liquid766860001: Foam766860002: Gel766860003: OtherDefault: N/A
msmedia_formname	msmedia_FormName	N/A	Virtual	N/A	True	Simple	
msmedia_installedon	msmedia_InstalledOn	Installed On	DateTime		True	Simple	Format: DateTime
msmedia_lastfilled	msmedia_LastFilled	Last Filled	DateTime		True	Simple	Format: DateTime
msmedia_lastservicedby	msmedia_LastServedBy	Last Served By	Lookup		True	Simple	Targets:contact
msmedia_lastservicedbyname	msmedia_LastServedByName	N/A	String	N/A	True	Simple	Format: TextMax length: 160
msmedia_lastservicedbyyominame	msmedia_LastServedByYomiName	N/A	String	N/A	True	Simple	Format: TextMax length: 450
msmedia_lastupdated	msmedia_LastUpdated	Last Updated	DateTime		True	Simple	Format: DateTime
msmedia_liquidlevel	msmedia_LiquidLevel	Liquid Level	Decimal		True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 2
msmedia_manufacturer	msmedia_Manufacturer	Manufacturer / Brand	String		True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_numberofusessincelastfill	msmedia_NumberofUsesSinceLastFill	# of Uses Since Last Fill	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_runningtotal	msmedia_RunningTotal	Running Total	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_size	msmedia_Size	Size (in mL)	Integer		True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_type	msmedia_Type	Type	Picklist		True	Simple	Options:766860000: Soap766860001: Sanitizer766860002: Paper Towel766860003: Shampoo766860004: Lotion766860005: OtherDefault: N/A
msmedia_typename	msmedia_TypeName	N/A	Virtual	N/A	True	Simple	
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	Owner Id	False	Simple	Targets:systemuserteam
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner Id Type	False	Simple	
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	StateCode	Status	State	Status of the Dispenser	False	Simple	States:0: Active1: Inactive
statecodename	StateCodeName	N/A	Virtual	N/A	False	Simple	
statuscode	StatusCode	Status Reason	Status	Reason for the status of the Dispenser	False	Simple	States:1: Active2: Inactive
statuscodename	StatusCodeName	N/A	Virtual	N/A	False	Simple	
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utccconversiontimezonencode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name	Attribute Type	Description	Custom Attribute	Type	Additional data
createdby	CreatedBy	Created By	Lookup	Unique identifier of the user who created the record.	False	Simple	Targets:systemuser
createdbyname	CreateBy/Name	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdbyyominame	CreateBy/YomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdon	CreatedOn	Created On	DateTime	Date and time when the record was created.	False	Simple	Format: DateAndTime
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)	Lookup	Unique identifier of the delegate user who created the record.	False	Simple	Targets:systemuser
createdonbehalfbyname	CreatedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
importsequencenumber	ImportSequenceNumber	Import Sequence Number	Integer	Sequence number of the import that created this record.	False	Simple	Minimum value: -2147483648Maximum value: 2147483647
modifiedby	ModifiedBy	Modified By	Lookup	Unique identifier of the user who modified the record.	False	Simple	Targets:systemuser
modifiedbyname	ModifiedBy/Name	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedbyyominame	ModifiedByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedon	ModifiedOn	Modified On	DateTime	Date and time when the record was modified.	False	Simple	Format: DateAndTime
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)	Lookup	Unique identifier of the delegate user who modified the record.	False	Simple	Targets:systemuser
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A	String	N/A	False	Simple	Format: TextMax length: 100
msmedia_attraction	msmedia_Attraction	Attraction	Lookup	N/A	True	Simple	Targets:msmedia_attraction
msmedia_attractiondurationdisplay	msmedia_AttractionDurationDisplay	Attraction Duration Display	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_attractionname	msmedia_AttractionName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_availableticketquantity	msmedia_AvailableTicketQuantity	Available Ticket Quantity	Decimal	N/A	True	Calculated	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_currentwait	msmedia_CurrentWait	Current Wait	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_description	msmedia_Description	Description	Memo	N/A	True	Simple	Format: TextMax length: 2000
msmedia_enddate	msmedia_EndDate	End Date	DateTime	N/A	True	Simple	Format: DateAndTime
msmedia_eventattractionid	msmedia_EventAttractionId	Event Attraction	UniqueIdentifier	Unique identifier for entity instances	False	Simple	N/A
msmedia_eventattractionnumber	msmedia_EventAttractionNumber	Event Attraction Number	Event	N/A	True	Simple	Format: TextMax length: 100
msmedia_eventattractiontrack	msmedia_EventAttractionTrack	Event Attraction Track	Lookup	N/A	True	Simple	Targets:msmedia_attractiontrack
msmedia_eventattractiontrackname	msmedia_EventAttractionTrackName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_facility	msmedia_Facility	Facility	Lookup	N/A	True	Simple	Targets:msmedia_facility
msmedia_facilityname	msmedia_FacilityName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_ismainattraction	msmedia_IsMainAttraction	Is Main Attraction	Boolean	N/A	True	Simple	True: YesFalse: NoDefault Value: False
msmedia_ismainattractionname	msmedia_IsmainattractionName	N/A	Virtual	N/A	True	Simple	N/A
msmedia_location	msmedia_Location	Location	Memo	N/A	True	Simple	Format: TextMax length: 2000
msmedia_mediaevent	msmedia_MediaEvent	Media Event	Lookup	N/A	True	Simple	Targets:msmedia_mediaevent
msmedia_mediaeventname	msmedia_MediaEventName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_mediavenue	msmedia_MediaVenue	Media Venue	Lookup	N/A	True	Simple	Targets:msmedia_mediavenue
msmedia_mediavenueenamel	msmedia_MediaVenueName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_mediavenueseatmap	msmedia_MediaVenueseatmap	Media Venue Seat Map	Lookup	N/A	True	Simple	Targets:msmedia_mediavenueseatmap
msmedia_mediavenueseatmapname	msmedia_MediavenueseatmapName	N/A	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_name	msmedia_Name	Name	String	Required name field	True	Simple	Format: TextMax length: 100
msmedia_numberattended	msmedia_NumberAttended	Number Attended	Integer	N/A	True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
msmedia_numberattended_date	msmedia_NumberAttended_Date	Number Attended (Last Updated On)	DateTime	Last Updated time of rollup field Number Attended.	True	Simple	Format: DateAndTime
msmedia_numberattended_state	msmedia_NumberAttended_State	Number Attended (State)	Integer	State of rollup field Number Attended.	True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_numberregistered	msmedia_NumberRegistered	Number Registered	Integer	N/A	True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
msmedia_numberregistered_date	msmedia_NumberRegistered_Date	Number Registered (Last Updated On)	DateTime	Last Updated time of rollup field Number Registered.	True	Simple	Format: DateAndTime
msmedia_numberregistered_state	msmedia_NumberRegistered_State	Number Registered (State)	Integer	State of rollup field Number Registered.	True	Simple	Minimum value: -2147483648Maximum value: 2147483647
msmedia_pendingticketquantity	msmedia_PendingTicketQuantity	Pending Ticket Quantity	Decimal	N/A	True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_responsibleindividual	msmedia_ResponsibleIndividual	Responsible Individual	String	N/A	True	Simple	Format: TextMax length: 100
msmedia_sessionobjectives	msmedia_SessionObjectives	Session Objectives	Memo	N/A	True	Simple	Format: TextMax length: 2000
msmedia_sessionsummary	msmedia_SessionSummary	Session Summary	Memo	N/A	True	Simple	Format: TextMax length: 2000
msmedia_sessiontype	msmedia_SessionType	Session Type	Picklist	N/A	True	Simple	Options:766860000: Keynote766860001: General766860002: Interactive766860003: OtherDefault: N/A
msmedia_sessiontypename	msmedia_sessiontypeName	N/A	Virtual	N/A	True	Simple	N/A
msmedia_solidticketquantity	msmedia_SolidTicketQuantity	Sold Ticket Quantity	Decimal	N/A	True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_startdate	msmedia_StartDate	Start Date	DateTime	N/A	True	Simple	Format: DateAndTime
msmedia_targetaudience	msmedia_TargetAudience	Target Audience	Picklist	N/A	True	Simple	Options:766860000: Keynote / General766860001: Introductory766860002: Intermediate766860003: Advanced766860004: Corporate766860005: Sponsor766860006: Family766860007: OtherDefault: N/A
msmedia_targetaudiencename	msmedia_TargetaudienceName	N/A	Virtual	N/A	True	Simple	N/A
msmedia_totalticketquantity	msmedia_TotalTicketQuantity	Total Ticket Quantity	Decimal	N/A	True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: 2
msmedia_url	msmedia_URL	URL	String	N/A	True	Simple	Format: UriMax length: 300
overriddencreatedon	OverriddenCreatedOn	Record Created On	DateTime	Date and time that the record was migrated.	False	Simple	Format: DateOnly
ownerid	OwnerId	Owner	Owner	N/A	False	Simple	Targets:systemuser
owneridname	OwnerIdName	N/A	String	Name of the owner	False	Simple	Format: TextMax length: 100
owneridtype	OwnerIdType	N/A	EntityName	Owner id Type	False	Simple	N/A
owneridyominame	OwnerIdYomiName	N/A	String	Yomi name of the owner	False	Simple	Format: TextMax length: 100
owningbusinessunit	OwningBusinessUnit	Owning Business Unit	Lookup	Unique identifier for the business unit that owns the record	False	Simple	Targets:businessunit
owningteam	OwningTeam	Owning Team	Lookup	Unique identifier for the team that owns the record.	False	Simple	Targets:team
owninguser	OwningUser	Owning User	Lookup	Unique identifier for the user that owns the record.	False	Simple	Targets:systemuser
statecode	statecode	Status	State	Status of the Event Attraction	False	Simple	States0: Active1: Inactive
statecodename	statecodeName	N/A	Virtual	N/A	False	Simple	N/A
statuscode	statuscode	Status Reason	Status	Reason for the status of the Event Attraction	False	Simple	States1: Active2: Inactive
statuscodename	statuscodeName	N/A	Virtual	N/A	False	Simple	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number	Integer	For internal use only.	False	Simple	Minimum value: -1Maximum value: 2147483647
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code	Integer	Time zone code that was in use when the record was created.	False	Simple	Minimum value: -1Maximum value: 2147483647
versionnumber	VersionNumber	Version Number	BigInt	Version Number	False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_eventscheduleid	msmedia_EventScheduleId	Event Schedule
msmedia_mediaevent	msmedia_MediaEvent	Media Event
msmedia_mediaeventname	msmedia_MediaEventName	N/A
msmedia_name	msmedia_Name	Name
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Uniqueidentifier	Unique identifier for entity instances	False
Lookup		True
String	N/A	True
String	Required name field	True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Event Schedule	False
Virtual	N/A	False
Status	Reason for the status of the Event Schedule	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value:
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Targets:msmedia_mediaevent
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 214748364
Simple	Minimum value: -1Maximum value: 214748364
Simple	Minimum value: -9223372036854775808Maxir



num value: 9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_avsupport	msmedia_AVSupport
msmedia_avsupportname	msmedia_avsupportName
msmedia_capacity	msmedia_Capacity
msmedia_description	msmedia_Description
msmedia_facilityid	msmedia_FacilityId
msmedia_flipchart	msmedia_Flipchart
msmedia_flipchartname	msmedia_flipchartName
msmedia_floor	msmedia_Floor
msmedia_gpslatitude	msmedia_GPSLatitude
msmedia_gpslongitude	msmedia_GPSLongitude
msmedia_internetconnection	msmedia_InternetConnection
msmedia_internetconnectionname	msmedia_internetconnectionName
msmedia_location	msmedia_Location
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenuename	msmedia_MediaVenueName
msmedia_name	msmedia_Name
msmedia_type	msmedia_Type
msmedia_typename	msmedia_typeName
msmedia_videoconferencing	msmedia_VideoConferencing
msmedia_videoconferencingname	msmedia_videoconferencingName
msmedia_whiteboard	msmedia_Whiteboard
msmedia_whiteboardname	msmedia_whiteboardName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode

statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
A/V Support	Boolean
N/A	Virtual
Capacity	Integer
Description	Memo
Facility	Uniqueidentifier
Flipchart	Boolean
N/A	Virtual
Floor	String
GPS Latitude	Double
GPS Longitude	Double
Internet Connection	Boolean
N/A	Virtual
Location	String
Media Venue	Lookup
N/A	String
Name	String
Type	Picklist
N/A	Virtual
Video Conferencing	Boolean
N/A	Virtual
Whiteboard	Boolean
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State

N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Facility	False	Simple

N/A	False	Simple
Reason for the status of the Facility	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

True: YesFalse: NoDefault Value: False

Minimum value: -2147483648Maximum value: 214748364

Format: TextMax length: 2000

True: YesFalse: NoDefault Value: False

Format: TextMax length: 100

Minimum value: -1000000000Maximum value: 1000000000

Minimum value: -1000000000Maximum value: 1000000000

True: YesFalse: NoDefault Value: False

Format: TextMax length: 200

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: TextMax length: 100

Options:766860000: Restroom766860001: Kitchen766860002: Bathroom766860003: Office766860004: Storage766860005: Other

True: YesFalse: NoDefault Value: False

True: YesFalse: NoDefault Value: False

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



002: Dining Room766860003: Supply Room766860004: Hallway766860005: Lobby766860006: Desk766860007:

7: Nursing Room766860008: Break Room766860009: OtherDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_direction	msmedia_Direction
msmedia_directionname	msmedia_directionName
msmedia_emergencyuseonly	msmedia_EmergencyUseOnly
msmedia_emergencyuseonlyname	msmedia_emergencyuseonlyName
msmedia_facility	msmedia_Facility
msmedia_facilityname	msmedia_FacilityName
msmedia_gateid	msmedia_gateId
msmedia_latitude	msmedia_Latitude
msmedia_longitude	msmedia_Longitude
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenueName	msmedia_MediaVenueName
msmedia_name	msmedia_name
msmedia_type	msmedia_Type
msmedia_typename	msmedia_typeName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utccconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Direction	Picklist
N/A	Virtual
Emergency Use Only	Boolean
N/A	Virtual
Facility	Lookup
N/A	String
Gate	Uniqueidentifier
Latitude	Double
Longitude	Double
Media Venue	Lookup
N/A	String
Name	String
Type	Picklist
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Identifies the direction of flow control the gate supports	True	Simple
N/A	True	Simple
Identifies whether a gate is used for emergency purposes only	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
Identifies the type of gate	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Gate	False	Simple
N/A	False	Simple
Reason for the status of the Gate	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Options:100000000: Inbound100000001: Outbound10000

True: YesFalse: NoDefault Value: False

Targets:msmedia_facility

Format: TextMax length: 100

Minimum value: 0Maximum value: 1000000000Precision: :

Minimum value: 0Maximum value: 1000000000Precision: :

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: TextMax length: 150

Options:100000000: Door100000001: Turnstile100000002

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



: Revolving Door100000003: Automatic Door100000004: Tunnel100000005: Walkway100000006: OtherDefaul

lt: N/A

Logical Name	Schema Name	Display Name
cr8b0_attraction	cr8b0_Attraction	Attraction
cr8b0_attractionname	cr8b0_AttractionName	N/A
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_closesat	msmedia_ClosesAt	Closes At
msmedia_closesatamorp	msmedia_ClosesatAMorPM	Closes at AM / PM
msmedia_closesatamorpname	msmedia_closesatamorpName	N/A
msmedia_closesatname	msmedia_closesatName	N/A
msmedia_concessionstand	msmedia_ConcessionStand	Concession Stand
msmedia_concessionstandname	msmedia_ConcessionStandName	N/A
msmedia_daysofweek	msmedia_DaysofWeek	Days of Week
msmedia_daysofweekname	msmedia_daysofweekName	N/A
msmedia_hoursofoperationid	msmedia_hoursofoperationId	Hours of Operation
msmedia_mediavenue	msmedia_MediaVenue	Media Venue
msmedia_mediavenuename	msmedia_MediaVenueName	N/A
msmedia_name	msmedia_name	Name
msmedia_opensat	msmedia_OpensAt	Opens At
msmedia_opensatamorp	msmedia_OpensatAMorPM	Opens at AM / PM
msmedia_opensatamorpname	msmedia_opensatamorpName	N/A
msmedia_opensatname	msmedia_opensatName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number

utcconversiontimezonecode
versionnumber

UTCConversionTimeZoneCode
VersionNumber

UTC Conversion Time Zone Code
Version Number

Attribute Type	Description
Lookup	
String	N/A
Lookup	Unique identifier of the user who created the record.
String	N/A
String	N/A
DateTime	Date and time when the record was created.
Lookup	Unique identifier of the delegate user who created the record.
String	N/A
String	N/A
Integer	Sequence number of the import that created this record.
Lookup	Unique identifier of the user who modified the record.
String	N/A
String	N/A
DateTime	Date and time when the record was modified.
Lookup	Unique identifier of the delegate user who modified the record.
String	N/A
String	N/A
Picklist	Ending hour for the day
Picklist	
Virtual	N/A
Virtual	N/A
Lookup	Lookup to the Concession Stand that the Hours of Operation are defined for.
String	N/A
MultiSelect OptionSet	
Virtual	N/A
Uniqueidentifier	Unique identifier for entity instances
Lookup	
String	N/A
String	N/A
Picklist	Starting hour for the day
Picklist	
Virtual	N/A
Virtual	N/A
DateTime	Date and time that the record was migrated.
Owner	Owner Id
String	Name of the owner
EntityName	Owner Id Type
String	Yomi name of the owner
Lookup	Unique identifier for the business unit that owns the record
Lookup	Unique identifier for the team that owns the record.
Lookup	Unique identifier for the user that owns the record.
State	Status of the Hours of Operation
Virtual	N/A
Status	Reason for the status of the Hours of Operation
Virtual	N/A
Integer	For internal use only.

Integer
BigInt

Time zone code that was in use when the record was created.
Version Number

Custom Attribute	Type	Additional data
True	Simple	Targets:msmedia_attraction
True	Simple	Format: TextMax length: 100
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Options:100000000: 1:00100000001: 2:00100000002: 3:00100000000
True	Simple	Options:766860000: AM766860001: PMDefault: N/A
True	Simple	
True	Simple	
True	Simple	Targets:msmedia_concessionstand
True	Simple	Format: TextMax length: 100
True	Simple	Options:766860000: Sunday766860001: Monday766860002: Tuesday766860003: Wednesday766860004: Thursday766860005: Friday766860006: Saturday
True	Simple	
False	Simple	
True	Simple	Targets:msmedia_mediavenue
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 100
True	Simple	Options:100000000: 1:00100000001: 2:00100000002: 3:00100000000
True	Simple	Options:766860000: AM766860001: PMDefault: N/A
True	Simple	
True	Simple	
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:businessunit
False	Simple	Targets:team
False	Simple	Targets:systemuser
False	Simple	States:0: Active1: Inactive
False	Simple	
False	Simple	States:1: Active2: Inactive
False	Simple	
False	Simple	Minimum value: -1Maximum value: 2147483647

False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value:



0100000003: 4:00100000004: 5:00100000005: 6:00100000006: 7:00100000007: 8:00100000008: 9:00100000

02: Tuesday766860003: Wednesday766860004: Thursday766860005: Friday766860006: SaturdayDefault: N/A

0100000003: 4:00100000004: 5:00100000005: 6:00100000006: 7:00100000007: 8:00100000008: 9:00100000

009: 10:00100000010: 11:00100000011: 12:00Default: N/A

009: 10:00100000010: 11:00100000011: 12:00Default: N/A

Logical Name

createdby
createdbyname
createdbyyominame
createdon
createdonbehalfby
createdonbehalfbyname
createdonbehalfbyyominame
exchangerate
importsequencenumber
modifiedby
modifiedbyname
modifiedbyyominame
modifiedon
modifiedonbehalfby
modifiedonbehalfbyname
modifiedonbehalfbyyominame
msmedia_admissionsautocreated
msmedia_admissionsautocreatedname
msmedia_advertisingsegmentgroup
msmedia_advertisingsegmentgroupname
msmedia_agerestrictions
msmedia_availableformats
msmedia_availableformatsname
msmedia_barcodeenabled
msmedia_barcodeenabledname
msmedia_capacity
msmedia_captureattendeespecialrequests
msmedia_captureattendeespecialrequestsname
msmedia_description
msmedia_directions
msmedia_dresscode
msmedia_duration
msmedia_durationunit
msmedia_durationunitname
msmedia_earlybirdclosuredat
msmedia_enableattendeegenda
msmedia_enableattendeegendaname
msmedia_enablecaptcha
msmedia_enablecaptchaname
msmedia_enddate
msmedia_eventnumber
msmedia_eventsubtile
msmedia_eventtopic
msmedia_eventtype
msmedia_eventtypename
msmedia_eventurl

msmedia_gameprogress
msmedia_hometeam
msmedia_hometeamname
msmedia_hometeamscore
msmedia_issoldout
msmedia_issoldoutname
msmedia_lastupdated
msmedia_mediaeventid
msmedia_mediavenueseatmap
msmedia_mediavenueseatmapname
msmedia_name
msmedia_numberattended
msmedia_numberattended_date
msmedia_numberattended_state
msmedia_numberregistered
msmedia_numberregistered_date
msmedia_numberregistered_state
msmedia_parentconference
msmedia_parentconferencename
msmedia_parentdivision
msmedia_parentdivisionname
msmedia_parentevent
msmedia_parenteventname
msmedia_parentleague
msmedia_parentleaguename
msmedia_primaryperformer
msmedia_primaryperformername
msmedia_primaryvenue
msmedia_primaryvenue
msmedia_primaryvenue
msmedia_producer
msmedia_producername
msmedia_produceryominame
msmedia_publishedtoportal
msmedia_publishedtoportalname
msmedia_registrationcloseson
msmedia_registrationisrequired
msmedia_registrationisrequiredname
msmedia_registrationopenon
msmedia_registrationpaymentportalurl
msmedia_registrationportalbackgroundcolor
msmedia_registrationportalbannerimage
msmedia_registrationportalbannerimage_timestamp
msmedia_registrationportalbannerimage_url
msmedia_registrationportalbannerimageid
msmedia_registrationportalfontcolor
msmedia_registrationportallogo
msmedia_registrationportallogo_timestamp

msmedia_registrationportallogo_url
msmedia_registrationportallogoid
msmedia_registrationurl
msmedia_revenuegenerated
msmedia_revenuegenerated_base
msmedia_round
msmedia_roundname
msmedia_scorer
msmedia_scorername
msmedia_season
msmedia_seasonname
msmedia_seatingoptions
msmedia_seatingoptionsname
msmedia_seatproductsautocreated
msmedia_seatproductsautocreatedname
msmedia_seriescollectionname
msmedia_soldouton
msmedia_startdate
msmedia_theme
msmedia_ticketingrequired
msmedia_ticketingrequiredname
msmedia_timezone
msmedia_timezonename
msmedia_totaladmissionsautocreated
msmedia_totalcost
msmedia_totalcost_base
msmedia_totalprofit
msmedia_totalprofit_base
msmedia_totalrelatedproducts
msmedia_totalrelatedproducts_date
msmedia_totalrelatedproducts_state
msmedia_totalseatproductsautocreated
msmedia_visitingteam
msmedia_visitingteamname
msmedia_visitingteamscore
overriddencreatedon
ownerid
owneridname
owneridtype
owneridyominame
owningbusinessunit
owningteam
owninguser
statecode
statecodename
statuscode
statuscodename

timezoneruleversionnumber
transactioncurrencyid
transactioncurrencyidname
utcconversiontimezonecode
versionnumber

Schema Name	Display Name
CreatedBy	Created By
CreatedByName	N/A
CreatedByYomiName	N/A
CreatedOn	Created On
CreatedOnBehalfBy	Created By (Delegate)
CreatedOnBehalfByName	N/A
CreatedOnBehalfByYomiName	N/A
ExchangeRate	Exchange Rate
ImportSequenceNumber	Import Sequence Number
ModifiedBy	Modified By
ModifiedByName	N/A
ModifiedByYomiName	N/A
ModifiedOn	Modified On
ModifiedOnBehalfBy	Modified By (Delegate)
ModifiedOnBehalfByName	N/A
ModifiedOnBehalfByYomiName	N/A
msmedia_AdmissionsAutoCreated	Admissions Auto-Created
msmedia_admissionsautocreatedName	N/A
msmedia_AdvertisingSegmentGroup	Advertising Segment Group
msmedia_AdvertisingSegmentGroupName	N/A
msmedia_AgeRestrictions	Age Restrictions
msmedia_AvailableFormats	Available Formats
msmedia_availableformatsName	N/A
msmedia_BarcodeEnabled	Barcode Enabled
msmedia_barcodeenabledName	N/A
msmedia_Capacity	Capacity
msmedia_captureattendeespecialrequests	Capture Attendee Special Requests
msmedia_captureattendeespecialrequestsName	N/A
msmedia_Description	Description
msmedia_Directions	Directions
msmedia_DressCode	Dress Code
msmedia_Duration	Duration
msmedia_DurationUnit	Duration Unit
msmedia_durationunitName	N/A
msmedia_EarlyBirdClosureDate	Early Bird Closure Date
msmedia_enableattendeeargenda	Attendee Agenda Enabled
msmedia_enableattendeeargendaName	N/A
msmedia_EnableCapcha	Enable Capcha
msmedia_enablecapchaName	N/A
msmedia_EndDate	End Date
msmedia_EventNumber	Event Number
msmedia_EventSubtitle	Event Subtitle
msmedia_EventTopic	Event Topic
msmedia_EventType	Event Type
msmedia_eventtypeName	N/A
msmedia_EventURL	Event URL

msmedia_GameProgress	Game Progress
msmedia_HomeTeam	Home Team
msmedia_HomeTeamName	N/A
msmedia_HomeTeamScore	Home Team Score
msmedia_IsSoldOut	Is Sold Out
msmedia_issoldoutName	N/A
msmedia_LastUpdated	Last Updated
msmedia_MediaEventId	Media Event
msmedia_MediaVenueSeatMap	Media Venue Seat Map
msmedia_MediaVenueSeatMapName	N/A
msmedia_Name	Name
msmedia_NumberAttended	Number Attended
msmedia_NumberAttended_Date	Number Attended (Last Updated On)
msmedia_NumberAttended_State	Number Attended (State)
msmedia_NumberRegistered	Number Registered
msmedia_NumberRegistered_Date	Number Registered (Last Updated On)
msmedia_NumberRegistered_State	Number Registered (State)
msmedia_ParentConference	Parent Conference
msmedia_ParentConferenceName	N/A
msmedia_ParentDivision	Parent Division
msmedia_ParentDivisionName	N/A
msmedia_ParentEvent	Parent Event
msmedia_ParentEventName	N/A
msmedia_ParentLeague	Parent League
msmedia_ParentLeagueName	N/A
msmedia_PrimaryPerformer	Primary Performer
msmedia_PrimaryPerformerName	N/A
msmedia_PrimaryVenue	Primary Venue
msmedia_PrimaryVenueName	N/A
msmedia_Producer	Producer
msmedia_ProducerName	N/A
msmedia_ProducerYomiName	N/A
msmedia_PublishedtoPortal	Published to Portal
msmedia_publishedtoportalName	N/A
msmedia_RegistrationClosesOn	Registration Closes On
msmedia_RegistrationIsRequired	Registration Is Required
msmedia_registrationisrequiredName	N/A
msmedia_RegistrationOpensOn	Registration Opens On
msmedia_registrationpaymentportalurl	Registration Payment URL
msmedia_registrationportalbackgroundcolor	Registration Background Color (HTML)
msmedia_registrationportalbannerimage	Portal Banner Image
msmedia_registrationportalbannerimage_Timestamp	N/A
msmedia_registrationportalbannerimage_URL	N/A
msmedia_registrationportalbannerimageId	N/A
msmedia_RegistrationPortalFontColor	Registration Font Color (HTML)
msmedia_registrationportallogo	Portal Logo
msmedia_registrationportallogo_Timestamp	N/A

msmedia_registrationportallogo_URL	N/A
msmedia_registrationportallogold	N/A
msmedia_RegistrationURL	Registration URL
msmedia_RevenueGenerated	Revenue Generated
msmedia_revenuegenerated_Base	Revenue Generated (Base)
msmedia_Round	Round
msmedia_RoundName	N/A
msmedia_Scorer	Scorer
msmedia_ScorerName	N/A
msmedia_Season	Season
msmedia_SeasonName	N/A
msmedia_SeatingOptions	Seating Options
msmedia_seatingoptionsName	N/A
msmedia_SeatProductsAutoCreated	Seat Products Auto-Created
msmedia_seatproductsautocreatedName	N/A
msmedia_SeriesCollectionName	Series / Collection Name
msmedia_SoldOutOn	Sold Out On
msmedia_StartDate	Start Date
msmedia_Theme	Theme
msmedia_TicketingRequired	Ticketing Required
msmedia_ticketingrequiredName	N/A
msmedia_TimeZone	Time Zone
msmedia_timezoneName	N/A
msmedia_TotalAdmissionsAutoCreated	Total Admissions Auto-Created
msmedia_TotalCost	Total Cost
msmedia_totalcost_Base	Total Cost (Base)
msmedia_TotalProfit	Total Profit
msmedia_totalprofit_Base	Total Profit (Base)
msmedia_TotalRelatedProducts	Total Related Products
msmedia_TotalRelatedProducts_Date	Total Related Products (Last Updated On)
msmedia_TotalRelatedProducts_State	Total Related Products (State)
msmedia_TotalSeatProductsAutoCreated	Total Seat Products Auto-Created
msmedia_VisitingTeam	Visiting Team
msmedia_VisitingTeamName	N/A
msmedia_VisitingTeamScore	Visiting Team Score
OverriddenCreatedOn	Record Created On
OwnerId	Owner
OwnerIdName	N/A
OwnerIdType	N/A
OwnerIdYomiName	N/A
OwningBusinessUnit	Owning Business Unit
OwningTeam	Owning Team
OwningUser	Owning User
statecode	Status
statecodeName	N/A
statuscode	Status Reason
statuscodeName	N/A

TimeZoneRuleVersionNumber
TransactionCurrencyId
TransactionCurrencyIdName
UTCConversionTimeZoneCode
VersionNumber

Time Zone Rule Version Number
Currency
N/A
UTC Conversion Time Zone Code
Version Number

Attribute Type

Lookup
String
String
DateTime
Lookup
String
String
Decimal
Integer
Lookup
String
String
DateTime
Lookup
String
String
Boolean
Virtual
Lookup
String
Memo
MultiSelect OptionSet
Virtual
Boolean
Virtual
Integer
Boolean
Virtual
Memo
Memo
Memo
Integer
Picklist
Virtual
DateTime
Boolean
Virtual
Boolean
Virtual
DateTime
String
String
String
Picklist
Virtual
String

String
Lookup
String
Decimal
Boolean
Virtual
DateTime
Uniqueidentifier
Lookup
String
String
Integer
DateTime
Integer
Integer
DateTime
Integer
Lookup
String
Lookup
String
Lookup
String
Lookup
String
Lookup
String
Lookup
String
Lookup
String
Lookup
String
Lookup
String
String
Boolean
Virtual
DateTime
Boolean
Virtual
DateTime
String
String
Virtual
BigInt
String
Uniqueidentifier
String
Virtual
BigInt

String
Uniqueidentifier
String
Money
Money
Lookup
String
Lookup
String
Lookup
String
Picklist
Virtual
Boolean
Virtual
String
DateTime
DateTime
Memo
Picklist
Virtual
Picklist
Virtual
Integer
Money
Money
Money
Money
Integer
DateTime
Integer
Integer
Lookup
String
Decimal
DateTime
Owner
String
EntityName
String
Lookup
Lookup
Lookup
State
Virtual
Status
Virtual

Integer
Lookup
String
Integer
BigInt

Description

Unique identifier of the user who created the record.

N/A

N/A

Date and time when the record was created.

Unique identifier of the delegate user who created the record.

N/A

N/A

Exchange rate for the currency associated with the entity with respect to the base currency.

Sequence number of the import that created this record.

Unique identifier of the user who modified the record.

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who modified the record.

N/A

N/A

N/A

N/A

N/A

N/A

Capture Attendee Special Requests

N/A

N/A

Attendee Agenda Enabled

N/A

Enable Capcha

N/A

N/A

N/A

N/A

Unique identifier for entity instances

N/A

Required name field

Last Updated time of rollup field Number Attended.

State of rollup field Number Attended.

Last Updated time of rollup field Number Registered.

State of rollup field Number Registered.

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Published to Portal

N/A

N/A

Registration Payment URL

Registration Background Color (HTML)

Portal Banner Image

N/A

N/A

N/A

Registration Font Color (HTML)

Portal Logo

N/A

N/A
N/A

Value of the Revenue Generated in base currency.

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Value of the Total Cost in base currency.

Value of the Total Profit in base currency.

Last Updated time of rollup field Total Related Products.
State of rollup field Total Related Products.

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Status of the Media Event

N/A

Reason for the status of the Media Event

N/A

For internal use only.

Unique identifier of the currency associated with the entity.

N/A

Time zone code that was in use when the record was created.

Version Number

Custom Attribute	Type	Additional data
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: 0.0000000001Maximum value: 100000000000Precision: 10
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Targets:msmedia_advertisingsegmentgroup
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 2000
True	Simple	Options:766860000: In Person766860001: Online766860002: OtherDefault:
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: TextMax length: 2000
True	Simple	Format: TextMax length: 2000
True	Simple	Format: TextMax length: 2000
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Options:766860000: Minutes766860001: Hours766860002: Days766860003:
True	Simple	
True	Simple	Format: DateAndTime
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: DateAndTime
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 100
True	Simple	Options:766860000: Live Broadcast766860001: Music Concert766860002: /
True	Simple	
True	Simple	Format: UrlMax length: 300

True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_sportsteam
True	Simple	Format: TextMax length: 100
True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: :
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: DateAndTime
False	Simple	
True	Simple	Targets:msmedia_mediavenueseatmap
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 100
True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Format: DateAndTime
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Format: DateAndTime
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Targets:msmedia_sportingconference
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_sportingdivision
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_mediaevent
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_league
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_talent
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_mediavenue
True	Simple	Format: TextMax length: 100
True	Simple	Targets:account
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 160
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: DateAndTime
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: DateAndTime
True	Simple	Format: UrlMax length: 100
True	Simple	Format: TextMax length: 100
True	Simple	
True	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775808
True	Simple	Format: UrlMax length: 200
True	Simple	
True	Simple	Format: TextMax length: 100
True	Simple	
True	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775808

True	Simple	Format: UrlMax length: 200
True	Simple	
True	Simple	Format: UrlMax length: 200
True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
True	Simple	Targets:msmedia_round
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_sportsplayer
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_season
True	Simple	Format: TextMax length: 100
True	Simple	Options:766860000: General766860001: AssignedDefault: N/A
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: TextMax length: 100
True	Simple	Format: DateAndTime
True	Simple	Format: DateAndTime
True	Simple	Format: TextMax length: 2000
True	Simple	Options:766860000: No Ticketing Required766860001: Ticketing at Event Le
True	Simple	
True	Simple	Options:766860000: Dateline Standard Time766860001: Samoa Standard Ti
True	Simple	
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Minimum value: 0Maximum value: 922337203685477Precision: 0
True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
True	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
True	Rollup	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Format: DateAndTime
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Targets:msmedia_sportsteam
True	Simple	Format: TextMax length: 100
True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: :
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:businessunit
False	Simple	Targets:team
False	Simple	Targets:systemuser
False	Simple	States:0: Active1: Inactive
False	Simple	
False	Simple	States:1: Active766860000: In Progress766860001: On Hold766860002: Pos
False	Simple	

False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807



3: Weeks76

Arts Festival

vel766860C

me766860C

tponed2: In



766860003: Fair/Carnival766860004: Theatrical Event766860005: Sporting Game or Match766860006: Confer

02: Hawaiian Standard Time766860003: Alaskan Standard Time766860004: Pacific Standard Time766860005: I

ence766860007: Hackathon766860008: Show766860009: Dance766860010: Electronic Gaming Event7668600

Mountain Standard Time766860006: Mexico Standard Time 2766860007: U.S. Mountain Standard Time766860

011: Lecture/Seminar/Speaker Event766860012: Food/Beverage EventDefault: N/A

008: Central Standard Time766860009: Canada Central Standard Time766860010: Mexico Standard Time7668

360011: Central America Standard Time766860012: Eastern Standard Time766860013: U.S. Eastern Standard T

ime766860014: S.A. Pacific Standard Time766860015: Atlantic Standard Time766860016: S.A. Western Standa

rd Time766860017: Pacific S.A. Standard Time766860018: Newfoundland and Labrador Standard Time766860

019: E. South America Standard Time766860020: S.A. Eastern Standard Time766860021: Greenland Standard 1

Time766860022: Mid-Atlantic Standard Time766860023: Azores Standard Time766860024: Cape Verde Standa

ird Time766860025: GMT Standard Time766860026: Greenwich Standard Time766860027: Central Europe Sta

Standard Time 76

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_communicationsmethod	msmedia_CommunicationsMethod
msmedia_communicationsmethodname	msmedia_communicationsmethodName
msmedia_contact	msmedia_Contact
msmedia_contactname	msmedia_ContactName
msmedia_contactyominame	msmedia_ContactYomiName
msmedia_eventattraction	msmedia_EventAttraction
msmedia_eventattractionname	msmedia_EventAttractionName
msmedia_externalordernumber	msmedia_ExternalOrderNumber
msmedia_guest	msmedia_Guest
msmedia_guestname	msmedia_GuestName
msmedia_invitationemailaddress	msmedia_InvitationEmailAddress
msmedia_invitationphonenummer	msmedia_InvitationPhoneNumber
msmedia_invitationsenton	msmedia_InvitationSentOn
msmedia_isanonymous	msmedia_IsAnonymous
msmedia_isanonymousname	msmedia_isanonymousName
msmedia_lastupdatedon	msmedia_LastUpdatedOn
msmedia_mediaevent	msmedia_MediaEvent
msmedia_mediaeventname	msmedia_MediaEventName
msmedia_mediaregistrationid	msmedia_MediaRegistrationId
msmedia_name	msmedia_Name
msmedia_registeredon	msmedia_RegisteredOn
msmedia_registrationstatus	msmedia_RegistrationStatus
msmedia_registrationstatusname	msmedia_registrationstatusName
msmedia_tablenumber	msmedia_TableNumber
msmedia_ticketssent	msmedia_TicketsSent
msmedia_ticketssentname	msmedia_ticketssentName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName

owningbusinessunit

owningteam

owninguser

statecode

statecodename

statuscode

statuscodename

timezoneruleversionnumber

utcconversiontimezonecode

versionnumber

OwningBusinessUnit

OwningTeam

OwningUser

statecode

statecodeName

statuscode

statuscodeName

TimeZoneRuleVersionNumber

UTCConversionTimeZoneCode

VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Communications Method	Picklist
N/A	Virtual
Contact	Lookup
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
External Order #	String
Guest	Lookup
N/A	String
Invitation Email Address	String
Invitation Phone Number	String
Invitation Sent On	DateTime
Is Anonymous	Boolean
N/A	Virtual
Last Updated On	DateTime
Media Event	Lookup
N/A	String
Media Registration	Uniqueidentifier
Name	String
Registered On	DateTime
Current Status	Picklist
N/A	Virtual
Table #	String
Tickets Sent	Boolean
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String

Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
Required name field	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple

Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Registration	False	Simple
N/A	False	Simple
Reason for the status of the Media Registration	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Options:766860000: Web Site766860001: Email766860002:

Targets:contact

Format: TextMax length: 160

Format: TextMax length: 450

Targets:msmedia_eventattraction

Format: TextMax length: 100

Format: TextMax length: 100

Targets:msmedia_guest

Format: TextMax length: 100

Format: EmailMax length: 100

Format: TextMax length: 100

Format: DateAndTime

True: YesFalse: NoDefault Value: False

Format: DateAndTime

Targets:msmedia_mediaevent

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Options:766860000: Invited766860001: Accepted766860002:

Format: TextMax length: 100

True: YesFalse: NoDefault Value: False

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



02: Declined766860003: Registered766860004: Attended766860005: Cancelled766860006: InactiveDefault: N,

/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_eventattraction	msmedia_EventAttraction
msmedia_eventattractionname	msmedia_EventAttractionName
msmedia_mediaevent	msmedia_MediaEvent
msmedia_mediaeventname	msmedia_MediaEventName
msmedia_mediaregistration	msmedia_MediaRegistration
msmedia_mediaregistrationname	msmedia_MediaRegistrationName
msmedia_mediaregistrationstatuslogid	msmedia_MediaRegistrationStatusLogId
msmedia_name	msmedia_Name
msmedia_registrationstatus	msmedia_RegistrationStatus
msmedia_registrationstatusname	msmedia_registrationstatusName
msmedia_validfrom	msmedia_ValidFrom
msmedia_validto	msmedia_ValidTo
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
Media Event	Lookup
N/A	String
Media Registration	Lookup
N/A	String
Media Registration Status Log	Uniqueidentifier
Name	String
Registration Status	Picklist
N/A	Virtual
Valid From	DateTime
Valid To	DateTime
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Registration Status Log	False	Simple
N/A	False	Simple
Reason for the status of the Media Registration Status Log	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Targets:msmedia_eventattraction

Format: TextMax length: 100

Targets:msmedia_mediaevent

Format: TextMax length: 100

Targets:msmedia_mediaregistration

Format: TextMax length: 100

Format: TextMax length: 100

Options:766860000: Invited766860001: Accepted7668600

Format: DateAndTime

Format: DateAndTime

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



02: Declined766860003: Registered766860004: Attended766860005: Cancelled766860006: InactiveDefault: N,

/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_addresscity	msmedia_AddressCity
msmedia_addresscountry	msmedia_AddressCountry
msmedia_addressline1	msmedia_AddressLine1
msmedia_addressline2	msmedia_AddressLine2
msmedia_addressline3	msmedia_AddressLine3
msmedia_addresspostalcode	msmedia_AddressPostalCode
msmedia_addressstateorprovince	msmedia_AddressStateorProvince
msmedia_agerestrictions	msmedia_AgeRestrictions
msmedia_capacity	msmedia_Capacity
msmedia_contactinfo	msmedia_ContactInfo
msmedia_handicappedaccessible	msmedia_HandicappedAccessible
msmedia_handicappedaccessiblename	msmedia_handicappedaccessibleName
msmedia_image	msmedia_Image
msmedia_image_timestamp	msmedia_Image_Timestamp
msmedia_image_url	msmedia_Image_URL
msmedia_imageid	msmedia_Imageld
msmedia_languagesinuse	msmedia_LanguagesinUse
msmedia_latitude	msmedia_Latitude
msmedia_longitude	msmedia_Longitude
msmedia_mediavenueid	msmedia_MediaVenueld
msmedia_name	msmedia_Name
msmedia_numberofelevators	msmedia_NumberofElevators
msmedia_numberoffloors	msmedia_NumberofFloors
msmedia_parentvenue	msmedia_ParentVenue
msmedia_parentvenueName	msmedia_ParentVenueName
msmedia_provider	msmedia_Provider
msmedia_providername	msmedia_ProviderName
msmedia_provideryominame	msmedia_ProviderYomiName
msmedia_rating	msmedia_Rating
msmedia_registeredunion	msmedia_RegisteredUnion
msmedia_squarefootage	msmedia_SquareFootage

msmedia_squarefootageunitofmeasure	msmedia_SquareFootageUnitofMeasure
msmedia_timezone	msmedia_TimeZone
msmedia_timezonename	msmedia_timezoneName
msmedia_tma	msmedia_TMA
msmedia_tmaname	msmedia_TMAName
msmedia_venuetype	msmedia_VenueType
msmedia_venuetypername	msmedia_venuetyperName
msmedia_wifiavailable	msmedia_WifiAvailable
msmedia_wifiavailablename	msmedia_wifiavailableName
msmedia_wifipublicpassword	msmedia_WifiPublicPassword
msmedia_wifissid	msmedia_WifiSSID
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Address City	String
Address Country	String
Address Line 1	String
Address Line 2	String
Address Line 3	String
Address Postal Code	String
Address State or Province	String
Age Restrictions	Memo
Capacity	Integer
Contact Info	Memo
Handicapped Accessible	Boolean
N/A	Virtual
Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Languages in Use	Memo
Latitude	Decimal
Longitude	Decimal
Media Venue	Uniqueidentifier
Name	String
Number of Elevators	Integer
Number of Floors	Integer
Parent Venue	Lookup
N/A	String
Provider	Lookup
N/A	String
N/A	String
Rating	String
Registered Union(s)	Memo
Square Footage	Decimal

Square Footage Unit of Measure	String
Time Zone	Picklist
N/A	Virtual
TMA	Lookup
N/A	String
Venue Type	Picklist
N/A	Virtual
Wifi Available	Boolean
N/A	Virtual
Wifi Public Password	String
Wifi SSID	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
Required name field	True	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple

	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Venue	False	Simple
N/A	False	Simple
Reason for the status of the Media Venue	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 2147483647

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Minimum value: -2147483648Maximum value: 2147483647

Format: TextMax length: 2000

True: YesFalse: NoDefault Value: False

Minimum value: -9223372036854775808Maximum value: 9223372036854775807

Format: UrlMax length: 200

Format: TextMax length: 2000

Minimum value: -100000000000Maximum value: 100000000000Precision: 6

Minimum value: -100000000000Maximum value: 100000000000Precision: 6

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 2147483647

Minimum value: -2147483648Maximum value: 2147483647

Targets:msmedia_mediavenue

Format: TextMax length: 100

Targets:account

Format: TextMax length: 160

Format: TextMax length: 160

Format: TextMax length: 100

Format: TextMax length: 2000

Minimum value: -100000000000Maximum value: 100000000000Precision: 2

Format: TextMax length: 100

Options:766860000: Dateline Standard Time766860001: Samoa Standard Time7668600

Targets:msmedia_tma

Format: TextMax length: 100

Options:766860001: Merchandising Store766860002: Theme Park766860003: Stage766

True: YesFalse: NoDefault Value: False

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value: 9223372036854775807



02: Hawaiian Standard Time766860003: Alaskan Standard Time766860004: Pacific Standard Time766860005: I

5860004: Attraction/Ride766860005: Arena/Stadium766860006: Playing Field/Turf/Rink/Court/Pitch76686000

Mountain Standard Time766860006: Mexico Standard Time 2766860007: U.S. Mountain Standard Time76686000

7: Theatre/Concert Hall766860008: Retail Store766860009: Kiosk766860010: E-Commerce/Web Site76686001

008: Central Standard Time766860009: Canada Central Standard Time766860010: Mexico Standard Time7668

.1: Expo Center766860012: Parking Lot/Garage766860013: Park766860014: Building 766860015: Hotel766860

360011: Central America Standard Time766860012: Eastern Standard Time766860013: U.S. Eastern Standard T

016: Casino766860017: Box Office/Ticket Booth766860018: Information/Help Desk766860019: Gym/Locker R

ime766860014: S.A. Pacific Standard Time766860015: Atlantic Standard Time766860016: S.A. Western Standa

loom766860020: Museum766860021: Office766860022: Signage/Billboard766860023: OtherDefault: N/A

rd Time766860017: Pacific S.A. Standard Time766860018: Newfoundland and Labrador Standard Time766860

019: E. South America Standard Time766860020: S.A. Eastern Standard Time766860021: Greenland Standard 1

Time766860022: Mid-Atlantic Standard Time766860023: Azores Standard Time766860024: Cape Verde Standa

ird Time766860025: GMT Standard Time766860026: Greenwich Standard Time766860027: Central Europe Sta

ndard Time76

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenueimageid	msmedia_MediaVenueImageId
msmedia_mediavenueiname	msmedia_MediaVenueName
msmedia_name	msmedia_Name
msmedia_uploadedimage	msmedia_UploadedImage
msmedia_uploadedimage_timestamp	msmedia_UploadedImage_Timestamp
msmedia_uploadedimage_url	msmedia_UploadedImage_URL
msmedia_uploadedimageid	msmedia_UploadedImageId
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Media Venue	Lookup
Media Venue Image	Uniqueidentifier
N/A	String
Name	String
Uploaded Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Venue Image	False	Simple
N/A	False	Simple
Reason for the status of the Media Venue Image	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_cloudcover	msmedia_CloudCover
msmedia_cloudcovername	msmedia_cloudcoverName
msmedia_description	msmedia_Description
msmedia_humidity	msmedia_Humidity
msmedia_id	msmedia_ID
msmedia_mediaevent	msmedia_MediaEvent
msmedia_mediaeventname	msmedia_MediaEventName
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenueName	msmedia_MediaVenueName
msmedia_observedon	msmedia_ObservedOn
msmedia_temperature	msmedia_Temperature
msmedia_temperatureunit	msmedia_TemperatureUnit
msmedia_temperatureunitname	msmedia_temperatureunitName
msmedia_weatherconditionid	msmedia_WeatherConditionId
msmedia_winddirection	msmedia_WindDirection
msmedia_windvelocity	msmedia_WindVelocity
msmedia_windvelocitymeasure	msmedia_WindVelocityMeasure
msmedia_windvelocitymeasurename	msmedia_windvelocitymeasureName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber

utcconversiontimezonecode
versionnumber

UTCConversionTimeZoneCode
VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Cloud Cover	Boolean
N/A	Virtual
Description	Memo
Humidity	Decimal
ID	String
Media Event	Lookup
N/A	String
Media Venue	Lookup
N/A	String
Observed On	DateTime
Temperature	Decimal
Temperature Unit	Picklist
N/A	Virtual
Weather Condition	Uniqueidentifier
Wind Direction	String
Wind Velocity	Integer
Wind Velocity Measure	Picklist
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer

UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Weather Condition	False	Simple
N/A	False	Simple
Reason for the status of the Weather Condition	False	Simple
N/A	False	Simple
For internal use only.	False	Simple

Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

True: YesFalse: NoDefault Value: False

Format: TextMax length: 2000

Minimum value: -100000000000Maximum value: 1000000

Format: TextMax length: 100

Targets:msmedia_mediaevent

Format: TextMax length: 100

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: DateAndTime

Minimum value: -100000000000Maximum value: 1000000

Options:766860000: F766860001: CDefault: N/A

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Options:766860000: MPH766860001: Knots766860002: M

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



I/S766860003: FT/S766860004: KM/HDefault: N/A

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_address	msmedia_Address	Address
msmedia_contact	msmedia_Contact	Contact
msmedia_contactname	msmedia_ContactName	N/A
msmedia_contactyominame	msmedia_ContactYomiName	N/A
msmedia_leagueid	msmedia_LeagueId	League
msmedia_name	msmedia_Name	Name
msmedia_nickname	msmedia_Nickname	Nickname
msmedia_numberofteams	msmedia_NumberofTeams	# of Teams
msmedia_numberofteams_date	msmedia_NumberofTeams_Date	# of Teams (Last Updated On)
msmedia_numberofteams_state	msmedia_NumberofTeams_State	# of Teams (State)
msmedia_type	msmedia_Type	Type
msmedia_typename	msmedia_typeName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
String		True
Lookup		True
String	N/A	True
String	N/A	True
Uniqueidentifier	Unique identifier for entity instances	False
String	Required name field	True
String		True
Integer		True
DateTime	Last Updated time of rollup field # of Teams.	True
Integer	State of rollup field # of Teams.	True
Picklist		True
Virtual	N/A	True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the League	False
Virtual	N/A	False
Status	Reason for the status of the League	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextAreaMax length: 400
Simple	Targets:contact
Simple	Format: TextMax length: 160
Simple	Format: TextMax length: 450
Simple	
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Rollup	Minimum value: -2147483648Maximum value: 214748364
Simple	Format: DateAndTime
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Options:766860000: Professional766860001: Collegiate766
Simple	
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



5860002: Community766860003: Amateur766860004: K-12766860005: OtherDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_fieldmaterial	msmedia_FieldMaterial
msmedia_fieldmaterialname	msmedia_fieldmaterialName
msmedia_hasarroof	msmedia_HasaRoof
msmedia_hasarroofname	msmedia_hasarroofName
msmedia_haslighs	msmedia_HasLights
msmedia_haslighsname	msmedia_haslighsName
msmedia_image	msmedia_Image
msmedia_image_timestamp	msmedia_Image_Timestamp
msmedia_image_url	msmedia_Image_URL
msmedia_imageid	msmedia_ImageId
msmedia_latitude	msmedia_Latitude
msmedia_length	msmedia_Length
msmedia_longitude	msmedia_Longitude
msmedia_name	msmedia_Name
msmedia_parentmediavenue	msmedia_ParentMediaVenue
msmedia_parentmediavenuename	msmedia_ParentMediaVenueName
msmedia_playingfieldid	msmedia_PlayingFieldId
msmedia_shape	msmedia_Shape
msmedia_shapename	msmedia_shapeName
msmedia_sporttype	msmedia_SportType
msmedia_sporttypename	msmedia_sporttypeName
msmedia_width	msmedia_Width
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode

statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Field Material	Picklist
N/A	Virtual
Has a Roof?	Boolean
N/A	Virtual
Has Lights?	Boolean
N/A	Virtual
Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Latitude	Decimal
Length	Decimal
Longitude	Decimal
Name	String
Parent Media Venue	Lookup
N/A	String
Playing Field	Uniqueidentifier
Shape	Picklist
N/A	Virtual
Sport Type	Picklist
N/A	Virtual
Width	Decimal
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State

N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Playing Field	False	Simple

N/A	False	Simple
Reason for the status of the Playing Field	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Options:766860000: Clay766860001: Turf766860002: Gras

True: YesFalse: NoDefault Value: False

True: YesFalse: NoDefault Value: False

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Minimum value: -100000000000Maximum value: 1000000

Minimum value: -100000000000Maximum value: 1000000

Minimum value: -100000000000Maximum value: 1000000

Format: TextMax length: 100

Targets:msmedia_mediavenue

Format: TextMax length: 100

Options:766860000: Circle766860001: Oval766860002: Re

Options:766860000: Soccer766860001: Basketball7668600

Minimum value: -100000000000Maximum value: 1000000

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



002: Cricket766860003: Tennis766860004: Rugby766860005: Motor Racing766860006: Boxing766860007: Ice

Hockey766860008: Volleyball766860009: Golf766860010: Baseball766860011: Football766860012: MMADef:

ault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_name	msmedia_Name
msmedia_playingfield	msmedia_PlayingField
msmedia_playingfieldimageid	msmedia_PlayingFieldImageId
msmedia_playingfieldname	msmedia_PlayingFieldName
msmedia_uploadedimage	msmedia_UploadedImage
msmedia_uploadedimage_timestamp	msmedia_UploadedImage_Timestamp
msmedia_uploadedimage_url	msmedia_UploadedImage_URL
msmedia_uploadedimageid	msmedia_UploadedImageId
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Name	String
Playing Field	Lookup
Playing Field Image	Uniqueidentifier
N/A	String
Uploaded Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Playing Field Image	False	Simple
N/A	False	Simple
Reason for the status of the Playing Field Image	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Format: TextMax length: 100

Targets:msmedia_playingfield

Format: TextMax length: 100

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_altitude	msmedia_Altitude	Altitude
msmedia_altitudeunit	msmedia_AltitudeUnit	Altitude Unit
msmedia_altitudeunitname	msmedia_altitudeunitName	N/A
msmedia_latitude	msmedia_Latitude	Latitude
msmedia_longitude	msmedia_Longitude	Longitude
msmedia_name	msmedia_Name	Name
msmedia_playingfield	msmedia_PlayingField	Playing Field
msmedia_playingfieldname	msmedia_PlayingFieldName	N/A
msmedia_playingfieldpointid	msmedia_PlayingFieldPointId	Playing Field Point
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Decimal		True
Picklist		True
Virtual	N/A	True
Decimal		True
Decimal		True
String	Required name field	True
Lookup		True
String	N/A	True
Uniqueidentifier	Unique identifier for entity instances	False
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Playing Field Point	False
Virtual	N/A	False
Status	Reason for the status of the Playing Field Point	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -100000000000Maximum value: 1000000
Simple	Options:766860000: Meters766860001: FeetDefault: N/A
Simple	
Simple	Minimum value: -100000000000Maximum value: 1000000
Simple	Minimum value: -100000000000Maximum value: 1000000
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_playingfield
Simple	Format: TextMax length: 100
Simple	
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_name	msmedia_Name	Name
msmedia_roundid	msmedia_RoundId	Round
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
String	Required name field	True
Uniqueidentifier	Unique identifier for entity instances	False
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Round	False
Virtual	N/A	False
Status	Reason for the status of the Round	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_league	msmedia_League	League
msmedia_leaguename	msmedia_LeagueName	N/A
msmedia_name	msmedia_Name	Name
msmedia_sportingconferenceid	msmedia_SportingConferenceId	Sporting Conference
organizationid	OrganizationId	Organization Id
organizationidname	OrganizationIdName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Lookup		True
String	N/A	True
String	Required name field	True
Uniqueidentifier	Unique identifier for entity instances	False
Lookup	Unique identifier for the organization	False
String	N/A	False
DateTime	Date and time that the record was migrated.	False
State	Status of the Sporting Conference	False
Virtual	N/A	False
Status	Reason for the status of the Sporting Conference	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_league
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Targets:organization
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_conference	msmedia_Conference	Conference
msmedia_conferencename	msmedia_ConferenceName	N/A
msmedia_league	msmedia_League	League
msmedia_leaguename	msmedia_LeagueName	N/A
msmedia_name	msmedia_Name	Name
msmedia_sportingdivisionid	msmedia_SportingDivisionId	Sporting Division
organizationid	OrganizationId	Organization Id
organizationidname	OrganizationIdName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Lookup		True
String	N/A	True
Lookup		True
String	N/A	True
String	Required name field	True
Uniqueidentifier	Unique identifier for entity instances	False
Lookup	Unique identifier for the organization	False
String	N/A	False
DateTime	Date and time that the record was migrated.	False
State	Status of the Sporting Division	False
Virtual	N/A	False
Status	Reason for the status of the Sporting Division	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_sportingconference
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_league
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Targets:organization
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_currentteam	msmedia_CurrentTeam	Current Team
msmedia_currentteamname	msmedia_CurrentTeamName	N/A
msmedia_dateofbirth	msmedia_DateOfBirth	Date of Birth
msmedia_gender	msmedia_Gender	Gender
msmedia_gendername	msmedia_genderName	N/A
msmedia_height	msmedia_Height	Height
msmedia_hometown	msmedia_HomeTown	Home Town
msmedia_image	msmedia_Image	Image
msmedia_image_timestamp	msmedia_Image_Timestamp	N/A
msmedia_image_url	msmedia_Image_URL	N/A
msmedia_imageid	msmedia_ImageId	N/A
msmedia_lineupslot	msmedia_LineupSlot	Lineup Slot
msmedia_name	msmedia_Name	Name
msmedia_nickname	msmedia_Nickname	Nickname
msmedia_playerposition	msmedia_PlayerPosition	Player Position
msmedia_playerrole	msmedia_PlayerRole	Player Role
msmedia_rosterstatus	msmedia_RosterStatus	Roster Status
msmedia_rosterstatusname	msmedia_rosterstatusName	N/A
msmedia_sportsplayerid	msmedia_SportsPlayerId	Sports Player
msmedia_uniformnumber	msmedia_UniformNumber	Uniform Number
msmedia_weight	msmedia_Weight	Weight
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A

statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Lookup		True
String	N/A	True
DateTime		True
Picklist		True
Virtual	N/A	True
String		True
String		True
Virtual		True
BigInt	N/A	True
String	N/A	True
Uniqueidentifier	N/A	True
String		True
String	Required name field	True
String		True
String		True
String		True
Picklist		True
Virtual	N/A	True
Uniqueidentifier	Unique identifier for entity instances	False
String		True
String		True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Sports Player	False
Virtual	N/A	False

Status	Reason for the status of the Sports Player	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_sportsteam
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	Options:766860000: Decline to Answer766860001: Female
Simple	
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Minimum value: -9223372036854775808Maximum value:
Simple	Format: UrlMax length: 200
Simple	
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Options:766860000: Active766860001: Injured766860002:
Simple	
Simple	
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	

Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



766860002: Male766860003: NonBinary766860004: Something Else766860005: TransFemale766860006: Trar

rsMale766860007: UnspecifiedDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_name	msmedia_Name
msmedia_sportsplayer	msmedia_SportsPlayer
msmedia_sportsplayerimageid	msmedia_SportsPlayerImageId
msmedia_sportsplayername	msmedia_SportsPlayerName
msmedia_uploadedimage	msmedia_UploadedImage
msmedia_uploadedimage_timestamp	msmedia_UploadedImage_Timestamp
msmedia_uploadedimage_url	msmedia_UploadedImage_URL
msmedia_uploadedimageid	msmedia_UploadedImageId
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Name	String
Sports Player	Lookup
Sports Player Image	Uniqueidentifier
N/A	String
Uploaded Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Sports Player Image	False	Simple
N/A	False	Simple
Reason for the status of the Sports Player Image	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Format: TextMax length: 100

Targets:msmedia_sportsplayer

Format: TextMax length: 100

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_from	msmedia_From
msmedia_name	msmedia_Name
msmedia_sportsplayer	msmedia_SportsPlayer
msmedia_sportsplayername	msmedia_SportsPlayerName
msmedia_sportsplayerteamhistoryid	msmedia_SportsPlayerTeamHistoryId
msmedia_team	msmedia_Team
msmedia_teamname	msmedia_TeamName
msmedia_to	msmedia_To
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
From	DateTime
Name	String
Sports Player	Lookup
N/A	String
Sports Player Team History	Uniqueidentifier
Team	Lookup
N/A	String
To	DateTime
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Sports Player Team History	False	Simple
N/A	False	Simple
Reason for the status of the Sports Player Team History	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateOnly

Format: TextMax length: 100

Targets:msmedia_sportsplayer

Format: TextMax length: 100

Targets:msmedia_sportsteam

Format: TextMax length: 100

Format: DateOnly

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_city	msmedia_City	City
msmedia_conference	msmedia_Conference	Conference
msmedia_conferencename	msmedia_ConferenceName	N/A
msmedia_division	msmedia_Division	Division
msmedia_divisionname	msmedia_DivisionName	N/A
msmedia_name	msmedia_Name	Name
msmedia_nickname	msmedia_Nickname	Nickname
msmedia_parentleague	msmedia_ParentLeague	Parent League
msmedia_parentleaguename	msmedia_ParentLeagueName	N/A
msmedia_sportsteamid	msmedia_SportsTeamId	Sports Team
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
String		True
Lookup		True
String	N/A	True
Lookup		True
String	N/A	True
String	Required name field	True
String		True
Lookup		True
String	N/A	True
Uniqueidentifier	Unique identifier for entity instances	False
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Sports Team	False
Virtual	N/A	False
Status	Reason for the status of the Sports Team	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_sportingconference
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_sportingdivision
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_league
Simple	Format: TextMax length: 100
Simple	
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_admissionid	msmedia_AdmissionId	Admission
msmedia_eventattraction	msmedia_EventAttraction	Event Attraction
msmedia_eventattractionname	msmedia_EventAttractionName	N/A
msmedia_mediavenue	msmedia_MediaVenue	Media Venue
msmedia_mediavenuename	msmedia_MediaVenueName	N/A
msmedia_name	msmedia_Name	Name
msmedia_product	msmedia_Product	Product
msmedia_productname	msmedia_ProductName	N/A
msmedia_seat	msmedia_Seat	Seat
msmedia_seatname	msmedia_SeatName	N/A
msmedia_seatstatus	msmedia_SeatStatus	Seat Status
msmedia_seatstatusname	msmedia_seatstatusName	N/A
msmedia_ticket	msmedia_Ticket	Ticket
msmedia_ticketname	msmedia_TicketName	N/A
msmedia_validfrom	msmedia_ValidFrom	Valid From
msmedia_validto	msmedia_ValidTo	Valid To
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodename	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodename	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
Uniqueidentifier	Unique identifier for entity instances	False
Lookup		True
String	N/A	True
Lookup		True
String	N/A	True
String	Required name field	True
Lookup		True
String	N/A	True
Lookup		True
String	N/A	True
Picklist		True
Virtual	N/A	True
Lookup		True
String	N/A	True
DateTime		True
DateTime		True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Admission	False
Virtual	N/A	False
Status	Reason for the status of the Admission	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Targets:msmedia_eventattraction
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_mediavenue
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:product
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_seat
Simple	Format: TextMax length: 100
Simple	Options:766860000: Available766860001: Pending766860
Simple	
Simple	Targets:msmedia_ticket
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Format: DateAndTime
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



002: Sold766860003: UnavailableDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_advertisingsegmentgroup	msmedia_AdvertisingSegmentGroup
msmedia_advertisingsegmentgroupname	msmedia_AdvertisingSegmentGroupName
msmedia_advertisingsegmentid	msmedia_AdvertisingSegmentId
msmedia_advertisingsegmentnumber	msmedia_AdvertisingSegmentNumber
msmedia_description	msmedia_Description
msmedia_duration	msmedia_Duration
msmedia_durationunit	msmedia_DurationUnit
msmedia_durationunitname	msmedia_durationunitName
msmedia_name	msmedia_Name
msmedia_numberofspots	msmedia_NumberOfSpots
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Advertising Segment Group	Lookup
N/A	String
Advertising Segment	Uniqueidentifier
Advertising Segment Number	String
Description	Memo
Duration	Integer
Duration Unit	Picklist
N/A	Virtual
Name	String
Number of Spots	Integer
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Advertising Segment	False	Simple
N/A	False	Simple
Reason for the status of the Advertising Segment	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Targets:msmedia_advertisingsegmentgroup

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Minimum value: -2147483648Maximum value: 214748364

Options:766860000: Second766860001: Minute76686000:

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



2: Hour766860003: Day766860004: Week766860005: Month766860006: YearDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_advertisingsegmentgroupid	msmedia_AdvertisingSegmentGroupId
msmedia_name	msmedia_Name
msmedia_number	msmedia_Number
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Advertising Segment Group	Uniqueidentifier
Name	String
Number	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Unique identifier for entity instances	False	Simple
Required name field	True	Simple
	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Advertising Segment Group	False	Simple
N/A	False	Simple
Reason for the status of the Advertising Segment Group	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_advertisingspotfulfillmentid	msmedia_AdvertisingSpotFulfillmentId
msmedia_brollduration	msmedia_BRollDuration
msmedia_brolldurationunit	msmedia_BRollDurationUnit
msmedia_brolldurationunitname	msmedia_brolldurationunitName
msmedia_brollurl	msmedia_BRollURL
msmedia_name	msmedia_Name
msmedia_salesorderproduct	msmedia_SalesOrderProduct
msmedia_salesorderproductname	msmedia_SalesOrderProductName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Advertising Spot Fulfillment	Uniqueidentifier
B-Roll Duration	Integer
B-Roll Duration Unit	Picklist
N/A	Virtual
B-Roll URL	String
Name	String
Sales Order Product	Lookup
N/A	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Advertising Spot Fulfillment	False	Simple
N/A	False	Simple
Reason for the status of the Advertising Spot Fulfillment	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Options:766860000: Second766860001: Minute76686000:

Format: UrlMax length: 100

Format: TextMax length: 100

Targets:salesorderdetail

Format: TextMax length: 500

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



2: Hour766860003: Day766860004: Week766860005: Month766860006: YearDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
exchangerate	ExchangeRate
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_coordinator	msmedia_Coordinator
msmedia_coordinatorname	msmedia_CoordinatorName
msmedia_coordinatoryominame	msmedia_CoordinatorYomiName
msmedia_dealstatus	msmedia_DealStatus
msmedia_dealstatusname	msmedia_dealstatusName
msmedia_endseason	msmedia_EndSeason
msmedia_endseasonname	msmedia_EndSeasonName
msmedia_mediaeventsponsorshipid	msmedia_MediaEventSponsorshipId
msmedia_name	msmedia_Name
msmedia_primarydealcontact	msmedia_PrimaryDealContact
msmedia_primarydealcontactname	msmedia_PrimaryDealContactName
msmedia_primarydealcontactyominame	msmedia_PrimaryDealContactYomiName
msmedia_product	msmedia_Product
msmedia_productname	msmedia_ProductName
msmedia_purchaseprice	msmedia_PurchasePrice
msmedia_purchaseprice_base	msmedia_purchaseprice_Base
msmedia_sponsor	msmedia_Sponsor
msmedia_sponsorname	msmedia_SponsorName
msmedia_sponsoryominame	msmedia_SponsorYomiName
msmedia_startseason	msmedia_StartSeason
msmedia_startseasonname	msmedia_StartSeasonName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode

statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Exchange Rate	Decimal
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Coordinator	Lookup
N/A	String
N/A	String
Deal Status	Picklist
N/A	Virtual
End Season	Lookup
N/A	String
Media Event Sponsorship	Uniqueidentifier
Name	String
Primary Deal Contact	Lookup
N/A	String
N/A	String
Product	Lookup
N/A	String
Purchase Price	Money
Purchase Price (Base)	Money
Sponsor	Lookup
N/A	String
N/A	String
Start Season	Lookup
N/A	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State

N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
Currency	Lookup
N/A	String
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description

Unique identifier of the user who created the record.

N/A

N/A

Date and time when the record was created.

Unique identifier of the delegate user who created the record.

N/A

N/A

Exchange rate for the currency associated with the entity with respect to the base currency.

Sequence number of the import that created this record.

Unique identifier of the user who modified the record.

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who modified the record.

N/A

N/A

N/A

N/A

N/A

N/A

Unique identifier for entity instances

Required name field

N/A

N/A

N/A

Value of the Purchase Price in base currency.

N/A

N/A

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Status of the Media Event Sponsorship

N/A

Reason for the status of the Media Event Sponsorship

N/A

For internal use only.

Unique identifier of the currency associated with the entity.

N/A

Time zone code that was in use when the record was created.

Version Number

Custom Attribute	Type	Additional data
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: 0.0000000001Maximum value: 10000000
False	Simple	Minimum value: -2147483648Maximum value: 214748364
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Targets:systemuser
True	Simple	Format: TextMax length: 200
True	Simple	Format: TextMax length: 200
True	Simple	Options:766860000: Draft766860001: Building Deal766860
True	Simple	
True	Simple	Targets:msmedia_season
True	Simple	Format: TextMax length: 100
False	Simple	
True	Simple	Format: TextMax length: 100
True	Simple	Targets:contact
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 450
True	Simple	Targets:product
True	Simple	Format: TextMax length: 100
True	Simple	Minimum value: -922337203685477Maximum value: 9223
True	Simple	Minimum value: -922337203685477Maximum value: 9223
True	Simple	Targets:account
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 160
True	Simple	Targets:msmedia_season
True	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:businessunit
False	Simple	Targets:team
False	Simple	Targets:systemuser
False	Simple	States:0: Active1: Inactive

False	Simple	
False	Simple	States:1: Active2: Inactive
False	Simple	
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value:



0002: Pending766860003: Awaiting Approval766860004: Approved766860005: Awaiting Billing766860006: Otl

herDefault: N/A

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenueadvertisingzoneid	msmedia_MediaVenueAdvertisingZoneId
msmedia_mediavenueaname	msmedia_MediaVenueName
msmedia_name	msmedia_Name
msmedia_numberofmediaassets	msmedia_NumberofMediaAssets
msmedia_numberofmediaassets_date	msmedia_NumberofMediaAssets_Date
msmedia_numberofmediaassets_state	msmedia_NumberofMediaAssets_State
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Media Venue	Lookup
Media Venue Advertising Zone	Uniqueidentifier
N/A	String
Name	String
# of Media Assets	Integer
# of Media Assets (Last Updated On)	DateTime
# of Media Assets (State)	Integer
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Rollup
Last Updated time of rollup field # of Media Assets.	True	Simple
State of rollup field # of Media Assets.	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Venue Advertising Zone	False	Simple
N/A	False	Simple
Reason for the status of the Media Venue Advertising Zone	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Format: DateAndTime

Minimum value: -2147483648Maximum value: 214748364

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenuename	msmedia_MediaVenueName
msmedia_mediavenueseatmapid	msmedia_MediaVenueSeatMapId
msmedia_name	msmedia_Name
msmedia_seatmap	msmedia_SeatMap
msmedia_seatmapname	msmedia_SeatMapName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Media Venue	Lookup
N/A	String
Media Venue Seat Map	Uniqueidentifier
Name	String
Seat Map	Lookup
N/A	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
N/A	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Media Venue Seat Map	False	Simple
N/A	False	Simple
Reason for the status of the Media Venue Seat Map	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Targets:msmedia_mediavenue

Format: TextMax length: 100

Format: TextMax length: 100

Targets:msmedia_seatmap

Format: TextMax length: 100

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name
baseamount	BaseAmount
baseamount_base	BaseAmount_Base
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
description	Description
entityimage	EntityImage
entityimage_timestamp	EntityImage_Timestamp
entityimage_url	EntityImage_URL
entityimageid	EntityImageId
exchangerate	ExchangeRate
extendedamount	ExtendedAmount
extendedamount_base	ExtendedAmount_Base
importsequencenumber	ImportSequenceNumber
ispriceoverridden	IsPriceOverridden
ispriceoverriddenname	IsPriceOverriddenName
isproductoverridden	IsProductOverridden
isproductoverriddenname	IsProductOverriddenName
lineitemnumber	LineItemNumber
manualdiscountamount	ManualDiscountAmount
manualdiscountamount_base	ManualDiscountAmount_Base
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_eventattraction	msmedia_EventAttraction
msmedia_eventattractionname	msmedia_EventAttractionName
opportunityid	OpportunityId
opportunityidname	OpportunityIdName
opportunityproductid	OpportunityProductId
opportunityproductname	OpportunityProductName
opportunitystatecode	OpportunityStateCode
opportunitystatecodename	OpportunityStateCodeName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit

owningteam	OwningTeam
owninguser	OwningUser
parentbundleid	ParentBundleId
parentbundleidref	ParentBundleIdRef
priceperunit	PricePerUnit
priceperunit_base	PricePerUnit_Base
pricingerrorcode	PricingErrorCode
pricingerrorcodename	PricingErrorCodeName
productassociationid	ProductAssociationId
productdescription	ProductDescription
productid	ProductId
productidname	ProductIdName
productname	ProductName
producttypecode	ProductTypeCode
producttypecodename	ProductTypeCodeName
propertyconfigurationstatus	PropertyConfigurationStatus
propertyconfigurationstatusname	PropertyConfigurationStatusName
quantity	Quantity
sequencenumber	SequenceNumber
skippricecalculation	SkipPriceCalculation
skippricecalculationname	SkipPriceCalculationName
tax	Tax
tax_base	Tax_Base
timezoneruleversionnumber	TimeZoneRuleVersionNumber
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
uomid	UoMId
uomidname	UoMIdName
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber
volumediscountamount	VolumeDiscountAmount
volumediscountamount_base	VolumeDiscountAmount_Base

Display Name	Attribute Type
Amount	Money
Amount (Base)	Money
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Entity Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Exchange Rate	Decimal
Extended Amount	Money
Extended Amount (Base)	Money
Import Sequence Number	Integer
Price Overridden	Boolean
N/A	Virtual
Select Product	Boolean
N/A	Virtual
Line Item Number	Integer
Manual Discount Amount	Money
Manual Discount Amount (Base)	Money
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
Opportunity	Lookup
N/A	String
Opportunity Product	Uniqueidentifier
Name	String
Opportunity Status	Picklist
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup

Owning Team	Lookup
Owning User	Lookup
Parent Bundle	Uniqueidentifier
Parent bundle product	Lookup
Price Per Unit	Money
Price Per Unit (Base)	Money
Pricing Error	Picklist
N/A	Virtual
Bundle Item Association	Uniqueidentifier
Write-In Product	String
Existing Product	Lookup
N/A	String
Product Name	String
Product type	Picklist
N/A	Virtual
Property Configuration	Picklist
N/A	Virtual
Quantity	Decimal
Sequence Number	Integer
Skip Price Calculation	Picklist
N/A	Virtual
Tax	Money
Tax (Base)	Money
Time Zone Rule Version Number	Integer
Currency	Lookup
N/A	String
Unit	Lookup
N/A	String
UTC Conversion Time Zone Code	Integer
Version Number	BigInt
Volume Discount	Money
Volume Discount (Base)	Money

Description

Shows the total price of the opportunity product, based on the price per unit, volume discount, and quantity.

Value of the Amount in base currency.

Shows who created the record.

N/A

N/A

Date and time when the record was created.

Shows who created the record on behalf of another user.

N/A

N/A

Type additional information to describe the opportunity product, such as manufacturing details.

The default image for the entity.

N/A

N/A

N/A

Shows the conversion rate of the record's currency. The exchange rate is used to convert all money fields in the record.

Shows the total amount due for the opportunity product, calculated on the Amount value minus the Manual Discount.

Value of the Extended Amount in base currency.

Sequence number of the import that created this record.

Select whether the pricing on the opportunity product reflects an override of the product catalog pricing.

N/A

For system use only.

N/A

Type the line item number for the opportunity product to easily identify the product in the opportunity documents.

Type the manual discount amount for the opportunity product to deduct any negotiated or other savings from the total amount.

Value of the Manual Discount Amount in base currency.

Shows who last updated the record.

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who last modified the opportunity product.

N/A

N/A

N/A

Unique identifier of the opportunity with which the opportunity product is associated.

N/A

Unique identifier of the opportunity product.

Opportunity Product Name. Added for 1:n referential relationship (internal purposes only)

Select the status of the opportunity product.

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Choose the parent bundle associated with this product

Choose the parent bundle associated with this product

Shows the price per unit of the opportunity product, based on the price list specified on the parent opportunity.

Value of the Price Per Unit in base currency.

Select the pricing error for the opportunity product.

N/A

Unique identifier of the product line item association with bundle in the opportunity

Type a detailed product description or additional notes about the opportunity product, such as talking points or price

Choose the product to include on the opportunity to link the product's pricing and other information to the opportunity

N/A

Calculated field that will be populated by name and description of the product.

Product Type

N/A

Status of the property configuration.

N/A

Type the amount or quantity of the product the customer would like to purchase.

Shows the ID of the data that maintains the sequence.

Skip price calculation

N/A

Type the tax amount to be applied on the opportunity product.

Value of the Tax in base currency.

For internal use only.

Choose the local currency for the record to make sure budgets are reported in the correct currency.

N/A

Choose the unit of measurement for the base unit quantity for this purchase, such as each or dozen.

N/A

Time zone code that was in use when the record was created.

Version Number

Shows the discount amount per unit if a specified volume is purchased. Configure volume discounts in the Product

Value of the Volume Discount in base currency.

Custom Attribute	Type	Additional data
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 2000
False	Simple	
False	Simple	Minimum value: -9223372036854775808Maximum value: 92233720368
False	Simple	Format: UrlMax length: 200
False	Simple	
False	Simple	Minimum value: 0.0000000001Maximum value: 100000000000Precision: 1
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	True: Override PriceFalse: Use DefaultDefault Value: False
False	Simple	
False	Simple	True: Write-InFalse: ExistingDefault Value: False
False	Simple	
False	Simple	Minimum value: 0Maximum value: 10000000000
False	Simple	Minimum value: 0Maximum value: 1000000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_eventattraction
True	Simple	Format: TextMax length: 100
False	Simple	Targets:opportunity
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 500
False	Simple	Options:Default: N/A
False	Simple	
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:

False	Simple	Targets:team
False	Simple	Targets:
False	Simple	
False	Simple	Targets:opportunityproduct
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Options:0: None1: Detail Error2: Missing Price Level3: Inactive Price Level
False	Simple	
False	Simple	Format: TextMax length: 500
False	Simple	Targets:product
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 500
False	Simple	Options:1: Product2: Bundle3: Required Bundle Product4: Optional Bundle
False	Simple	
False	Simple	Options:0: Edit1: Rectify2: Not ConfiguredDefault: 2
False	Simple	
False	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 2
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	Options:0: DoPriceCalcAlways1: SkipPriceCalcOnCreate2: SkipPriceCalcOnUpdate
False	Simple	
False	Simple	Minimum value: -1000000000000000Maximum value: 1000000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Targets:uom
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775808
False	Simple	Minimum value: 0Maximum value: 922337203685477Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477



el4: Missing

le Product

nUpdate3: 6



Quantity5: Missing Unit Price6: Missing Product7: Invalid Product8: Missing Pricing Code9: Invalid Pricing Code

10: Missing UOM11: Product Not In Price Level12: Missing Price Level Amount13: Missing Price Level Percenta

age14: Missing Price15: Missing Current Cost16: Missing Standard Cost17: Invalid Price Level Amount18: Invalid

1 Price Level Percentage19: Invalid Price20: Invalid Current Cost21: Invalid Standard Cost22: Invalid Rounding Pi

olicy23: Invalid Rounding Option24: Invalid Rounding Amount25: Price Calculation Error26: Invalid Discount Ty

pe27: Discount Type Invalid State28: Invalid Discount29: Invalid Quantity30: Invalid Pricing Precision31: Missin

g Product Default UOM32: Missing Product UOM Schedule 33: Inactive Discount Type34: Invalid Price Level Cu

rrency35: Price Attribute Out Of Range36: Base Currency Attribute Overflow37: Base Currency Attribute Under

flow38: Transaction currenc

Logical Name	Schema Name
accountid	AccountId
accountidname	AccountIdName
accountidyominame	AccountIdYomiName
billto_addressid	BillTo_AddressId
billto_city	BillTo_City
billto_composite	BillTo_Composite
billto_contactname	BillTo_ContactName
billto_country	BillTo_Country
billto_fax	BillTo_Fax
billto_line1	BillTo_Line1
billto_line2	BillTo_Line2
billto_line3	BillTo_Line3
billto_name	BillTo_Name
billto_postalcode	BillTo_PostalCode
billto_stateorprovince	BillTo_StateOrProvince
billto_telephone	BillTo_Telephone
campaignid	CampaignId
campaignidname	CampaignIdName
contactid	ContactId
contactidname	ContactIdName
contactidyominame	ContactIdYomiName
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
customerid	CustomerId
customeridname	CustomerIdName
customeridtype	CustomerIdType
customeridyominame	CustomerIdYomiName
datefulfilled	DateFulfilled
description	Description
discountamount	DiscountAmount
discountamount_base	DiscountAmount_Base
discountpercentage	DiscountPercentage
emailaddress	EmailAddress
entityimage	EntityImage
entityimage_timestamp	EntityImage_Timestamp
entityimage_url	EntityImage_URL
entityimageid	EntityImageId
exchangerate	ExchangeRate
freightamount	FreightAmount
freightamount_base	FreightAmount_Base
freighttermscode	FreightTermsCode

freighttermscodename	FreightTermsCodeName
importsequencenumber	ImportSequenceNumber
ispricelocked	IsPriceLocked
ispricelockedname	IsPriceLockedName
lastbackofficesubmit	LastBackOfficeSubmit
lastonholdtime	LastOnHoldTime
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
name	Name
onholdtime	OnHoldTime
opportunityid	OpportunityId
opportunityidname	OpportunityIdName
ordernumber	OrderNumber
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
paymenttermscode	PaymentTermsCode
paymenttermscodename	PaymentTermsCodeName
pricelevelid	PriceLevelId
pricelevelidname	PriceLevelIdName
pricingerrorcode	PricingErrorCode
pricingerrorcodename	PricingErrorCodeName
prioritycode	PriorityCode
prioritycodename	PriorityCodeName
processid	ProcessId
quoteid	QuoteId
quoteidname	QuoteIdName
requestdeliveryby	RequestDeliveryBy
salesorderid	SalesOrderId
shippingmethodcode	ShippingMethodCode
shippingmethodcodename	ShippingMethodCodeName
shipto_addressid	ShipTo_AddressId
shipto_city	ShipTo_City
shipto_composite	ShipTo_Composite
shipto_contactname	ShipTo_ContactName
shipto_country	ShipTo_Country
shipto_fax	ShipTo_Fax

shipto_freighttermscode	ShipTo_FreightTermsCode
shipto_freighttermscodename	ShipTo_FreightTermsCodeName
shipto_line1	ShipTo_Line1
shipto_line2	ShipTo_Line2
shipto_line3	ShipTo_Line3
shipto_name	ShipTo_Name
shipto_postalcode	ShipTo_PostalCode
shipto_stateorprovince	ShipTo_StateOrProvince
shipto_telephone	ShipTo_Telephone
skippricecalculation	SkipPriceCalculation
skippricecalculationname	skippricecalculationName
slaid	SLAId
slainvokedid	SLAInvokedId
slainvokedidname	SLAInvokedIdName
slaname	SLAName
stageid	StageId
statecode	StateCode
statecodename	StateCodeName
statuscode	StatusCode
statuscodename	StatusCodeName
submitdate	SubmitDate
submitstatus	SubmitStatus
submitstatusdescription	SubmitStatusDescription
timezoneruleversionnumber	TimeZoneRuleVersionNumber
totalamount	TotalAmount
totalamount_base	TotalAmount_Base
totalamountlessfreight	TotalAmountLessFreight
totalamountlessfreight_base	TotalAmountLessFreight_Base
totaldiscountamount	TotalDiscountAmount
totaldiscountamount_base	TotalDiscountAmount_Base
totallineitemamount	TotalLineItemAmount
totallineitemamount_base	TotalLineItemAmount_Base
totallineitemdiscountamount	TotalLineItemDiscountAmount
totallineitemdiscountamount_base	TotalLineItemDiscountAmount_Base
totaltax	TotalTax
totaltax_base	TotalTax_Base
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
traversedpath	TraversedPath
utconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber
willcall	WillCall
willcallname	WillCallName

Display Name	Attribute Type
Account	Lookup
N/A	String
N/A	String
Bill To Address ID	Uniqueidentifier
Bill To City	String
Bill To Address	Memo
Bill To Contact Name	String
Bill To Country/Region	String
Bill To Fax	String
Bill To Street 1	String
Bill To Street 2	String
Bill To Street 3	String
Bill To Name	String
Bill To ZIP/Postal Code	String
Bill To State/Province	String
Bill To Phone	String
Source Campaign	Lookup
N/A	String
Contact	Lookup
N/A	String
N/A	String
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Customer	Customer
N/A	String
Customer Type	EntityName
N/A	String
Date Fulfilled	DateTime
Description	Memo
Order Discount Amount	Money
Order Discount Amount (Base)	Money
Order Discount (%)	Decimal
Email Address	String
Entity Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Exchange Rate	Decimal
Freight Amount	Money
Freight Amount (Base)	Money
Freight Terms	Picklist

N/A	Virtual
Import Sequence Number	Integer
Prices Locked	Boolean
N/A	Virtual
Last Submitted to Back Office	DateTime
Last On Hold Time	DateTime
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Name	String
On Hold Time (Minutes)	Integer
Opportunity	Lookup
N/A	String
Order ID	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Payment Terms	Picklist
N/A	Virtual
Price List	Lookup
N/A	String
Pricing Error	Picklist
N/A	Virtual
Priority	Picklist
N/A	Virtual
Process Id	Uniqueidentifier
Quote	Lookup
N/A	String
Requested Delivery Date	DateTime
Order	Uniqueidentifier
Shipping Method	Picklist
N/A	Virtual
Ship To Address ID	Uniqueidentifier
Ship To City	String
Ship To Address	Memo
Ship To Contact Name	String
Ship To Country/Region	String
Ship to Fax	String

Ship To Freight Terms	Picklist
N/A	Virtual
Ship To Street 1	String
Ship To Street 2	String
Ship To Street 3	String
Ship To Name	String
Ship To ZIP/Postal Code	String
Ship To State/Province	String
Ship To Phone	String
Skip Price Calculation (For Internal Use)	Picklist
N/A	Virtual
SLA	Lookup
Last SLA applied	Lookup
N/A	String
N/A	String
(Deprecated) Stage Id	Uniqueidentifier
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Date Submitted	DateTime
Submitted Status	Integer
Submitted Status Description	Memo
Time Zone Rule Version Number	Integer
Total Amount	Money
Total Amount (Base)	Money
Total Pre-Freight Amount	Money
Total Pre-Freight Amount (Base)	Money
Total Discount Amount	Money
Total Discount Amount (Base)	Money
Total Detail Amount	Money
Total Detail Amount (Base)	Money
Total Line Item Discount Amount	Money
Total Line Item Discount Amount (Base)	Money
Total Tax	Money
Total Tax (Base)	Money
Currency	Lookup
N/A	String
(Deprecated) Traversed Path	String
UTC Conversion Time Zone Code	Integer
Version Number	BigInt
Ship To	Boolean
N/A	Virtual

Description

Shows the parent account related to the record. This information is used to link the sales order to the account selected.

N/A

N/A

Unique identifier of the billing address.

Type the city for the customer's billing address.

Shows the complete Bill To address.

Type the primary contact name at the customer's billing address.

Type the country or region for the customer's billing address.

Type the fax number for the customer's billing address.

Type the first line of the customer's billing address.

Type the second line of the customer's billing address.

Type the third line of the billing address.

Type a name for the customer's billing address, such as "Headquarters" or "Field office", to identify the address.

Type the ZIP Code or postal code for the billing address.

Type the state or province for the billing address.

Type the phone number for the customer's billing address.

Shows the campaign that the order was created from.

N/A

Shows the parent contact related to the record. This information is used to link the contract to the contact selected.

N/A

N/A

Shows who created the record.

N/A

N/A

Date and time when the record was created.

Shows who created the record on behalf of another user.

N/A

N/A

Select the customer account or contact to provide a quick link to additional customer details, such as account information.

N/A

N/A

N/A

Enter the date that all or part of the order was shipped to the customer.

Type additional information to describe the order, such as the products or services offered or details about the customer.

Type the discount amount for the order if the customer is eligible for special savings.

Value of the Order Discount Amount in base currency.

Type the discount rate that should be applied to the Detail Amount field to include additional savings for the customer.

The primary email address for the entity.

The default image for the entity.

N/A

N/A

N/A

Shows the conversion rate of the record's currency. The exchange rate is used to convert all money fields in the record.

Type the cost of freight or shipping for the products included in the order for use in calculating the Total Amount field.

Value of the Freight Amount in base currency.

Select the freight terms to make sure shipping charges are processed correctly.

N/A

Sequence number of the import that created this record.

Select whether prices specified on the invoice are locked from any further updates.

N/A

Enter the date and time when the order was last submitted to an accounting or ERP system for processing.

Contains the date time stamp of the last on hold time.

Shows who last updated the record.

N/A

N/A

Date and time when the record was modified.

Shows who last updated the record on behalf of another user.

N/A

N/A

Type a descriptive name for the order.

Shows the duration in minutes for which the order was on hold.

Choose the related opportunity so that the data for the order and opportunity are linked for reporting and analytic

N/A

Shows the order number for customer reference and to use in search. The number cannot be modified.

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Select the payment terms to indicate when the customer needs to pay the total amount.

N/A

Choose the price list associated with this record to make sure the products associated with the campaign are offered

N/A

Select the type of pricing error, such as a missing or invalid product, or missing quantity.

N/A

Select the priority so that preferred customers or critical issues are handled quickly.

N/A

Contains the id of the process associated with the entity.

Choose the related quote so that order data and quote data are linked for reporting and analytics.

N/A

Enter the delivery date requested by the customer for all products in the order.

Unique identifier of the order.

Select a shipping method for deliveries sent to this address.

N/A

Unique identifier of the shipping address.

Type the city for the customer's shipping address.

Shows the complete Ship To address.

Type the primary contact name at the customer's shipping address.

Type the country or region for the customer's shipping address.

Type the fax number for the customer's shipping address.

Select the freight terms to make sure shipping orders are processed correctly.

N/A

Type the first line of the customer's shipping address.

Type the second line of the customer's shipping address.

Type the third line of the shipping address.

Type a name for the customer's shipping address, such as "Headquarters" or "Field office", to identify the address.

Type the ZIP Code or postal code for the shipping address.

Type the state or province for the shipping address.

Type the phone number for the customer's shipping address.

Skip Price Calculation

N/A

Choose the service level agreement (SLA) that you want to apply to the sales order record.

Last SLA that was applied to this sales order. This field is for internal use only.

N/A

N/A

Contains the id of the stage where the entity is located.

Shows whether the order is active, submitted, fulfilled, canceled, or invoiced. Only active orders can be edited.

N/A

Select the order's status.

N/A

Enter the date when the order was submitted to the fulfillment or shipping center.

Type the code for the submitted status in the fulfillment or shipping center system.

Type additional details or notes about the order for the fulfillment or shipping center.

For internal use only.

Shows the total amount due, calculated as the sum of the products, discounts, freight, and taxes for the order.

Value of the Total Amount in base currency.

Shows the total product amount for the order, minus any discounts. This value is added to freight and tax amounts

Value of the Total Pre-Freight Amount in base currency.

Shows the total discount amount, based on the discount price and rate entered on the order.

Value of the Total Discount Amount in base currency.

Shows the sum of all existing and write-in products included on the order, based on the specified price list and qua

Value of the Total Detail Amount in base currency.

Shows the total of the Manual Discount amounts specified on all products included in the order. This value is reflex

Value of the Total Line Item Discount Amount in base currency.

Shows the Tax amounts specified on all products included in the order, included in the Total Amount due calculatic

Value of the Total Tax in base currency.

Choose the local currency for the record to make sure budgets are reported in the correct currency.

N/A

A comma separated list of string values representing the unique identifiers of stages in a Business Process Flow Ins

Time zone code that was in use when the record was created.

Version Number

Select whether the products included in the order should be shipped to the specified address or held until the cust

N/A

Custom Attribute	Type	Additional data
False	Simple	Targets:account
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextAreaMax length: 1000
False	Simple	Format: TextMax length: 150
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 50
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 200
False	Simple	Format: TextMax length: 20
False	Simple	Format: TextMax length: 50
False	Simple	Format: TextMax length: 50
False	Simple	Targets:campaign
False	Simple	Format: TextMax length: 100
False	Simple	Targets:contact
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Targets:accountcontact
False	Simple	Format: TextMax length: 160
False	Simple	
False	Simple	Format: TextMax length: 450
False	Simple	Format: DateOnly
False	Simple	Format: TextMax length: 2000
False	Simple	Minimum value: 0Maximum value: 1000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: 0Maximum value: 100Precision: 2
False	Simple	Format: EmailMax length: 100
False	Simple	
False	Simple	Minimum value: -9223372036854775808Maximum value: 922337203685477
False	Simple	Format: UrlMax length: 200
False	Simple	
False	Simple	Minimum value: 0.0000000001Maximum value: 1000000000000Precision: 1
False	Simple	Minimum value: 0Maximum value: 1000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Options:1: FOB2: No ChargeDefault: N/A

False	Simple	
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	Format: DateOnly
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 300
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	Targets:opportunity
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:businessunit
False	Simple	Targets:team
False	Simple	Targets:systemuser
False	Simple	Options:1: Net 302: 2% 10, Net 303: Net 454: Net 60Default: N/A
False	Simple	
False	Simple	Targets:pricelevel
False	Simple	Format: TextMax length: 100
False	Simple	Options:0: None1: Detail Error2: Missing Price Level3: Inactive Price Level
False	Simple	
False	Simple	Options:1: Default ValueDefault: 1
False	Simple	
False	Simple	Targets:quote
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	
False	Simple	Options:1: Airborne2: DHL3: FedEx4: UPS5: Postal Mail6: Full Load7: Will
False	Simple	
False	Simple	
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextAreaMax length: 1000
False	Simple	Format: TextMax length: 150
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 50

False	Simple	Options:1: Default ValueDefault: 1
False	Simple	
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 200
False	Simple	Format: TextMax length: 20
False	Simple	Format: TextMax length: 50
False	Simple	Format: TextMax length: 50
False	Simple	Options:0: DoPriceCalcAlways1: SkipPriceCalcOnRetrieveDefault: 0
False	Simple	
False	Simple	Targets:sla
False	Simple	Targets:sla
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	States:0: Active1: Submitted2: Canceled3: Fulfilled4: Invoiced
False	Simple	
False	Simple	States:3: In Progress4: No Money1: New2: Pending100001: Complete100000
False	Simple	
False	Simple	Format: DateOnly
False	Simple	Minimum value: 0Maximum value: 1000000000
False	Simple	Format: TextMax length: 2000
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 1250
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value: 922337203685477
False	Simple	True: Will CallFalse: AddressDefault Value: False
False	Simple	



4: Missing Quantity5: Missing Unit Price6: Missing Product7: Invalid Product8: Missing Pricing Code9: Invalid P

'ricing Code10: Missing UOM11: Product Not In Price Level12: Missing Price Level Amount13: Missing Price Lev

rel Percentage14: Missing Price15: Missing Current Cost16: Missing Standard Cost17: Invalid Price Level Amour

18: Invalid Price Level Percentage19: Invalid Price20: Invalid Current Cost21: Invalid Standard Cost22: Invalid F

Rounding Policy23: Invalid Rounding Option24: Invalid Rounding Amount25: Price Calculation Error26: Invalid I

Discount Type27: Discount Type Invalid State28: Invalid Discount29: Invalid Quantity30: Invalid Pricing Precisor

131: Missing Product Default UOM32: Missing Product UOM Schedule 33: Inactive Discount Type34: Invalid Pri

ce Level Currency35: Price Attribute Out Of Range36: Base Currency Attribute Overflow37: Base Currency Attril

bute Underflow38: Transaction currenc

Logical Name	Schema Name
baseamount	BaseAmount
baseamount_base	BaseAmount_Base
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
description	Description
exchangerate	ExchangeRate
extendedamount	ExtendedAmount
extendedamount_base	ExtendedAmount_Base
importsequencenumber	ImportSequenceNumber
iscopied	IsCopied
iscopiedname	IsCopiedName
ispriceoverridden	IsPriceOverridden
ispriceoverriddenname	IsPriceOverriddenName
isproductoverridden	IsProductOverridden
isproductoverriddenname	IsProductOverriddenName
lineitemnumber	LineItemNumber
manualdiscountamount	ManualDiscountAmount
manualdiscountamount_base	ManualDiscountAmount_Base
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_eventattraction	msmedia_EventAttraction
msmedia_eventattractionname	msmedia_EventAttractionName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
parentbundleid	ParentBundleId
parentbundleidref	ParentBundleIdRef
priceperunit	PricePerUnit
priceperunit_base	PricePerUnit_Base
pricingerrorcode	PricingErrorCode
pricingerrorcodename	PricingErrorCodeName

productassociationid	ProductAssociationId
productdescription	ProductDescription
productid	ProductId
productidname	ProductIdName
productname	ProductName
producttypecode	ProductTypeCode
producttypecodename	ProductTypeCodeName
propertyconfigurationstatus	PropertyConfigurationStatus
propertyconfigurationstatusname	PropertyConfigurationStatusName
quantity	Quantity
quantitybackordered	QuantityBackordered
quantitycancelled	QuantityCancelled
quantityshipped	QuantityShipped
quotedetailid	QuoteDetailId
quotedetailidname	QuoteDetailIdName
requestdeliveryby	RequestDeliveryBy
salesorderdetailid	SalesOrderDetailId
salesorderdetailname	SalesOrderDetailName
salesorderid	SalesOrderId
salesorderidname	SalesOrderIdName
salesorderispricelocked	SalesOrderIsPriceLocked
salesorderispricelockedname	SalesOrderIsPriceLockedName
salesorderstatecode	SalesOrderStateCode
salesorderstatecodename	SalesOrderStateCodeName
salesrepid	SalesRepId
salesrepidname	SalesRepIdName
salesrepidyominame	SalesRepIdYomiName
sequencenumber	SequenceNumber
shipto_addressid	ShipTo_AddressId
shipto_city	ShipTo_City
shipto_contactname	ShipTo_ContactName
shipto_country	ShipTo_Country
shipto_fax	ShipTo_Fax
shipto_freighttermscode	ShipTo_FreightTermsCode
shipto_freighttermscodename	ShipTo_FreightTermsCodeName
shipto_line1	ShipTo_Line1
shipto_line2	ShipTo_Line2
shipto_line3	ShipTo_Line3
shipto_name	ShipTo_Name
shipto_postalcode	ShipTo_PostalCode
shipto_stateorprovince	ShipTo_StateOrProvince
shipto_telephone	ShipTo_Telephone
skippricecalculation	SkipPriceCalculation
skippricecalculationname	SkipPriceCalculationName
tax	Tax
tax_base	Tax_Base
timezoneruleversionnumber	TimeZoneRuleVersionNumber

transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
uomid	UoMId
uomidname	UoMIdName
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber
volumediscountamount	VolumeDiscountAmount
volumediscountamount_base	VolumeDiscountAmount_Base
willcall	WillCall
willcallname	WillCallName

Display Name	Attribute Type
Amount	Money
Amount (Base)	Money
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Exchange Rate	Decimal
Extended Amount	Money
Extended Amount (Base)	Money
Import Sequence Number	Integer
Copied	Boolean
N/A	Virtual
Pricing	Boolean
N/A	Virtual
Select Product	Boolean
N/A	Virtual
Line Item Number	Integer
Manual Discount	Money
Manual Discount (Base)	Money
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Parent Bundle	Uniqueidentifier
Parent bundle product	Lookup
Price Per Unit	Money
Price Per Unit (Base)	Money
Pricing Error	Picklist
N/A	Virtual

Bundle Item Association	Uniqueidentifier
Write-In Product	String
Existing Product	Lookup
N/A	String
Product Name	String
Product type	Picklist
N/A	Virtual
Property Configuration	Picklist
N/A	Virtual
Quantity	Decimal
Quantity Back Ordered	Decimal
Quantity Canceled	Decimal
Quantity Shipped	Decimal
Quote Product Id	Lookup
N/A	String
Requested Delivery Date	DateTime
Order Product	Uniqueidentifier
Name	String
Order	Lookup
N/A	String
Order Is Price Locked	Boolean
N/A	Virtual
Order Status	Picklist
N/A	Virtual
Salesperson	Lookup
N/A	String
N/A	String
Sequence Number	Integer
Ship To Address ID	Uniqueidentifier
Ship To City	String
Ship To Contact Name	String
Ship To Country/Region	String
Ship To Fax	String
Freight Terms	Picklist
N/A	Virtual
Ship To Street 1	String
Ship To Street 2	String
Ship To Street 3	String
Ship To Name	String
Ship To ZIP/Postal Code	String
Ship To State/Province	String
Ship To Phone	String
Skip Price Calculation	Picklist
N/A	Virtual
Tax	Money
Tax (Base)	Money
Time Zone Rule Version Number	Integer

Currency	Lookup
N/A	String
Unit	Lookup
N/A	String
UTC Conversion Time Zone Code	Integer
Version Number	BigInt
Volume Discount	Money
Volume Discount (Base)	Money
Ship To	Boolean
N/A	Virtual

Description

Shows the total price of the order product, based on the price per unit, volume discount, and quantity.

Value of the Amount in base currency.

Shows who created the record.

N/A

N/A

Date and time when the record was created.

Shows who created the record on behalf of another user.

N/A

N/A

Type additional information to describe the order product, such as manufacturing details or acceptable substitution.

Shows the conversion rate of the record's currency. The exchange rate is used to convert all money fields in the record.

Shows the total amount due for the order product, based on the sum of the unit price, quantity, discounts, and tax.

Value of the Extended Amount in base currency.

Sequence number of the import that created this record.

Select whether the invoice line item is copied from another item or data source.

N/A

Select whether the price per unit is fixed at the value in the specified price list or can be overridden by users who have the appropriate permissions.

N/A

Select whether the product exists in the Microsoft Dynamics 365 product catalog or is a write-in product specific to the business unit.

N/A

Type the line item number for the order product to easily identify the product in the order and make sure it's listed in the product catalog.

Type the manual discount amount for the order product to deduct any negotiated or other savings from the product total.

Value of the Manual Discount in base currency.

Shows who last updated the record.

N/A

N/A

Date and time when the record was modified.

Shows who last updated the record on behalf of another user.

N/A

N/A

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Choose the parent bundle associated with this product

Choose the parent bundle associated with this product

Type the price per unit of the order product. The default is the value in the price list specified on the order for existing products.

Value of the Price Per Unit in base currency.

Select the type of pricing error, such as a missing or invalid product, or missing quantity.

N/A

Unique identifier of the product line item association with bundle in the sales order

Type a name or description to identify the type of write-in product included in the order.

Choose the product to include on the order to link the product's pricing and other information to the parent order.

N/A

Calculated field that will be populated by name and description of the product.

Product Type

N/A

Status of the property configuration.

N/A

Type the amount or quantity of the product ordered by the customer.

Type the amount or quantity of the product that is back ordered for the order.

Type the amount or quantity of the product that was canceled.

Type the amount or quantity of the product that was shipped for the order.

Unique identifier for Quote Line associated with Order Line.

N/A

Enter the delivery date requested by the customer for the order product.

Unique identifier of the product specified in the order.

Sales Order Detail Name. Added for 1:n referential relationship (internal purposes only)

Shows the order for the product. The ID is used to link product pricing and other details to the total amounts and o

N/A

Tells whether product pricing is locked for the order.

N/A

Shows the status of the order that the order detail is associated with.

N/A

Choose the user responsible for the sale of the order product.

N/A

N/A

Shows the ID of the data that maintains the sequence.

Unique identifier of the shipping address.

Type the city for the customer's shipping address.

Type the primary contact name at the customer's shipping address.

Type the country or region for the customer's shipping address.

Type the fax number for the customer's shipping address.

Select the freight terms to make sure shipping orders are processed correctly.

N/A

Type the first line of the customer's shipping address.

Type the second line of the customer's shipping address.

Type the third line of the shipping address.

Type a name for the customer's shipping address, such as "Headquarters" or "Field office", to identify the address.

Type the ZIP Code or postal code for the shipping address.

Type the state or province for the shipping address.

Type the phone number for the customer's shipping address.

Skip the price calculation

N/A

Type the tax amount for the order product.

Value of the Tax in base currency.

For internal use only.

Choose the local currency for the record to make sure budgets are reported in the correct currency.

N/A

Choose the unit of measurement for the base unit quantity for this purchase, such as each or dozen.

N/A

Time zone code that was in use when the record was created.

Version Number

Shows the discount amount per unit if a specified volume is purchased. Configure volume discounts in the Product Value of the Volume Discount in base currency.

Select whether the order product should be shipped to the specified address or held until the customer calls with f

N/A

Custom Attribute	Type	Additional data
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 2000
False	Simple	Minimum value: 0.0000000001Maximum value: 100000000000Precision
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	True: Override PriceFalse: Use DefaultDefault Value: False
False	Simple	
False	Simple	True: Write InFalse: ExistingDefault Value: False
False	Simple	
False	Simple	Minimum value: 0Maximum value: 10000000000
False	Simple	Minimum value: 0Maximum value: 10000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_eventattraction
True	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:
False	Simple	Targets:team
False	Simple	Targets:
False	Simple	
False	Simple	Targets:salesorderdetail
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Options:0: None1: Detail Error2: Missing Price Level3: Inactive Price Level
False	Simple	

False	Simple	
False	Simple	Format: TextMax length: 500
False	Simple	Targets:product
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 500
False	Simple	Options:1: Product2: Bundle3: Required Bundle Product4: Optional Bunc
False	Simple	
False	Simple	Options:0: Edit1: Rectify2: Not ConfiguredDefault: 2
False	Simple	
False	Simple	Minimum value: -100000000000Maximum value: 100000000000Precisi
False	Simple	Minimum value: 0Maximum value: 10000000000Precision: 5
False	Simple	Minimum value: 0Maximum value: 10000000000Precision: 5
False	Simple	Minimum value: -10000000000Maximum value: 10000000000Precision: 5
False	Simple	Targets:quotedetail
False	Simple	Format: TextMax length: 500
False	Simple	Format: DateOnly
False	Simple	
False	Simple	Format: TextMax length: 500
False	Simple	Targets:salesorder
False	Simple	Format: TextMax length: 100
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	Options:Default: N/A
False	Simple	
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 150
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 50
False	Simple	Options:1: FOB2: No ChargeDefault: N/A
False	Simple	
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 200
False	Simple	Format: TextMax length: 20
False	Simple	Format: TextMax length: 50
False	Simple	Format: TextMax length: 50
False	Simple	Options:0: DoPriceCalcAlways1: SkipPriceCalcOnCreate2: SkipPriceCalcO
False	Simple	
False	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Prec
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -1Maximum value: 2147483647

False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Targets:uom
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value: 92233720368
False	Simple	Minimum value: 0Maximum value: 922337203685477Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	True: Will CallFalse: AddressDefault Value: False
False	Simple	



die Product

nUpdate3: 9



910: Missing UOM11: Product Not In Price Level12: Missing Price Level Amount13: Missing Price Level Percenta

olicy23: Invalid Rounding Option24: Invalid Rounding Amount25: Price Calculation Error26: Invalid Discount Ty

pe27: Discount Type Invalid State28: Invalid Discount29: Invalid Quantity30: Invalid Pricing Precision31: Missin

flow38: Transaction currenc

Logical Name	Schema Name	Display Name
begindate	BeginDate	Start Date
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
description	Description	Description
enddate	EndDate	End Date
exchangerate	ExchangeRate	Exchange Rate
freighttermscode	FreightTermsCode	Freight Terms
freighttermscodename	FreightTermsCodeName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
name	Name	Name
organizationid	OrganizationId	Organization Id
organizationidname	OrganizationIdName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
paymentmethodcode	PaymentMethodCode	Payment Method
paymentmethodcodename	PaymentMethodCodeName	N/A
pricelevelid	PriceLevelId	Price List
shippingmethodcode	ShippingMethodCode	Shipping Method
shippingmethodcodename	ShippingMethodCodeName	N/A
statecode	StateCode	Status
statecodename	StateCodeName	N/A
statuscode	StatusCode	Status Reason
statuscodename	StatusCodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
transactioncurrencyid	TransactionCurrencyId	Currency
transactioncurrencyidname	TransactionCurrencyIdName	N/A
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type

DateTime
Lookup
String
String
DateTime
Lookup
String
String
Memo
DateTime
Decimal
Picklist
Virtual
Integer
Lookup
String
String
DateTime
Lookup
String
String
String
Lookup
String
DateTime
Picklist
Virtual
Uniqueidentifier
Picklist
Virtual
State
Virtual
Status
Virtual
Integer
Lookup
String
Integer
BigInt

Description

Date on which the price list becomes effective.

Unique identifier of the user who created the price list.

N/A

N/A

Date and time when the record was created.

Unique identifier of the delegate user who created the pricelevel.

N/A

N/A

Description of the price list.

Date that is the last day the price list is valid.

Shows the conversion rate of the record's currency. The exchange rate is used to convert all money fields in the record.

Freight terms for the price list.

N/A

Sequence number of the import that created this record.

Unique identifier of the user who last modified the price list.

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who last modified the pricelevel.

N/A

N/A

Name of the price list.

Unique identifier for the organization

N/A

Date and time that the record was migrated.

Payment terms to use with the price list.

N/A

Unique identifier of the price list.

Method of shipment for products in the price list.

N/A

Status of the price list.

N/A

Reason for the status of the price list.

N/A

For internal use only.

Unique identifier of the currency associated with the price level.

N/A

Time zone code that was in use when the record was created.

Version Number

Custom Attribute	Type	Required Level	Additional data
False	Simple	None	Format: DateOnly
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: DateAndTime
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 2000
False	Simple	None	Format: DateOnly
False	Simple	None	Minimum value: 0.0000000001Maximum value
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Minimum value: -2147483648Maximum value:
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: DateAndTime
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	SystemRequired	Targets:organization
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	None	Format: DateOnly
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	SystemRequired	
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	SystemRequired	States:0: Active1: Inactive
False	Simple	None	
False	Simple	None	States:100001: Active100002: Inactive
False	Simple	None	
False	Simple	None	Minimum value: -1Maximum value: 214748364
False	Simple	ApplicationRequired	Targets:transactioncurrency
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Minimum value: -1Maximum value: 214748364
False	Simple	None	Minimum value: -9223372036854775808Maxir



num value: 9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyexternalparty	CreatedByExternalParty
createdbyexternalpartyname	CreatedByExternalPartyName
createdbyexternalpartyyminame	CreatedByExternalPartyYomiName
createdbyname	CreatedByName
createdbyyminame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyminame	CreatedOnBehalfByYomiName
currentcost	CurrentCost
currentcost_base	CurrentCost_Base
defaultuomid	DefaultUoMid
defaultuomidname	DefaultUoMidName
defaultuomscheduleid	DefaultUoMScheduleId
defaultuomscheduleidname	DefaultUoMScheduleIdName
description	Description
dmtimportstate	DMTImportState
entityimage	EntityImage
entityimage_timestamp	EntityImage_Timestamp
entityimage_url	EntityImage_URL
entityimageid	EntityImageId
exchangerate	ExchangeRate
hierarchypath	HierarchyPath
importsequencenumber	ImportSequenceNumber
iskit	IsKit
iskitname	IsKitName
isreparented	IsReparented
isreparentedname	isreparentedName
isstockitem	IsStockItem
isstockitemname	IsStockItemName
modifiedby	ModifiedBy
modifiedbyexternalparty	ModifiedByExternalParty
modifiedbyexternalpartyname	ModifiedByExternalPartyName
modifiedbyexternalpartyyminame	ModifiedByExternalPartyYomiName
modifiedbyname	ModifiedByName
modifiedbyyminame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyminame	ModifiedOnBehalfByYomiName
msmedia_additionalquantity	msmedia_AdditionalQuantity
msmedia_advertisingsegment	msmedia_AdvertisingSegment
msmedia_advertisingsegmentname	msmedia_AdvertisingSegmentName
msmedia_advertisingzone	msmedia_AdvertisingZone
msmedia_advertisingzonename	msmedia_AdvertisingZoneName

msmedia_agency	msmedia_Agency
msmedia_agencycontact	msmedia_AgencyContact
msmedia_agencycontactname	msmedia_AgencyContactName
msmedia_agencycontactyominame	msmedia_AgencyContactYomiName
msmedia_agencyname	msmedia_AgencyName
msmedia_agencyyominame	msmedia_AgencyYomiName
msmedia_attraction	msmedia_Attraction
msmedia_attractionname	msmedia_AttractionName
msmedia_availabilitytimezone	msmedia_AvailabilityTimeZone
msmedia_availabilitytimezonename	msmedia_availabilitytimezoneName
msmedia_availablefrom	msmedia_AvailableFrom
msmedia_availablequantity	msmedia_AvailableQuantity
msmedia_availableto	msmedia_AvailableTo
msmedia_averagemargin	msmedia_AverageMargin
msmedia_bundletype	msmedia_BundleType
msmedia_bundletypename	msmedia_bundletypeName
msmedia_capacity	msmedia_Capacity
msmedia_category	msmedia_Category
msmedia_categoryname	msmedia_categoryName
msmedia_duration	msmedia_Duration
msmedia_durationunit	msmedia_DurationUnit
msmedia_durationunitname	msmedia_durationunitName
msmedia_exclusions	msmedia_Exclusions
msmedia_facility	msmedia_Facility
msmedia_facilityname	msmedia_FacilityName
msmedia_image	msmedia_Image
msmedia_image_timestamp	msmedia_Image_Timestamp
msmedia_image_url	msmedia_Image_URL
msmedia_imageid	msmedia_ImageId
msmedia_includesparking	msmedia_IncludesParking
msmedia_includesparkingname	msmedia_includesparkingName
msmedia_iscompable	msmedia_IsCompable
msmedia_iscompablename	msmedia_iscompableName
msmedia_isdisplaymessagingavailable	msmedia_IsDisplayMessagingAvailable
msmedia_isdisplaymessagingavailablename	msmedia_isdisplaymessagingavailableName
msmedia_level	msmedia_Level
msmedia_mediaevent	msmedia_MediaEvent
msmedia_mediaeventname	msmedia_MediaEventName
msmedia_mediavenue	msmedia_MediaVenue
msmedia_mediavenueName	msmedia_MediaVenueName
msmedia_numberofattendants	msmedia_NumberOfAttendants
msmedia_pendingquantity	msmedia_PendingQuantity
msmedia_provider	msmedia_Provider
msmedia_providername	msmedia_ProviderName
msmedia_provideryominame	msmedia_ProviderYomiName
msmedia_season	msmedia_Season
msmedia_seasonname	msmedia_SeasonName

msmedia_seattier	msmedia_SeatTier
msmedia_seattiername	msmedia_SeatTierName
msmedia_soldquantity	msmedia_SoldQuantity
msmedia_startingquantity	msmedia_StartingQuantity
msmedia_tickettype	msmedia_TicketType
msmedia_tickettypename	msmedia_tickettypeName
msmedia_totalinventory	msmedia_TotalInventory
msmedia_totalquantity	msmedia_TotalQuantity
msmedia_viponly	msmedia_VIPOnly
msmedia_viponlyname	msmedia_viponlyName
name	Name
organizationid	OrganizationId
organizationidname	OrganizationIdName
overriddencreatedon	OverriddenCreatedOn
parentproductid	ParentProductId
parentproductidname	ParentProductIdName
price	Price
price_base	Price_Base
pricelevelid	PriceLevelId
pricelevelidname	PriceLevelIdName
processid	ProcessId
productid	ProductId
productnumber	ProductNumber
productstructure	ProductStructure
productstructurename	ProductStructureName
producttypecode	ProductTypeCode
producttypecodename	ProductTypeCodeName
producturl	ProductUrl
quantitydecimal	QuantityDecimal
quantityonhand	QuantityOnHand
size	Size
stageid	StageId
standardcost	StandardCost
standardcost_base	StandardCost_Base
statecode	StateCode
statecodename	StateCodeName
statuscode	StatusCode
statuscodename	StatusCodeName
stockvolume	StockVolume
stockweight	StockWeight
subjectid	SubjectId
subjectidname	SubjectIdName
suppliername	SupplierName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
traversedpath	TraversedPath

utcconversiontimezonecode	UTCConversionTimeZoneCode
validfromdate	ValidFromDate
validtodate	ValidToDate
vendorid	VendorID
vendorname	VendorName
vendorpartnumber	VendorPartNumber
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
Created By (External Party)	Lookup
N/A	String
N/A	String
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Current Cost	Money
Current Cost (Base)	Money
Default Unit	Lookup
N/A	String
Unit Group	Lookup
N/A	String
Description	Memo
Internal Use Only	Integer
Entity Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Exchange Rate	Decimal
Hierarchy Path	String
Import Sequence Number	Integer
Is Kit	Boolean
N/A	Virtual
Is Reparented	Boolean
N/A	Virtual
Stock Item	Boolean
N/A	Virtual
Modified By	Lookup
Modified By (External Party)	Lookup
N/A	String
N/A	String
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Additional Quantity	Decimal
Advertising Segment	Lookup
N/A	String
Advertising Zone	Lookup
N/A	String

Agency	Lookup
Agency Contact	Lookup
N/A	String
N/A	String
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
Availability Time Zone	Picklist
N/A	Virtual
Available From	DateTime
Available Quantity	Decimal
Available To	DateTime
Average Margin	Decimal
Bundle Type	Picklist
N/A	Virtual
Capacity	Integer
Category	Picklist
N/A	Virtual
Duration	Integer
Duration Unit	Picklist
N/A	Virtual
Exclusions	Memo
Facility	Lookup
N/A	String
Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Includes Parking	Boolean
N/A	Virtual
Is Compable	Boolean
N/A	Virtual
Is Display Messaging Available	Boolean
N/A	Virtual
Level	String
Media Event	Lookup
N/A	String
Media Venue	Lookup
N/A	String
Number of Attendants	Integer
Pending Quantity	Decimal
Provider	Lookup
N/A	String
N/A	String
Season	Lookup
N/A	String

Seat Tier	Lookup
N/A	String
Sold Quantity	Decimal
Starting Quantity	Decimal
Ticket Type	Picklist
N/A	Virtual
Total Inventory	Decimal
Total Quantity	Decimal
VIP Only	Boolean
N/A	Virtual
Name	String
Organization Id	Lookup
N/A	String
Record Created On	DateTime
Parent	Lookup
N/A	String
List Price	Money
List Price (Base)	Money
Default Price List	Lookup
N/A	String
Process Id	Uniqueidentifier
Product	Uniqueidentifier
Product ID	String
Product Structure	Picklist
N/A	Virtual
Product Type	Picklist
N/A	Virtual
URL	String
Decimals Supported	Integer
Quantity On Hand	Decimal
Size	String
(Deprecated) Stage Id	Uniqueidentifier
Standard Cost	Money
Standard Cost (Base)	Money
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Stock Volume	Decimal
Stock Weight	Decimal
Subject	Lookup
N/A	String
Supplier Name	String
Time Zone Rule Version Number	Integer
Currency	Lookup
N/A	String
(Deprecated) Traversed Path	String

UTC Conversion Time Zone Code	Integer
Valid From	DateTime
Valid To	DateTime
Vendor ID	String
Vendor	String
Vendor Name	String
Version Number	BigInt

Description

Unique identifier of the user who created the product.

Shows the external party who created the record.

N/A

N/A

N/A

N/A

Date and time when the record was created.

Unique identifier of the delegate user who created the product.

N/A

N/A

Current cost for the product item. Used in price calculations.

Value of the Current Cost in base currency.

Default unit for the product.

N/A

Default unit group for the product.

N/A

Description of the product.

Internal Use Only

Shows the default image for the record.

N/A

N/A

N/A

Exchange rate for the currency associated with the product with respect to the base currency.

Hierarchy path of the product.

Sequence number of the import that created this record.

Information that specifies whether the product is a kit.

N/A

N/A

Information about whether the product is a stock item.

N/A

Unique identifier of the user who last modified the product.

Shows the external party who modified the record.

N/A

N/A

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who last modified the product.

N/A

N/A

N/A

N/A

N/A
N/A
N/A
N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A
N/A
N/A

N/A

N/A

N/A

N/A

N/A

N/A
N/A

N/A

N/A

N/A

N/A

Name of the product.

Unique identifier for the organization

N/A

Date and time that the record was migrated.

Specifies the parent product family hierarchy.

N/A

List price for the product item. Used in price calculations.

Value of the List Price in base currency.

Select the default price list for the product.

N/A

Contains the id of the process associated with the entity.

Unique identifier of the product.

User-defined product ID.

Product Structure.

N/A

Type of product.

N/A

URL for the Website associated with the product.

Number of decimal places that can be used in monetary amounts for the product.

Quantity of the product in stock.

Product size.

Contains the id of the stage where the entity is located.

Standard cost for the product item. Used in price calculations.

Value of the Standard Cost in base currency.

Status of the product.

N/A

Reason for the status of the product.

N/A

Stock volume of the product.

Stock weight of the product.

Select a category for the product.

N/A

Name of the product's supplier.

For internal use only.

Unique identifier of the currency associated with the product.

N/A

A comma separated list of string values representing the unique identifiers of stages in a Business Process Flow Ins

Time zone code that was in use when the record was created.

Date from which this product is valid.

Date to which this product is valid.

Unique identifier of vendor supplying the product.

Name of the product vendor.

Unique part identifier in vendor catalog of this product.

Version Number

Custom Attribute	Type	Additional data
False	Simple	Targets:systemuser
False	Simple	Targets:externalparty
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: 0Maximum value: 1000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Pre
False	Simple	Targets:uom
False	Simple	Format: TextMax length: 100
False	Simple	Targets:uomschedule
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextAreaMax length: 2000
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	
False	Simple	Minimum value: -9223372036854775808Maximum value: 92233720368547
False	Simple	Format: UrlMax length: 200
False	Simple	
False	Simple	Minimum value: 0.0000000001Maximum value: 1000000000000Precision: 10
False	Simple	Format: TextMax length: 450
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	True: YesFalse: NoDefault Value: False
False	Simple	
False	Simple	Targets:systemuser
False	Simple	Targets:externalparty
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Minimum value: 0Maximum value: 1000000000000Precision: 2
True	Simple	Targets:msmedia_advertisingsegment
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_mediavenueadvertisingzone
True	Simple	Format: TextMax length: 100

True	Simple	Targets:account
True	Simple	Targets:contact
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 450
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 160
True	Simple	Targets:msmedia_eventattraction
True	Simple	Format: TextMax length: 100
True	Simple	Options:766860000: Dateline Standard Time766860001: Samoa Standard Ti
True	Simple	
True	Simple	Format: DateAndTime
True	Calculated	Minimum value: -1000000000000Maximum value: 1000000000000Precision: :
True	Simple	Format: DateAndTime
True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: :
True	Simple	Options:766860000: Seasonal766860001: Custom766860002: Annual76686
True	Simple	
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Options:766860000: Promotion766860001: Entitlement766860002: Hospita
True	Simple	
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Options:766860000: Second766860001: Minute766860002: Hour76686000
True	Simple	
True	Simple	Format: TextMax length: 50000
True	Simple	Targets:msmedia_facility
True	Simple	Format: TextMax length: 100
True	Simple	
True	Simple	Minimum value: -9223372036854775808Maximum value: 92233720368547
True	Simple	Format: UrlMax length: 200
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_mediaevent
True	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_mediavenue
True	Simple	Format: TextMax length: 100
True	Simple	Minimum value: -2147483648Maximum value: 2147483647
True	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Precision: :
True	Simple	Targets:account
True	Simple	Format: TextMax length: 160
True	Simple	Format: TextMax length: 160
True	Simple	Targets:msmedia_season
True	Simple	Format: TextMax length: 100

True	Simple	Targets:msmedia_seattier
True	Simple	Format: TextMax length: 100
True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 1
True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 1
True	Simple	Options:766860000: Event766860001: Attraction766860002: Venue766860003: Venue
True	Simple	
True	Simple	Minimum value: -100000000000Maximum value: 100000000000Precision: 1
True	Calculated	Minimum value: -100000000000Maximum value: 100000000000Precision: 1
True	Simple	True: YesFalse: NoDefault Value: False
True	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:organization
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	Targets:product
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: 0Maximum value: 100000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 1
False	Simple	Targets:pricelevel
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Options:1: Product2: Product Family3: Product BundleDefault: 1
False	Simple	
False	Simple	Options:1: Video2: Audio3: Data4: Game766860001: Mobile Plan766860002: Mobile Plan
False	Simple	
False	Simple	Format: UrlMax length: 255
False	Simple	Minimum value: 0Maximum value: 5
False	Simple	Minimum value: 0Maximum value: 1000000000Precision: 2
False	Simple	Format: TextMax length: 200
False	Simple	
False	Simple	Minimum value: 0Maximum value: 100000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477Precision: 1
False	Simple	States:0: Active1: Retired2: Draft3: Under Revision
False	Simple	
False	Simple	States:1: Active2: Retired0: Draft3: Under Revision
False	Simple	
False	Simple	Minimum value: 0Maximum value: 1000000000Precision: 2
False	Simple	Minimum value: 0Maximum value: 1000000000Precision: 2
False	Simple	Targets:subject
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 1250

False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Format: DateOnly
False	Simple	Format: DateOnly
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -9223372036854775808Maximum value: 9223372036854775807



me7668600

50003: Othe

ality7668600

13: Day7668

003: OtherL

2: Hospitalit



02: Hawaiian Standard Time766860003: Alaskan Standard Time766860004: Pacific Standard Time766860005: I

y Suite766860003: Function Room766860004: Food / Bev Plan766860005: Ticket766860006: Sponsorship7668

Mountain Standard Time766860006: Mexico Standard Time 2766860007: U.S. Mountain Standard Time766860

360007: Membership766860008: Advertising / Spot Package766860009: Parking766860010: Services7668600:

008: Central Standard Time766860009: Canada Central Standard Time766860010: Mexico Standard Time7668

360011: Central America Standard Time766860012: Eastern Standard Time766860013: U.S. Eastern Standard T

ime766860014: S.A. Pacific Standard Time766860015: Atlantic Standard Time766860016: S.A. Western Standa

rd Time766860017: Pacific S.A. Standard Time766860018: Newfoundland and Labrador Standard Time766860

019: E. South America Standard Time766860020: S.A. Eastern Standard Time766860021: Greenland Standard 1

Time766860022: Mid-Atlantic Standard Time766860023: Azores Standard Time766860024: Cape Verde Standa

ird Time766860025: GMT Standard Time766860026: Greenwich Standard Time766860027: Central Europe Sta

ndard Time76

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_name	msmedia_Name
msmedia_product	msmedia_Product
msmedia_productimageid	msmedia_ProductImageId
msmedia_productname	msmedia_ProductName
msmedia_uploadedimage	msmedia_UploadedImage
msmedia_uploadedimage_timestamp	msmedia_UploadedImage_Timestamp
msmedia_uploadedimage_url	msmedia_UploadedImage_URL
msmedia_uploadedimageid	msmedia_UploadedImageId
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Name	String
Product	Lookup
Product Image	Uniqueidentifier
N/A	String
Uploaded Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
Unique identifier for entity instances	False	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Product Image	False	Simple
N/A	False	Simple
Reason for the status of the Product Image	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Format: TextMax length: 100

Targets:product

Format: TextMax length: 100

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



9223372036854775807

9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
exchangerate	ExchangeRate	Exchange Rate
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_canbecombined	msmedia_CanbeCombined	Can be Combined?
msmedia_canbecombinedname	msmedia_canbecombinedName	N/A
msmedia_code	msmedia_Code	Code
msmedia_description	msmedia_Description	Description
msmedia_name	msmedia_Name	Name
msmedia_promocodeid	msmedia_PromoCodeId	Promo Code
msmedia_valueamount	msmedia_ValueAmount	Value Amount
msmedia_valueamount_base	msmedia_valueamount_Base	Value Amount (Base)
msmedia_valuepercent	msmedia_ValuePercent	Value Percent
msmedia_valuetype	msmedia_ValueType	Value Type
msmedia_valuetypename	msmedia_valuetypeName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
transactioncurrencyid	TransactionCurrencyId	Currency
transactioncurrencyidname	TransactionCurrencyIdName	N/A
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type

Lookup
String
String
DateTime
Lookup
String
String
Decimal
Integer
Lookup
String
String
DateTime
Lookup
String
String
Boolean
Virtual
String
Memo
String
Uniqueidentifier
Money
Money
Decimal
Picklist
Virtual
DateTime
Owner
String
EntityName
String
Lookup
Lookup
Lookup
State
Virtual
Status
Virtual
Integer
Lookup
String
Integer
BigInt

Description

Unique identifier of the user who created the record.

N/A

N/A

Date and time when the record was created.

Unique identifier of the delegate user who created the record.

N/A

N/A

Exchange rate for the currency associated with the entity with respect to the base currency.

Sequence number of the import that created this record.

Unique identifier of the user who modified the record.

N/A

N/A

Date and time when the record was modified.

Unique identifier of the delegate user who modified the record.

N/A

N/A

N/A

Required name field

Unique identifier for entity instances

Value of the Value Amount in base currency.

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Status of the Promo Code

N/A

Reason for the status of the Promo Code

N/A

For internal use only.

Unique identifier of the currency associated with the entity.

N/A

Time zone code that was in use when the record was created.

Version Number

Custom Attribute	Type	Additional data
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: 0.0000000001Maximum value: 10000000
False	Simple	Minimum value: -2147483648Maximum value: 214748364
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	True: YesFalse: NoDefault Value: True
True	Simple	
True	Simple	Format: TextMax length: 100
True	Simple	Format: TextMax length: 5000
True	Simple	Format: TextMax length: 100
False	Simple	
True	Simple	Minimum value: -922337203685477Maximum value: 9223
True	Simple	Minimum value: -922337203685477Maximum value: 9223
True	Simple	Minimum value: -100000000000Maximum value: 1000000
True	Simple	Options:766860000: Percentage766860001: Fixed Amount
True	Simple	
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:businessunit
False	Simple	Targets:team
False	Simple	Targets:systemuser
False	Simple	States:0: Active1: Inactive
False	Simple	
False	Simple	States:1: Active2: Inactive
False	Simple	
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value:



37203685477Precision: 0
37203685477Precision: 0

Logical Name	Schema Name
baseamount	BaseAmount
baseamount_base	BaseAmount_Base
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
description	Description
exchangerate	ExchangeRate
extendedamount	ExtendedAmount
extendedamount_base	ExtendedAmount_Base
importsequencenumber	ImportSequenceNumber
ispriceoverridden	IsPriceOverridden
ispriceoverriddenname	IsPriceOverriddenName
isproductoverridden	IsProductOverridden
isproductoverriddenname	IsProductOverriddenName
lineitemnumber	LineItemNumber
manualdiscountamount	ManualDiscountAmount
manualdiscountamount_base	ManualDiscountAmount_Base
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_eventattraction	msmedia_EventAttraction
msmedia_eventattractionname	msmedia_EventAttractionName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
parentbundleid	ParentBundleId
parentbundleidref	ParentBundleIdRef
priceperunit	PricePerUnit
priceperunit_base	PricePerUnit_Base
pricingerrorcode	PricingErrorCode
pricingerrorcodename	PricingErrorCodeName
productassociationid	ProductAssociationId
productdescription	ProductDescription

productid	ProductId
productidname	ProductIdName
productname	ProductName
producttypecode	ProductTypeCode
producttypecodename	ProductTypeCodeName
propertyconfigurationstatus	PropertyConfigurationStatus
propertyconfigurationstatusname	PropertyConfigurationStatusName
quantity	Quantity
quotedetailid	QuoteDetailId
quotedetailname	QuoteDetailName
quoteid	QuoteId
quoteidname	QuoteIdName
quotestatecode	QuoteStateCode
quotestatecodename	QuoteStateCodeName
requestdeliveryby	RequestDeliveryBy
salesrepid	SalesRepId
salesrepidname	SalesRepIdName
salesrepidyominame	SalesRepIdYomiName
sequencenumber	SequenceNumber
shipto_addressid	ShipTo_AddressId
shipto_city	ShipTo_City
shipto_contactname	ShipTo_ContactName
shipto_country	ShipTo_Country
shipto_fax	ShipTo_Fax
shipto_freighttermscode	ShipTo_FreightTermsCode
shipto_freighttermscodename	ShipTo_FreightTermsCodeName
shipto_line1	ShipTo_Line1
shipto_line2	ShipTo_Line2
shipto_line3	ShipTo_Line3
shipto_name	ShipTo_Name
shipto_postalcode	ShipTo_PostalCode
shipto_stateorprovince	ShipTo_StateOrProvince
shipto_telephone	ShipTo_Telephone
skippricecalculation	SkipPriceCalculation
skippricecalculationname	SkipPriceCalculationName
tax	Tax
tax_base	Tax_Base
timezoneruleversionnumber	TimeZoneRuleVersionNumber
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
uomid	UoMId
uomidname	UoMIdName
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber
volumediscountamount	VolumeDiscountAmount
volumediscountamount_base	VolumeDiscountAmount_Base
willcall	WillCall

willcallname

WillCallName

Display Name	Attribute Type
Amount	Money
Amount (Base)	Money
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Exchange Rate	Decimal
Extended Amount	Money
Extended Amount (Base)	Money
Import Sequence Number	Integer
Price Overridden	Boolean
N/A	Virtual
Select Product	Boolean
N/A	Virtual
Line Item Number	Integer
Manual Discount	Money
Manual Discount (Base)	Money
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Event Attraction	Lookup
N/A	String
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Parent Bundle	Uniqueidentifier
Parent bundle product	Lookup
Price Per Unit	Money
Price Per Unit (Base)	Money
Pricing Error	Picklist
N/A	Virtual
Bundle Item Association	Uniqueidentifier
Write-In Product	String

Existing Product	Lookup
N/A	String
Product Name	String
Product type	Picklist
N/A	Virtual
Property Configuration	Picklist
N/A	Virtual
Quantity	Decimal
Quote Product	Uniqueidentifier
Name	String
Quote	Lookup
N/A	String
Quote Status	Picklist
N/A	Virtual
Requested Delivery Date	DateTime
Salesperson	Lookup
N/A	String
N/A	String
Sequence Number	Integer
Ship To Address ID	Uniqueidentifier
Ship To City	String
Ship To Contact Name	String
Ship To Country/Region	String
Ship To Fax	String
Freight Terms	Picklist
N/A	Virtual
Ship To Street 1	String
Ship To Street 2	String
Ship To Street 3	String
Ship To Name	String
Ship To ZIP/Postal Code	String
Ship To State/Province	String
Ship To Phone	String
Skip Price Calculation	Picklist
N/A	Virtual
Tax	Money
Tax (Base)	Money
Time Zone Rule Version Number	Integer
Currency	Lookup
N/A	String
Unit	Lookup
N/A	String
UTC Conversion Time Zone Code	Integer
Version Number	BigInt
Volume Discount	Money
Volume Discount (Base)	Money
Ship To	Boolean

N/A

Virtual

Description

Shows the total price of the quote product, based on the price per unit, volume discount, and quantity.

Value of the Amount in base currency.

Shows who created the record.

N/A

N/A

Date and time when the record was created.

Shows who created the record on behalf of another user.

N/A

N/A

Type additional information to describe the quote product, such as manufacturing details or acceptable substitution.

Shows the conversion rate of the record's currency. The exchange rate is used to convert all money fields in the record.

Shows the total amount due for the quote product, based on the sum of the unit price, quantity, discounts, and taxes.

Value of the Extended Amount in base currency.

Sequence number of the import that created this record.

Select whether the price per unit is fixed at the value in the specified price list or can be overridden by users who have the appropriate permissions.

N/A

Select whether the product exists in the Microsoft Dynamics 365 product catalog or is a write-in product specific to the quote.

N/A

Type the line item number for the quote product to easily identify the product in the quote and make sure it's listed in the product catalog.

Type the manual discount amount for the quote product to deduct any negotiated or other savings from the product total.

Value of the Manual Discount in base currency.

Shows who last updated the record.

N/A

N/A

Date and time when the record was modified.

Shows who last updated the record on behalf of another user.

N/A

N/A

N/A

Date and time that the record was migrated.

Owner Id

Name of the owner

Owner Id Type

Yomi name of the owner

Unique identifier for the business unit that owns the record

Unique identifier for the team that owns the record.

Unique identifier for the user that owns the record.

Choose the parent bundle associated with this product

Choose the parent bundle associated with this product

Type the price per unit of the quote product. The default is to the value in the price list specified on the quote for the product.

Value of the Price Per Unit in base currency.

Select the type of pricing error, such as a missing or invalid product, or missing quantity.

N/A

Unique identifier of the product line item association with bundle in the quote

Type a name or description to identify the type of write-in product included in the quote.

Choose the product to include on the quote to link the product's pricing and other information to the quote.

N/A

Calculated field that will be populated by name and description of the product.

Product Type

N/A

Status of the property configuration.

N/A

Type the amount or quantity of the product requested by the customer.

Unique identifier of the product line item in the quote.

Quote Detail Name. Added for 1:n referential relationship (internal purposes only)

Unique identifier of the quote for the quote product.

N/A

Status of the quote product.

N/A

Enter the delivery date requested by the customer for the quote product.

Choose the user responsible for the sale of the quote product.

N/A

N/A

Unique identifier of the data that maintains the sequence.

Unique identifier of the shipping address.

Type the city for the customer's shipping address.

Type the primary contact name at the customer's shipping address.

Type the country or region for the customer's shipping address.

Type the fax number for the customer's shipping address.

Select the freight terms to make sure shipping orders are processed correctly.

N/A

Type the first line of the customer's shipping address.

Type the second line of the customer's shipping address.

Type the third line of the shipping address.

Type a name for the customer's shipping address, such as "Headquarters" or "Field office", to identify the address.

Type the ZIP Code or postal code for the shipping address.

Type the state or province for the shipping address.

Type the phone number for the customer's shipping address.

Skip the price

N/A

Type the tax amount for the quote product.

Value of the Tax in base currency.

For internal use only.

Choose the local currency for the record to make sure budgets are reported in the correct currency.

N/A

Choose the unit of measurement for the base unit quantity for this purchase, such as each or dozen.

N/A

Time zone code that was in use when the record was created.

Version Number

Shows the discount amount per unit if a specified volume is purchased. Configure volume discounts in the Product

Value of the Volume Discount in base currency.

Select whether the quote product should be shipped to the specified address or held until the customer calls with 1

N/A

Custom Attribute	Type	Additional data
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 2000
False	Simple	Minimum value: 0.0000000001Maximum value: 100000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	True: Override PriceFalse: Use DefaultDefault Value: False
False	Simple	
False	Simple	True: Write InFalse: ExistingDefault Value: False
False	Simple	
False	Simple	Minimum value: 0Maximum value: 10000000000
False	Simple	Minimum value: 0Maximum value: 10000000000000Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Format: DateAndTime
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
True	Simple	Targets:msmedia_eventattraction
True	Simple	Format: TextMax length: 100
False	Simple	Format: DateOnly
False	Simple	Targets:systemuserteam
False	Simple	Format: TextMax length: 100
False	Simple	
False	Simple	Format: TextMax length: 100
False	Simple	Targets:
False	Simple	Targets:team
False	Simple	Targets:
False	Simple	
False	Simple	Targets:quotedetail
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Options:0: None1: Detail Error2: Missing Price Level3: Inactive Price Level
False	Simple	
False	Simple	
False	Simple	Format: TextMax length: 500

False	Simple	Targets:product
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 500
False	Simple	Options:1: Product2: Bundle3: Required Bundle Product4: Optional Bunc
False	Simple	
False	Simple	Options:0: Edit1: Rectify2: Not ConfiguredDefault: 2
False	Simple	
False	Simple	Minimum value: -100000000000Maximum value: 100000000000Precisi
False	Simple	
False	Simple	Format: TextMax length: 500
False	Simple	Targets:quote
False	Simple	Format: TextMax length: 100
False	Simple	Options:Default: N/A
False	Simple	
False	Simple	Format: DateOnly
False	Simple	Targets:systemuser
False	Simple	Format: TextMax length: 100
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 150
False	Simple	Format: TextMax length: 80
False	Simple	Format: TextMax length: 50
False	Simple	Options:1: FOB2: No ChargeDefault: N/A
False	Simple	
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 250
False	Simple	Format: TextMax length: 200
False	Simple	Format: TextMax length: 20
False	Simple	Format: TextMax length: 50
False	Simple	Format: TextMax length: 50
False	Simple	Options:0: DoPriceCalcAlways1: SkipPriceCalcOnCreate2: SkipPriceCalcO
False	Simple	
False	Simple	Minimum value: -1000000000000Maximum value: 1000000000000Prec
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Targets:transactioncurrency
False	Simple	Format: TextMax length: 100
False	Simple	Targets:uom
False	Simple	Format: TextMax length: 100
False	Simple	Minimum value: -1Maximum value: 2147483647
False	Simple	Minimum value: -9223372036854775808Maximum value: 92233720368
False	Simple	Minimum value: 0Maximum value: 922337203685477Precision: 2
False	Simple	Minimum value: -922337203685477Maximum value: 922337203685477
False	Simple	True: Will CallFalse: AddressDefault Value: False

False

Simple



File Product

nUpdate3: 5



Quantity5: Missing Unit Price6: Missing Product7: Invalid Product8: Missing Pricing Code9: Invalid Pricing Code

910: Missing UOM11: Product Not In Price Level12: Missing Price Level Amount13: Missing Price Level Percenta

age14: Missing Price15: Missing Current Cost16: Missing Standard Cost17: Invalid Price Level Amount18: Invalid

Price Level Percentage19: Invalid Price20: Invalid Current Cost21: Invalid Standard Cost22: Invalid Rounding P

olicy23: Invalid Rounding Option24: Invalid Rounding Amount25: Price Calculation Error26: Invalid Discount Ty

pe27: Discount Type Invalid State28: Invalid Discount29: Invalid Quantity30: Invalid Pricing Precision31: Missin

rrency35: Price Attribute Out Of Range36: Base Currency Attribute Overflow37: Base Currency Attribute Under

flow38: Transaction currenc

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_isgeneralseating	msmedia_IsGeneralSeating
msmedia_isgeneralseatingname	msmedia_isgeneralseatingName
msmedia_isvip	msmedia_IsVIP
msmedia_isvipname	msmedia_isvipName
msmedia_name	msmedia_Name
msmedia_number	msmedia_Number
msmedia_seasonticketenabled	msmedia_SeasonTicketEnabled
msmedia_seasonticketenabledname	msmedia_seasonticketenabledName
msmedia_seatid	msmedia_SeatId
msmedia_seatrow	msmedia_SeatRow
msmedia_seatrowname	msmedia_SeatRowName
msmedia_seattier	msmedia_SeatTier
msmedia_seattiername	msmedia_SeatTierName
msmedia_suiteticketenabled	msmedia_SuiteTicketEnabled
msmedia_suiteticketenabledname	msmedia_suiteticketenabledName
msmedia_wheelchairoption	msmedia_WheelchairOption
msmedia_wheelchairoptionname	msmedia_wheelchairoptionName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode

versionnumber

VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Is General Seating	Boolean
N/A	Virtual
Is VIP	Boolean
N/A	Virtual
Name	String
Number	Integer
Season Ticket Enabled	Boolean
N/A	Virtual
Seat	Uniqueidentifier
Seat Row	Lookup
N/A	String
Seat Tier	Lookup
N/A	String
Suite Ticket Enabled	Boolean
N/A	Virtual
Wheelchair Option	Picklist
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer

Version Number

BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Seat	False	Simple
N/A	False	Simple
Reason for the status of the Seat	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple

Version Number

False

Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

True: YesFalse: NoDefault Value: False

True: YesFalse: NoDefault Value: False

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

True: YesFalse: NoDefault Value: False

Targets:msmedia_seatrow

Format: TextMax length: 100

Targets:msmedia_seattier

Format: TextMax length: 100

True: YesFalse: NoDefault Value: False

Options:766860000: Wheelchair766860001: Wheelchair C

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



ompanion Seat766860002: NoneDefault: 766860002

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_image	msmedia_Image
msmedia_image_timestamp	msmedia_Image_Timestamp
msmedia_image_url	msmedia_Image_URL
msmedia_imageid	msmedia_ImageId
msmedia_name	msmedia_Name
msmedia_numberofseattiers	msmedia_NumberofSeatTiers
msmedia_numberofseattiers_date	msmedia_NumberofSeatTiers_Date
msmedia_numberofseattiers_state	msmedia_NumberofSeatTiers_State
msmedia_seatmapid	msmedia_SeatMapId
msmedia_seatmapnumber	msmedia_SeatMapNumber
msmedia_totalseats	msmedia_TotalSeats
msmedia_type	msmedia_Type
msmedia_typename	msmedia_typeName
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Name	String
Number of Seat Tiers	Integer
Number of Seat Tiers (Last Updated On)	DateTime
Number of Seat Tiers (State)	Integer
Seat Map	Uniqueidentifier
Seat Map Number	String
Total Seats	Integer
Type	Picklist
N/A	Virtual
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Rollup
Last Updated time of rollup field Number of Seat Tiers.	True	Simple
State of rollup field Number of Seat Tiers.	True	Simple
Unique identifier for entity instances	False	Simple
	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Seat Map	False	Simple
N/A	False	Simple
Reason for the status of the Seat Map	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Format: DateAndTime

Minimum value: -2147483648Maximum value: 214748364

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Options:766860000: Venue766860001: Facility766860002:

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647

Minimum value: -1Maximum value: 2147483647

Minimum value: -9223372036854775808Maximum value:



: Section766860003: RowDefault: N/A

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_name	msmedia_Name	Name
msmedia_rownumber	msmedia_RowNumber	Row Number
msmedia_seatrowid	msmedia_SeatRowId	Seat Row
msmedia_seatsection	msmedia_SeatSection	Seat Section
msmedia_seatsectionname	msmedia_SeatSectionName	N/A
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
String	Required name field	True
String		True
Uniqueidentifier	Unique identifier for entity instances	False
Lookup		True
String	N/A	True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Seat Row	False
Virtual	N/A	False
Status	Reason for the status of the Seat Row	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	
Simple	Targets:msmedia_seatsection
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name	Display Name
createdby	CreatedBy	Created By
createdbyname	CreatedByName	N/A
createdbyyominame	CreatedByYomiName	N/A
createdon	CreatedOn	Created On
createdonbehalfby	CreatedOnBehalfBy	Created By (Delegate)
createdonbehalfbyname	CreatedOnBehalfByName	N/A
createdonbehalfbyyominame	CreatedOnBehalfByYomiName	N/A
importsequencenumber	ImportSequenceNumber	Import Sequence Number
modifiedby	ModifiedBy	Modified By
modifiedbyname	ModifiedByName	N/A
modifiedbyyominame	ModifiedByYomiName	N/A
modifiedon	ModifiedOn	Modified On
modifiedonbehalfby	ModifiedOnBehalfBy	Modified By (Delegate)
modifiedonbehalfbyname	ModifiedOnBehalfByName	N/A
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName	N/A
msmedia_code	msmedia_Code	Code
msmedia_name	msmedia_Name	Name
msmedia_seatmap	msmedia_SeatMap	Seat Map
msmedia_seatmapname	msmedia_SeatMapName	N/A
msmedia_seatsectionid	msmedia_SeatSectionId	Seat Section
msmedia_sectionnumber	msmedia_SectionNumber	Section Number
overriddencreatedon	OverriddenCreatedOn	Record Created On
ownerid	OwnerId	Owner
owneridname	OwnerIdName	N/A
owneridtype	OwnerIdType	N/A
owneridyominame	OwnerIdYomiName	N/A
owningbusinessunit	OwningBusinessUnit	Owning Business Unit
owningteam	OwningTeam	Owning Team
owninguser	OwningUser	Owning User
statecode	statecode	Status
statecodename	statecodeName	N/A
statuscode	statuscode	Status Reason
statuscodename	statuscodeName	N/A
timezoneruleversionnumber	TimeZoneRuleVersionNumber	Time Zone Rule Version Number
utcconversiontimezonecode	UTCConversionTimeZoneCode	UTC Conversion Time Zone Code
versionnumber	VersionNumber	Version Number

Attribute Type	Description	Custom Attribute
Lookup	Unique identifier of the user who created the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was created.	False
Lookup	Unique identifier of the delegate user who created the record.	False
String	N/A	False
String	N/A	False
Integer	Sequence number of the import that created this record.	False
Lookup	Unique identifier of the user who modified the record.	False
String	N/A	False
String	N/A	False
DateTime	Date and time when the record was modified.	False
Lookup	Unique identifier of the delegate user who modified the record.	False
String	N/A	False
String	N/A	False
String		True
String	Required name field	True
Lookup		True
String	N/A	True
Uniqueidentifier	Unique identifier for entity instances	False
String		True
DateTime	Date and time that the record was migrated.	False
Owner	Owner Id	False
String	Name of the owner	False
EntityName	Owner Id Type	False
String	Yomi name of the owner	False
Lookup	Unique identifier for the business unit that owns the record	False
Lookup	Unique identifier for the team that owns the record.	False
Lookup	Unique identifier for the user that owns the record.	False
State	Status of the Seat Section	False
Virtual	N/A	False
Status	Reason for the status of the Seat Section	False
Virtual	N/A	False
Integer	For internal use only.	False
Integer	Time zone code that was in use when the record was created.	False
BigInt	Version Number	False

Type	Additional data
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Minimum value: -2147483648Maximum value: 214748364
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: DateAndTime
Simple	Targets:systemuser
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Format: TextMax length: 100
Simple	Targets:msmedia_seatmap
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Format: DateOnly
Simple	Targets:systemuserteam
Simple	Format: TextMax length: 100
Simple	
Simple	Format: TextMax length: 100
Simple	Targets:businessunit
Simple	Targets:team
Simple	Targets:systemuser
Simple	States:0: Active1: Inactive
Simple	
Simple	States:1: Active2: Inactive
Simple	
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -1Maximum value: 2147483647
Simple	Minimum value: -9223372036854775808Maximum value:



9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_description	msmedia_Description
msmedia_name	msmedia_Name
msmedia_number	msmedia_Number
msmedia_seatmap	msmedia_SeatMap
msmedia_seatmapname	msmedia_SeatMapName
msmedia_seattierid	msmedia_SeatTierId
msmedia_totalnumberofseats	msmedia_TotalNumberOfSeats
msmedia_totalnumberofseats_date	msmedia_TotalNumberOfSeats_Date
msmedia_totalnumberofseats_state	msmedia_TotalNumberOfSeats_State
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam
owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Description	Memo
Name	String
Number	Integer
Seat Map	Lookup
N/A	String
Seat Tier	Uniqueidentifier
Total Number of Seats	Integer
Total Number of Seats (Last Updated On)	DateTime
Total Number of Seats (State)	Integer
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup
Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
Required name field	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
	True	Rollup
Last Updated time of rollup field Total Number of Seats.	True	Simple
State of rollup field Total Number of Seats.	True	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple
Unique identifier for the user that owns the record.	False	Simple
Status of the Seat Tier	False	Simple
N/A	False	Simple
Reason for the status of the Seat Tier	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value:

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: TextMax length: 2000

Format: TextMax length: 100

Minimum value: -2147483648Maximum value:

Targets:msmedia_seatmap

Format: TextMax length: 100

Minimum value: -2147483648Maximum value:

Format: DateAndTime

Minimum value: -2147483648Maximum value:

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser

States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 214748364

Minimum value: -1Maximum value: 214748364

Minimum value: -9223372036854775808Maxir



num value: 9223372036854775807

Logical Name	Schema Name
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
importsequencenumber	ImportSequenceNumber
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msmedia_barcodeexpirationdatetime	msmedia_BarcodeExpirationDateTime
msmedia_barcodeimage	msmedia_BarcodeImage
msmedia_barcodeimage_timestamp	msmedia_BarcodeImage_Timestamp
msmedia_barcodeimage_url	msmedia_BarcodeImage_URL
msmedia_barcodeimageid	msmedia_BarcodeImageId
msmedia_barcodevalue	msmedia_BarcodeValue
msmedia_contact	msmedia_Contact
msmedia_contactname	msmedia_ContactName
msmedia_contactyominame	msmedia_ContactYomiName
msmedia_guest	msmedia_Guest
msmedia_guestname	msmedia_GuestName
msmedia_name	msmedia_Name
msmedia_opportunityproduct	msmedia_OppportunityProduct
msmedia_opportunityproductname	msmedia_OppportunityProductName
msmedia_orderproduct	msmedia_OrderProduct
msmedia_orderproductname	msmedia_OrderProductName
msmedia_product	msmedia_Product
msmedia_productname	msmedia_ProductName
msmedia_quoteproduct	msmedia_QuoteProduct
msmedia_quoteproductname	msmedia_QuoteProductName
msmedia_ticketbadgevendor	msmedia_TicketBadgeVendor
msmedia_ticketbadgevendorname	msmedia_TicketBadgeVendorName
msmedia_ticketbadgevendoryominame	msmedia_TicketBadgeVendorYomiName
msmedia_ticketid	msmedia_TicketId
overriddencreatedon	OverriddenCreatedOn
ownerid	OwnerId
owneridname	OwnerIdName
owneridtype	OwnerIdType
owneridyominame	OwnerIdYomiName
owningbusinessunit	OwningBusinessUnit
owningteam	OwningTeam

owninguser	OwningUser
statecode	statecode
statecodename	statecodeName
statuscode	statuscode
statuscodename	statuscodeName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber

Display Name	Attribute Type
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Import Sequence Number	Integer
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
Barcode Expiration Date / Time	DateTime
Barcode Image	Virtual
N/A	BigInt
N/A	String
N/A	Uniqueidentifier
Barcode Value	String
Contact	Lookup
N/A	String
N/A	String
Guest	Lookup
N/A	String
Name	String
Opportunity Product	Lookup
N/A	String
Order Product	Lookup
N/A	String
Product	Lookup
N/A	String
Quote Product	Lookup
N/A	String
Ticket / Badge Vendor	Lookup
N/A	String
N/A	String
Ticket	Uniqueidentifier
Record Created On	DateTime
Owner	Owner
N/A	String
N/A	EntityName
N/A	String
Owning Business Unit	Lookup
Owning Team	Lookup

Owning User	Lookup
Status	State
N/A	Virtual
Status Reason	Status
N/A	Virtual
Time Zone Rule Version Number	Integer
UTC Conversion Time Zone Code	Integer
Version Number	BigInt

Description	Custom Attribute	Type
Unique identifier of the user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was created.	False	Simple
Unique identifier of the delegate user who created the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Sequence number of the import that created this record.	False	Simple
Unique identifier of the user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
Date and time when the record was modified.	False	Simple
Unique identifier of the delegate user who modified the record.	False	Simple
N/A	False	Simple
N/A	False	Simple
	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
Required name field	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
	True	Simple
N/A	True	Simple
N/A	True	Simple
Unique identifier for entity instances	False	Simple
Date and time that the record was migrated.	False	Simple
Owner Id	False	Simple
Name of the owner	False	Simple
Owner Id Type	False	Simple
Yomi name of the owner	False	Simple
Unique identifier for the business unit that owns the record	False	Simple
Unique identifier for the team that owns the record.	False	Simple

Unique identifier for the user that owns the record.	False	Simple
Status of the Ticket	False	Simple
N/A	False	Simple
Reason for the status of the Ticket	False	Simple
N/A	False	Simple
For internal use only.	False	Simple
Time zone code that was in use when the record was created.	False	Simple
Version Number	False	Simple

Additional data

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Minimum value: -2147483648Maximum value: 214748364

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Targets:systemuser

Format: TextMax length: 100

Format: TextMax length: 100

Format: DateAndTime

Minimum value: -9223372036854775808Maximum value:

Format: UrlMax length: 200

Format: TextMax length: 500

Targets:contact

Format: TextMax length: 160

Format: TextMax length: 450

Targets:msmedia_guest

Format: TextMax length: 100

Format: TextMax length: 100

Targets:opportunityproduct

Format: TextMax length: 500

Targets:salesorderdetail

Format: TextMax length: 500

Targets:product

Format: TextMax length: 100

Targets:quotedetail

Format: TextMax length: 500

Targets:account

Format: TextMax length: 160

Format: TextMax length: 160

Format: DateOnly

Targets:systemuserteam

Format: TextMax length: 100

Format: TextMax length: 100

Targets:businessunit

Targets:team

Targets:systemuser
States:0: Active1: Inactive

States:1: Active2: Inactive

Minimum value: -1Maximum value: 2147483647
Minimum value: -1Maximum value: 2147483647
Minimum value: -9223372036854775808Maximum value:



9223372036854775807

9223372036854775807

Logical Name	Schema Name
accessmode	AccessMode
accessmodename	AccessModeName
activedirectoryguid	ActiveDirectoryGuid
address1_addressid	Address1_AddressId
address1_addresstypecode	Address1_AddressTypeCode
address1_addresstypecodename	Address1_AddressTypeCodeName
address1_city	Address1_City
address1_composite	Address1_Composite
address1_country	Address1_Country
address1_county	Address1_County
address1_fax	Address1_Fax
address1_latitude	Address1_Latitude
address1_line1	Address1_Line1
address1_line2	Address1_Line2
address1_line3	Address1_Line3
address1_longitude	Address1_Longitude
address1_name	Address1_Name
address1_postalcode	Address1_PostalCode
address1_postofficebox	Address1_PostOfficeBox
address1_shippingmethodcode	Address1_ShippingMethodCode
address1_shippingmethodcodename	Address1_ShippingMethodCodeName
address1_stateorprovince	Address1_StateOrProvince
address1_telephone1	Address1_Telephone1
address1_telephone2	Address1_Telephone2
address1_telephone3	Address1_Telephone3
address1_upszone	Address1_UPSZone
address1_utcoffset	Address1_UTCOffset
address2_addressid	Address2_AddressId
address2_addresstypecode	Address2_AddressTypeCode
address2_addresstypecodename	Address2_AddressTypeCodeName
address2_city	Address2_City
address2_composite	Address2_Composite
address2_country	Address2_Country
address2_county	Address2_County
address2_fax	Address2_Fax
address2_latitude	Address2_Latitude
address2_line1	Address2_Line1
address2_line2	Address2_Line2
address2_line3	Address2_Line3
address2_longitude	Address2_Longitude
address2_name	Address2_Name
address2_postalcode	Address2_PostalCode
address2_postofficebox	Address2_PostOfficeBox
address2_shippingmethodcode	Address2_ShippingMethodCode
address2_shippingmethodcodename	Address2_ShippingMethodCodeName
address2_stateorprovince	Address2_StateOrProvince

address2_telephone1	Address2_Telephone1
address2_telephone2	Address2_Telephone2
address2_telephone3	Address2_Telephone3
address2_upszone	Address2_UPSZone
address2_utcoffset	Address2_UTCOffset
applicationid	ApplicationId
applicationiduri	ApplicationIdUri
azureactivedirectoryobjectid	AzureActiveDirectoryObjectId
businessunitid	BusinessUnitId
businessunitidname	BusinessUnitIdName
calendarid	CalendarId
caltype	CALType
caltypename	CALTypeName
createdby	CreatedBy
createdbyname	CreatedByName
createdbyyominame	CreatedByYomiName
createdon	CreatedOn
createdonbehalfby	CreatedOnBehalfBy
createdonbehalfbyname	CreatedOnBehalfByName
createdonbehalfbyyominame	CreatedOnBehalfByYomiName
defaultfilterspopulated	DefaultFiltersPopulated
defaultmailbox	DefaultMailbox
defaultmailboxname	DefaultMailboxName
defaultodbfoldername	DefaultOdbFolderName
disabledreason	DisabledReason
displayinserviceviews	DisplayInServiceViews
displayinserviceviewsname	DisplayInServiceViewsName
domainname	DomainName
emailrouteraccessapproval	EmailRouterAccessApproval
emailrouteraccessapprovalname	EmailRouterAccessApprovalName
employeeid	EmployeeId
entityimage	EntityImage
entityimage_timestamp	EntityImage_Timestamp
entityimage_url	EntityImage_URL
entityimageid	EntityImageId
exchangerate	ExchangeRate
firstname	FirstName
fullname	FullName
governmentid	GovernmentId
homephone	HomePhone
identityid	IdentityId
importsequencenumber	ImportSequenceNumber
incomingemaildeliverymethod	IncomingEmailDeliveryMethod
incomingemaildeliverymethodname	IncomingEmailDeliveryMethodName
internalemailaddress	InternalEMailAddress
invitestatuscode	InviteStatusCode
invitestatuscodename	InviteStatusCodeName

isactivedirectoryuser	IsActiveDirectoryUser
isdisabled	IsDisabled
isdisabledname	IsDisabledName
isemailaddressapprovedbyo365admin	IsEmailAddressApprovedByO365Admin
isintegrationuser	IsIntegrationUser
isintegrationusername	IsIntegrationUserName
islicensed	IsLicensed
islicensedname	IsLicensedName
issyncwithdirectory	IsSyncWithDirectory
jobtitle	JobTitle
lastname	LastName
latestupdatetime	LatestUpdateTime
middlename	MiddleName
mobilealertemail	MobileAlertEMail
mobileofflineprofileid	MobileOfflineProfileId
mobileofflineprofileidname	MobileOfflineProfileIdName
mobilephone	MobilePhone
modifiedby	ModifiedBy
modifiedbyname	ModifiedByName
modifiedbyyominame	ModifiedByYomiName
modifiedon	ModifiedOn
modifiedonbehalfby	ModifiedOnBehalfBy
modifiedonbehalfbyname	ModifiedOnBehalfByName
modifiedonbehalfbyyominame	ModifiedOnBehalfByYomiName
msdyn_gdproptout	msdyn_gdproptout
msdyn_gdproptoutname	msdyn_gdproptoutName
nickname	NickName
organizationid	OrganizationId
organizationidname	OrganizationIdName
outgoingemaildeliverymethod	OutgoingEmailDeliveryMethod
outgoingemaildeliverymethodname	OutgoingEmailDeliveryMethodName
overriddencreatedon	OverriddenCreatedOn
parentsuserid	ParentSystemUserId
parentsuseridname	ParentSystemUserIdName
parentsuseridyominame	ParentSystemUserIdYomiName
passporthi	PassportHi
passportlo	PassportLo
personalemailaddress	PersonalEmailAddress
photourl	PhotoUrl
positionid	PositionId
positionidname	PositionIdName
preferredaddresscode	PreferredAddressCode
preferredaddresscodename	PreferredAddressCodeName
preferredemailcode	PreferredEmailCode
preferredemailcodename	PreferredEmailCodeName
preferredphonecode	PreferredPhoneCode
preferredphonecodename	PreferredPhoneCodeName

processid	ProcessId
queueid	QueueId
queueidname	QueueIdName
salutation	Salutation
setupuser	SetupUser
setupusername	SetupUserName
sharepointemailaddress	SharePointEmailAddress
siteid	SiteId
siteidname	SiteIdName
skills	Skills
stageid	StageId
systemuserid	SystemUserId
territoryid	TerritoryId
territoryidname	TerritoryIdName
timezoneruleversionnumber	TimeZoneRuleVersionNumber
title	Title
transactioncurrencyid	TransactionCurrencyId
transactioncurrencyidname	TransactionCurrencyIdName
traversedpath	TraversedPath
userlicensetype	UserLicenseType
userpuid	UserPuid
utcconversiontimezonecode	UTCConversionTimeZoneCode
versionnumber	VersionNumber
windowsliveid	WindowsLiveId
yammeremailaddress	YammerEmailAddress
yammeruserid	YammerUserId
yomifirstname	YomiFirstName
yomifullname	YomiFullName
yomilastname	YomiLastName
yomimiddlename	YomiMiddleName

Display Name	Attribute Type
Access Mode	Picklist
N/A	Virtual
Active Directory Guid	Uniqueidentifier
Address 1: ID	Uniqueidentifier
Address 1: Address Type	Picklist
N/A	Virtual
City	String
Address	Memo
Country/Region	String
Address 1: County	String
Address 1: Fax	String
Address 1: Latitude	Double
Street 1	String
Street 2	String
Street 3	String
Address 1: Longitude	Double
Address 1: Name	String
ZIP/Postal Code	String
Address 1: Post Office Box	String
Address 1: Shipping Method	Picklist
N/A	Virtual
State/Province	String
Main Phone	String
Other Phone	String
Pager	String
Address 1: UPS Zone	String
Address 1: UTC Offset	Integer
Address 2: ID	Uniqueidentifier
Address 2: Address Type	Picklist
N/A	Virtual
Other City	String
Other Address	Memo
Other Country/Region	String
Address 2: County	String
Address 2: Fax	String
Address 2: Latitude	Double
Other Street 1	String
Other Street 2	String
Other Street 3	String
Address 2: Longitude	Double
Address 2: Name	String
Other ZIP/Postal Code	String
Address 2: Post Office Box	String
Address 2: Shipping Method	Picklist
N/A	Virtual
Other State/Province	String

Address 2: Telephone 1	String
Address 2: Telephone 2	String
Address 2: Telephone 3	String
Address 2: UPS Zone	String
Address 2: UTC Offset	Integer
Application ID	Uniqueidentifier
Application ID URI	String
Azure AD Object ID	Uniqueidentifier
Business Unit	Lookup
N/A	String
Calendar	Lookup
License Type	Picklist
N/A	Virtual
Created By	Lookup
N/A	String
N/A	String
Created On	DateTime
Created By (Delegate)	Lookup
N/A	String
N/A	String
Default Filters Populated	Boolean
Mailbox	Lookup
N/A	String
Default OneDrive for Business Folder Name	String
Disabled Reason	String
Display in Service Views	Boolean
N/A	Virtual
User Name	String
Primary Email Status	Picklist
N/A	Virtual
Employee	String
Entity Image	Virtual
N/A	BigInt
N/A	String
Entity Image Id	Uniqueidentifier
Exchange Rate	Decimal
First Name	String
Full Name	String
Government	String
Home Phone	String
Unique user identity id	Integer
Import Sequence Number	Integer
Incoming Email Delivery Method	Picklist
N/A	Virtual
Primary Email	String
Invitation Status	Picklist
N/A	Virtual

Is Active Directory User	Boolean
Status	Boolean
N/A	Virtual
Email Address O365 Admin Approval Status	Boolean
Integration user mode	Boolean
N/A	Virtual
User Licensed	Boolean
N/A	Virtual
User Synced	Boolean
Job Title	String
Last Name	String
Latest User Update Time	DateTime
Middle Name	String
Mobile Alert Email	String
Mobile Offline Profile	Lookup
N/A	String
Mobile Phone	String
Modified By	Lookup
N/A	String
N/A	String
Modified On	DateTime
Modified By (Delegate)	Lookup
N/A	String
N/A	String
GDPR Optout	Boolean
N/A	Virtual
Nickname	String
Organization	Uniqueidentifier
N/A	String
Outgoing Email Delivery Method	Picklist
N/A	Virtual
Record Created On	DateTime
Manager	Lookup
N/A	String
N/A	String
Passport Hi	Integer
Passport Lo	Integer
Email 2	String
Photo URL	String
Position	Lookup
N/A	String
Preferred Address	Picklist
N/A	Virtual
Preferred Email	Picklist
N/A	Virtual
Preferred Phone	Picklist
N/A	Virtual

Process	Uniqueidentifier
Default Queue	Lookup
N/A	String
Salutation	String
Restricted Access Mode	Boolean
N/A	Virtual
SharePoint Email Address	String
Site	Lookup
N/A	String
Skills	String
(Deprecated) Process Stage	Uniqueidentifier
User	Uniqueidentifier
Territory	Lookup
N/A	String
Time Zone Rule Version Number	Integer
Title	String
Currency	Lookup
N/A	String
(Deprecated) Traversed Path	String
User License Type	Integer
User PUID	String
UTC Conversion Time Zone Code	Integer
Version number	BigInt
Windows Live ID	String
Yammer Email	String
Yammer User ID	String
Yomi First Name	String
Yomi Full Name	String
Yomi Last Name	String
Yomi Middle Name	String

Description

Type of user.

N/A

Active Directory object GUID for the system user.

Unique identifier for address 1.

Type of address for address 1, such as billing, shipping, or primary address.

N/A

City name for address 1.

Shows the complete primary address.

Country/region name in address 1.

County name for address 1.

Fax number for address 1.

Latitude for address 1.

First line for entering address 1 information.

Second line for entering address 1 information.

Third line for entering address 1 information.

Longitude for address 1.

Name to enter for address 1.

ZIP Code or postal code for address 1.

Post office box number for address 1.

Method of shipment for address 1.

N/A

State or province for address 1.

First telephone number associated with address 1.

Second telephone number associated with address 1.

Third telephone number associated with address 1.

United Parcel Service (UPS) zone for address 1.

UTC offset for address 1. This is the difference between local time and standard Coordinated Universal Time.

Unique identifier for address 2.

Type of address for address 2, such as billing, shipping, or primary address.

N/A

City name for address 2.

Shows the complete secondary address.

Country/region name in address 2.

County name for address 2.

Fax number for address 2.

Latitude for address 2.

First line for entering address 2 information.

Second line for entering address 2 information.

Third line for entering address 2 information.

Longitude for address 2.

Name to enter for address 2.

ZIP Code or postal code for address 2.

Post office box number for address 2.

Method of shipment for address 2.

N/A

State or province for address 2.

First telephone number associated with address 2.

Second telephone number associated with address 2.

Third telephone number associated with address 2.

United Parcel Service (UPS) zone for address 2.

UTC offset for address 2. This is the difference between local time and standard Coordinated Universal Time.

The identifier for the application. This is used to access data in another application.

The URI used as a unique logical identifier for the external app. This can be used to validate the application.

This is the application directory object Id.

Unique identifier of the business unit with which the user is associated.

N/A

Fiscal calendar associated with the user.

License type of user.

N/A

Unique identifier of the user who created the user.

N/A

N/A

Date and time when the user was created.

Unique identifier of the delegate user who created the systemuser.

N/A

N/A

Indicates if default outlook filters have been populated.

Select the mailbox associated with this user.

N/A

Type a default folder name for the user's OneDrive For Business location.

Reason for disabling the user.

Whether to display the user in service views.

N/A

Active Directory domain of which the user is a member.

Shows the status of the primary email address.

N/A

Employee identifier for the user.

Shows the default image for the record.

N/A

N/A

For internal use only.

Exchange rate for the currency associated with the systemuser with respect to the base currency.

First name of the user.

Full name of the user.

Government identifier for the user.

Home phone number for the user.

For internal use only.

Unique identifier of the data import or data migration that created this record.

Incoming email delivery method for the user.

N/A

Internal email address for the user.

User invitation status.

N/A

Information about whether the user is an AD user.
Information about whether the user is enabled.
N/A
Shows the status of approval of the email address by O365 Admin.
Check if user is an integration user.
N/A
Information about whether the user is licensed.
N/A
Information about whether the user is synced with the directory.
Job title of the user.
Last name of the user.
Time stamp of the latest update for the user
Middle name of the user.
Mobile alert email address for the user.
Items contained with a particular SystemUser.
N/A
Mobile phone number for the user.
Unique identifier of the user who last modified the user.
N/A
N/A
Date and time when the user was last modified.
Unique identifier of the delegate user who last modified the systemuser.
N/A
N/A
Describes whether user is opted out or not
N/A
Nickname of the user.
Unique identifier of the organization associated with the user.
N/A
Outgoing email delivery method for the user.
N/A
Date and time that the record was migrated.
Unique identifier of the manager of the user.
N/A
N/A
For internal use only.
For internal use only.
Personal email address of the user.
URL for the Website on which a photo of the user is located.
User's position in hierarchical security model.
N/A
Preferred address for the user.
N/A
Preferred email address for the user.
N/A
Preferred phone number for the user.
N/A

Shows the ID of the process.

Unique identifier of the default queue for the user.

N/A

Salutation for correspondence with the user.

Check if user is a setup user.

N/A

SharePoint Work Email Address

Site at which the user is located.

N/A

Skill set of the user.

Shows the ID of the stage.

Unique identifier for the user.

Unique identifier of the territory to which the user is assigned.

N/A

For internal use only.

Title of the user.

Unique identifier of the currency associated with the system user.

N/A

For internal use only.

Shows the type of user license.

User PUID User Identifiable Information

Time zone code that was in use when the record was created.

Version number of the user.

Windows Live ID

User's Yammer login email address

User's Yammer ID

Pronunciation of the first name of the user, written in phonetic hiragana or katakana characters.

Pronunciation of the full name of the user, written in phonetic hiragana or katakana characters.

Pronunciation of the last name of the user, written in phonetic hiragana or katakana characters.

Pronunciation of the middle name of the user, written in phonetic hiragana or katakana characters.

Custom Attribute	Type	Required Level	Additional data
False	Simple	SystemRequired	Options:0: Read-Write1: Administrative2: Read3: Sup
False	Simple	None	
False	Simple	None	
False	Simple	None	
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextAreaMax length: 1000
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextMax length: 64
False	Simple	None	Minimum value: -90Maximum value: 90Precision: 5
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Minimum value: -180Maximum value: 180Precision:
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 40
False	Simple	None	Format: TextMax length: 40
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextMax length: 64
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: TextMax length: 4
False	Simple	None	Minimum value: -1500Maximum value: 1500
False	Simple	None	
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextAreaMax length: 1000
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Minimum value: -90Maximum value: 90Precision: 5
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Minimum value: -180Maximum value: 180Precision:
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 40
False	Simple	None	Format: TextMax length: 40
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Format: TextMax length: 128

False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: TextMax length: 4
False	Simple	None	Minimum value: -1500Maximum value: 1500
False	Simple	None	
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	
False	Simple	SystemRequired	Targets:businessunit
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	None	Targets:calendar
False	Simple	SystemRequired	Options:0: Professional1: Administrative2: Basic3: De
False	Simple	None	
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: DateAndTime
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	None	Targets:mailbox
False	Simple	None	Format: TextMax length: 100
False	Simple	SystemRequired	Format: TextMax length: 200
False	Simple	None	Format: TextMax length: 500
False	Simple	None	True: YesFalse: NoDefault Value: False
False	Simple	None	
False	Simple	SystemRequired	Format: TextMax length: 1024
False	Simple	SystemRequired	Options:0: Empty1: Approved2: Pending Approval3: I
False	Simple	None	
False	Simple	None	Format: TextMax length: 100
False	Simple	None	
False	Simple	None	Minimum value: -9223372036854775808Maximum
False	Simple	None	Format: UrlMax length: 200
False	Simple	None	
False	Simple	None	Minimum value: 0.0000000001Maximum value: 100
False	Simple	ApplicationRequired	Format: TextMax length: 64
False	Simple	None	Format: TextMax length: 200
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 50
False	Simple	SystemRequired	Minimum value: -2147483648Maximum value: 2147
False	Simple	None	Minimum value: -2147483648Maximum value: 2147
False	Simple	SystemRequired	Options:0: None1: Microsoft Dynamics 365 for Outlo
False	Simple	None	
False	Simple	SystemRequired	Format: EmailMax length: 100
False	Simple	ApplicationRequired	Options:0: Invitation Not Sent1: Invited2: Invitation N
False	Simple	None	

False	Simple	SystemRequired	True: YesFalse: NoDefault Value: True
False	Simple	None	True: DisabledFalse: EnabledDefault Value: False
False	Simple	None	
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	None	
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	None	
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	None	Format: TextMax length: 100
False	Simple	ApplicationRequired	Format: TextMax length: 64
False	Simple	None	Format: DateAndTime
False	Simple	None	Format: TextMax length: 50
False	Simple	None	Format: EmailMax length: 100
False	Simple	None	Targets:mobileofflineprofile
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 64
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: DateAndTime
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
True	Simple	None	True: YesFalse: NoDefault Value: False
True	Simple	None	
False	Simple	None	Format: TextMax length: 50
False	Simple	SystemRequired	
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	SystemRequired	Options:0: None1: Microsoft Dynamics 365 for Outlo
False	Simple	None	
False	Simple	None	Format: DateOnly
False	Simple	None	Targets:systemuser
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Minimum value: 0Maximum value: 1000000000
False	Simple	None	Minimum value: 0Maximum value: 1000000000
False	Simple	None	Format: EmailMax length: 100
False	Simple	None	Format: UrlMax length: 200
False	Simple	None	Targets:position
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Options:1: Mailing Address2: Other AddressDefault:
False	Simple	None	
False	Simple	None	Options:1: Default ValueDefault: 1
False	Simple	None	
False	Simple	None	Options:1: Main Phone2: Other Phone3: Home Phon
False	Simple	None	

False	Simple	None	
False	Simple	None	Targets:queue
False	Simple	None	Format: TextMax length: 400
False	Simple	None	Format: TextMax length: 20
False	Simple	SystemRequired	True: YesFalse: NoDefault Value: False
False	Simple	None	
False	Simple	None	Format: TextMax length: 1024
False	Simple	None	Targets:site
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 100
False	Simple	None	
False	Simple	SystemRequired	
False	Simple	None	Targets:territory
False	Simple	SystemRequired	Format: TextMax length: 100
False	Simple	None	Minimum value: -1Maximum value: 2147483647
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Targets:transactioncurrency
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Format: TextMax length: 1250
False	Simple	SystemRequired	Minimum value: -2147483648Maximum value: 2147483647
False	Simple	None	Format: TextMax length: 100
False	Simple	None	Minimum value: -1Maximum value: 2147483647
False	Simple	None	Minimum value: -9223372036854775808Maximum value: 9223372036854775807
False	Simple	None	Format: EmailMax length: 1024
False	Simple	None	Format: EmailMax length: 200
False	Simple	None	Format: TextMax length: 128
False	Simple	None	Format: PhoneticGuideMax length: 64
False	Simple	None	Format: PhoneticGuideMax length: 200
False	Simple	None	Format: PhoneticGuideMax length: 64
False	Simple	None	Format: PhoneticGuideMax length: 50



Device Professional4: Device Basic5: Essential6: Device Essential7: Enterprise8: Device Enterprise9: Sales10: Servi

Year Expired3: Invitation Expired4: Invitation Accepted5: Invitation Rejected6: Invitation RevokedDefault: 0

ce11: Field Service12: Project ServiceDefault: 0